

# Cancer Patient Experience Survey

2022 Results

# **North East London Cancer Alliance**

Published July 2023

# **Executive Summary**

North East London Cancer Alliance has no scores above expected range

## **Questions Below Expected Range**

	Case	Mix Adjusted S	Scores	
	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q3. Referral for diagnosis was explained in a way the patient could completely understand	60%	61%	70%	65%
Q18. Patient found it very or quite easy to contact their main contact person	80%	80%	88%	84%
Q19. Patient found advice from main contact person was very or quite helpful	94%	94%	97%	95%
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	67%	67%	75%	71%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	74%	74%	83%	78%
Q41_1. Beforehand patient completely had enough understandable information about surgery	86%	87%	92%	89%
Q42_1. Patient completely had enough understandable information about progress with surgery	81%	82%	88%	85%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	69%	70%	86%	78%
Q51. Patient definitely received the right amount of support from their GP practice during treatment	38%	40%	50%	45%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	57%	58%	67%	62%

## Introduction

The National Cancer Patient Experience Survey 2022 is the 12th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2022 survey involved 133 NHS Trusts. Out of 115,662 people, 61,268 people responded to the survey, yielding a response rate of 53%.

## **Methodology**

## Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2022. The fieldwork for the survey was undertaken between November 2022 and February 2023.

As in the previous seven years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

## How Alliance and ICB results are generated

Alliance and ICB results are derived using the post code of each patient, rather than by mapping trust results to ICBs or Alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint.

#### **Case-mix adjustment**

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an Alliance is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Alliance. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

#### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Please note that following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral.

### Statistical significance

In the reporting of 2022 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

#### **Suppression**

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Alliance, the results are not shown for that question for that Alliance.

For Alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

#### **Additional suppression**

Additional suppression happens if only **one** Alliance has a score suppressed. If this happens, we will suppress another Alliance's results (both the Alliance level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Alliance.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Alliance has the 85+ age group suppressed for Q25 we will need to suppress another Alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

## **Understanding the results**

This report shows how this Alliance scored for each question in the survey compared with national results. It is aimed at helping individual Alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

## **Expected range charts**

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Alliance performs better than what Alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Alliance's size and demographics.

## **Comparability tables**

The comparability tables show the 2021 and 2022 unadjusted scores for this Alliance for each scored question. If there is a statistically significant change from 2021 an arrow will be presented for the direction of change.

The adjusted 2022 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

#### **Sub-group breakdowns**

Unadjusted scores are shown for tumour type, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results.

#### Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

#### Male/Female/Non-binary/Other tables

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

## **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

### Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long term conditions and those who indicate that they have no long-term conditions.

## IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

#### Year on year charts

The year on year charts show two columns representing the unadjusted scores of the last two years (2021 and 2022) for each scored question.

#### Trust Expected Range Summary

The number of scored questions that fell below, within and above the expected range for each Trust within the Alliance.

## **ICB Expected Range Summary**

The number of scored questions that fell below, within and above the expected range for each ICB within the Alliance.

## **Further information**

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2022 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2022 questionnaire and survey guidance on the website at <a href="https://www.ncpes.co.uk">www.ncpes.co.uk</a>. For all other outputs at Alliance level, please see the Excel tables and dashboards at <a href="https://www.ncpes.co.uk">www.ncpes.co.uk</a>.

## **Response Rate**

## **Overall Response Rate**

881 patients responded out of a total of 2,192 patients, resulting in a response rate of 40%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	2,332	2,192	881	40%
National	123,632	115,662	61,268	53%

## **Respondents by Survey Type**


	Number of Respondents
Paper	676
Online	202
Phone	2
Translation Service	1
Total	881


## **Respondents by Tumour Group**


	Number of Respondents
Brain / CNS	2
Breast	186
Colorectal / LGT	101
Gynaecological	34
Haematological	84
Head and Neck	31
Lung	70
Prostate	115
Sarcoma	12
Skin	31
Upper Gastro	41
Urological	52
Other	122
Total	881


## **Respondents by Ethnicity**

	Number of Respondents
White	
English / Welsh / Scottish / Northern Irish / British	528
Irish	10
Gypsy or Irish Traveller	*
Any other White background	54
Mixed / Multiple Ethnicity	<u>'</u>
White and Black Caribbean	6
White and Black African	*
White and Asian	*
Any other Mixed / multiple ethnic background	*
Asian or Asian British	·
Indian	31
Pakistani	23
Bangladeshi	20
Chinese	12
Any other Asian background	24
Black / African / Caribbean / Black British	
African	33
Caribbean	31
Any other Black / African / Caribbean background	*
Other Ethnicity	'
Arab	*
Any other ethnic group	*
Not given	
Not given	89
Total	881









## **Cancer Patient Experience Survey 2022 North East London Cancer Alliance**

## **Comparability tables**

Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

	Unadjusted Scores						Case Mix Adjusted Scores			
SUPPORT FROM YOUR GP PRACTICE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	474	70%	375	72%		74%	73%	82%	78%	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	620	59%	533	59%		60%	61%	70%	65%	

		Una	djusted So	cores	Case M				
DIAGNOSTIC TESTS	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q5. Patient received all the information needed about the diagnostic test in advance	810	90%	700	91%		91%	90%	94%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	843	79%	750	79%		81%	80%	87%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	850	75%	754	75%		76%	75%	81%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	854	74%	756	77%		79%	75%	81%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	850	92%	758	94%		94%	93%	96%	95%

	Unadjusted Scores						Case Mix Adjusted Scores			
FINDING OUT THAT YOU HAD CANCER	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	945	67%	811	75%	<b>A</b>	74%	73%	79%	76%	
Q13. Patient was definitely told sensitively that they had cancer	995	71%	866	71%		71%	70%	77%	74%	
Q14. Cancer diagnosis explained in a way the patient could completely understand	1011	74%	871	75%		76%	73%	79%	76%	
Q15. Patient was definitely told about their diagnosis in an appropriate place	992	83%	868	86%		86%	83%	87%	85%	
Q16. Patient was told they could go back later for more information about their diagnosis	892	79%	761	82%		82%	81%	86%	84%	

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted Scores						Case Mix Adjusted Scores			
	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score	
Q17. Patient had a main point of contact within the care team	985	92%	840	92%		92%	89%	94%	92%	
Q18. Patient found it very or quite easy to contact their main contact person	865	81%	721	78%		80%	80%	88%	84%	
Q19. Patient found advice from main contact person was very or quite helpful	883	94%	745	94%		94%	94%	97%	95%	

## **Comparability tables**

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges

Adjusted Score above Upper Expected Range

		Una	djusted So	cores		Case M			
DECIDING ON THE BEST TREATMENT	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q20. Treatment options were explained in a way the patient could completely understand	961	80%	817	79%		81%	79%	85%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	996	76%	861	76%		77%	76%	83%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	796	71%	713	80%	•	80%	77%	83%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	593	50%	469	55%		51%	47%	57%	52%

	Unadjusted Scores						Case Mix Adjusted Scores			
CARE PLANNING	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	913	69%	776	67%		67%	67%	75%	71%	
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	573	91%	482	90%		91%	91%	95%	93%	
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	432	97%	370	99%		99%	97%	100%	99%	

SUPPORT FROM HOSPITAL STAFF		Una	djusted So	cores	Case M				
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q27. Staff provided the patient with relevant information on available support	865	87%	744	89%		90%	87%	93%	90%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	998	70%	862	74%		75%	71%	79%	75%
Q29. Patient was offered information about how to get financial help or benefits	613	69%	522	63%		65%	63%	72%	67%

		Una	djusted So	cores		Case M	lix Adjuste	d Scores	
HOSPITAL CARE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	476	74%	420	81%	•	82%	74%	83%	79%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	390	56%	337	64%		63%	61%	71%	66%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	465	68%	403	68%		68%	65%	74%	69%
Q34. Patient was always able to get help from ward staff when needed	467	72%	406	73%		73%	66%	79%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	451	62%	393	64%		65%	59%	70%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	422	81%	355	84%		85%	80%	89%	84%
Q37. Patient was always treated with respect and dignity while in hospital	474	85%	419	86%		87%	84%	92%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	452	87%	407	88%		88%	85%	91%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	865	71%	744	72%		74%	74%	83%	78%

## **Comparability tables**

\* Indicates where a score is not available due to suppression or a low base size.

▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

**	Nο	score	available	for	2021

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
YOUR TREATMENT	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q41_1. Beforehand patient completely had enough understandable information about surgery	578	86%	504	85%		86%	87%	92%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	533	86%	449	84%		84%	82%	88%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	340	85%	259	87%		87%	85%	92%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	173	76%	122	75%		75%	71%	86%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	136	80%	105	84%		84%	77%	91%	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	577	82%	500	81%		81%	82%	88%	85%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	533	79%	450	78%		78%	75%	82%	79%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	336	81%	254	81%		81%	76%	85%	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	171	71%	120	72%		72%	64%	81%	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	135	79%	107	82%		83%	72%	87%	79%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	980	70%	845	67%		69%	70%	86%	78%

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
IMMEDIATE AND LONG TERM SIDE EFFECTS	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	958	74%	816	72%		72%	71%	78%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	939	65%	776	66%		67%	65%	73%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	776	81%	656	84%		85%	82%	90%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	922	57%	769	57%		55%	55%	63%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	800	50%	679	51%		51%	48%	58%	53%

		Una	djusted So	cores		Case M			
SUPPORT WHILE AT HOME	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	658	51%	599	58%		57%	53%	62%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	509	43%	369	47%		47%	44%	59%	51%

## Cancer Patient Experience Survey 2022 North East London Cancer Alliance

## **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

**▲** or **▼** 

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

\*\* No score available for 2021.

		Una	djusted So	cores		Case M	ix Adjusted	Scores	
CARE FROM YOUR GP PRACTICE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q51. Patient definitely received the right amount of support from their GP practice during treatment	599	42%	482	39%		38%	40%	50%	45%
Q52. Patient has had a review of cancer care by GP practice	945	23%	808	24%		21%	17%	24%	21%

		Una	djusted So	cores		Case M	lix Adjusted	d Scores	
LIVING WITH AND BEYOND CANCER	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	292	30%	211	25%		25%	23%	39%	31%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	492	74%	382	76%		78%	74%	83%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	778	58%	694	55%		57%	58%	67%	62%

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
YOUR OVERALL NHS CARE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q56. The whole care team worked well together	957	88%	823	88%		88%	87%	92%	90%
Q57. Administration of care was very good or good	991	82%	850	85%		84%	84%	90%	87%
Q58. Cancer research opportunities were discussed with patient	612	47%	534	49%		48%	34%	52%	43%
Q59. Patient's average rating of care scored from very poor to very good	979	8.6	826	8.7		8.8	8.7	9.0	8.9

SUPPORT FROM YOUR GP PRACTICE							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	83%	63%	72%	61%	85%	52%	69%	*	94%	82%	72%	62%	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	75%	52%	67%	33%	39%	38%	71%	*	69%	72%	44%	51%	59%

DIAGNOSTIC TESTS							Tumo	ur Typ	е					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q5. Patient received all the information needed about the diagnostic test in advance	*	93%	88%	83%	95%	91%	88%	93%	*	100%	86%	92%	90%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	79%	73%	86%	87%	67%	84%	85%	*	86%	76%	80%	75%	79%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	74%	79%	76%	82%	77%	79%	80%	*	66%	75%	78%	61%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	81%	71%	72%	71%	74%	81%	74%	*	97%	73%	82%	76%	77%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	97%	87%	100%	93%	89%	95%	95%	*	97%	90%	84%	98%	94%

FINDING OUT THAT YOU HAD CANCER							Tumo	ur Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	75%	81%	93%	84%	79%	78%	68%	64%	46%	73%	59%	78%	75%
Q13. Patient was definitely told sensitively that they had cancer	*	79%	72%	84%	72%	74%	64%	67%	50%	84%	71%	62%	64%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	83%	72%	85%	68%	81%	71%	78%	58%	90%	71%	69%	68%	75%
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	93%	86%	97%	86%	90%	81%	86%	64%	94%	83%	76%	79%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	*	86%	82%	81%	87%	90%	78%	86%	83%	79%	76%	75%	75%	82%

SUPPORT FROM A MAIN CONTACT PERSO	N						Tumo	ur Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q17. Patient had a main point of contact within the care team	*	96%	95%	97%	97%	94%	83%	92%	92%	93%	88%	81%	92%	92%
Q18. Patient found it very or quite easy to contact their main contact person	*	75%	81%	90%	89%	78%	74%	73%	73%	83%	82%	68%	75%	78%
Q19. Patient found advice from main contact person was very or quite helpful	*	92%	92%	97%	97%	96%	92%	93%	100%	92%	90%	97%	93%	94%

DECIDING ON THE BEST TREATMENT							Tumo	our Ty <sub>l</sub>	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q20. Treatment options were explained in a way the patient could completely understand	*	82%	79%	81%	80%	77%	87%	73%	73%	90%	83%	78%	74%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	74%	72%	76%	79%	77%	73%	81%	67%	84%	71%	78%	75%	76%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	78%	83%	72%	91%	89%	75%	77%	45%	85%	76%	79%	81%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	54%	51%	20%	69%	71%	54%	59%	*	67%	57%	52%	48%	55%

CARE PLANNING							Tumo	ur Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	64%	67%	63%	72%	77%	69%	70%	83%	86%	58%	62%	60%	67%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	85%	87%	94%	94%	87%	94%	94%	100%	100%	95%	90%	90%	90%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	96%	100%	91%	100%	100%	100%	100%	*	100%	94%	100%	100%	99%

SUPPORT FROM HOSPITAL STAFF							Tumo	our Ty <sub>l</sub>	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q27. Staff provided the patient with relevant information on available support	*	88%	88%	100%	93%	86%	87%	91%	100%	95%	92%	78%	89%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	70%	70%	79%	80%	81%	75%	78%	83%	87%	56%	80%	70%	74%
Q29. Patient was offered information about how to get financial help or benefits	*	68%	59%	48%	62%	71%	72%	54%	*	64%	67%	52%	69%	63%

HOSPITAL CARE							Tumo	our Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	80%	81%	75%	77%	79%	84%	93%	*	*	88%	88%	74%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	58%	64%	59%	70%	42%	63%	74%	*	*	65%	62%	69%	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	68%	69%	65%	66%	50%	62%	81%	*	*	68%	76%	66%	68%
Q34. Patient was always able to get help from ward staff when needed	*	77%	68%	80%	65%	64%	74%	88%	*	*	76%	71%	62%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	68%	68%	50%	69%	64%	50%	67%	*	*	65%	61%	60%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	*	91%	84%	88%	83%	75%	77%	87%	*	*	91%	77%	75%	84%
Q37. Patient was always treated with respect and dignity while in hospital	*	89%	84%	85%	87%	79%	83%	93%	*	*	92%	85%	79%	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	94%	83%	90%	87%	86%	82%	93%	*	*	82%	94%	77%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	72%	57%	80%	82%	82%	74%	76%	82%	82%	64%	67%	72%	72%

YOUR TREATMENT							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	88%	84%	86%	82%	81%	78%	86%	*	88%	86%	92%	85%	85%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	83%	84%	83%	90%	80%	83%	83%	*	*	81%	82%	87%	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	89%	96%	86%	100%	86%	76%	78%	*	*	*	*	92%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	72%	*	*	*	*	*	75%	*	*	*	*	80%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	75%	*	*	*	*	86%	*	*	*	*	92%	79%	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	*	83%	79%	89%	91%	74%	69%	83%	*	84%	80%	82%	79%	81%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	80%	75%	83%	88%	80%	80%	66%	*	*	68%	91%	76%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	83%	87%	85%	92%	85%	76%	78%	*	*	*	*	79%	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	73%	*	*	*	*	*	69%	*	*	*	*	69%	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	47%	*	*	90%	*	81%	*	*	*	*	85%	93%	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	59%	74%	64%	68%	70%	79%	77%	36%	77%	63%	70%	61%	67%

IMMEDIATE AND LONG TERM SIDE EFFECT	TS						Tumo	our Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	72%	63%	75%	73%	76%	72%	76%	70%	89%	60%	69%	76%	72%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	65%	65%	69%	70%	68%	58%	74%	*	71%	61%	57%	66%	66%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	86%	83%	92%	88%	95%	79%	85%	*	94%	68%	62%	91%	84%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	56%	55%	59%	57%	67%	45%	67%	*	65%	51%	55%	54%	57%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	48%	45%	48%	52%	65%	45%	60%	*	67%	52%	50%	52%	51%

SUPPORT WHILE AT HOME							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	55%	57%	61%	68%	70%	53%	66%	*	60%	52%	52%	55%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	48%	53%	50%	56%	67%	38%	53%	*	*	48%	44%	33%	47%

CARE FROM YOUR GP PRACTICE							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	37%	39%	46%	40%	19%	24%	46%	*	60%	50%	32%	39%	39%
Q52. Patient has had a review of cancer care by GP practice	*	25%	23%	35%	24%	33%	17%	27%	18%	21%	36%	13%	20%	24%

LIVING WITH AND BEYOND CANCER							Tumo	our Ty <sub>l</sub>	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	28%	23%	38%	27%	19%	6%	32%	*	*	20%	25%	27%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	68%	75%	87%	95%	76%	71%	79%	*	94%	47%	79%	77%	76%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	48%	45%	45%	76%	60%	55%	62%	90%	79%	50%	38%	59%	55%

YOUR OVERALL NHS CARE							Tumo	our Ty <sub>l</sub>	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q56. The whole care team worked well together	*	90%	86%	91%	92%	87%	88%	91%	82%	97%	75%	86%	86%	88%
Q57. Administration of care was very good or good	*	85%	84%	85%	94%	94%	74%	87%	82%	94%	83%	80%	82%	85%
Q58. Cancer research opportunities were discussed with patient	*	38%	48%	63%	80%	57%	41%	51%	*	36%	60%	43%	51%	49%
Q59. Patient's average rating of care scored from very poor to very good	*	8.7	8.6	8.9	9.0	8.9	8.7	8.8	8.7	9.2	8.3	8.5	8.6	8.7

SUPPORT FROM YOUR GP PRACTICE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	*	67%	73%	64%	68%	84%	*	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	*	65%	64%	61%	59%	54%	39%	59%

DIAGNOSTIC TESTS				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	70%	90%	91%	91%	92%	90%	96%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	80%	81%	73%	80%	79%	81%	77%	79%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	45%	61%	73%	72%	77%	78%	80%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	64%	74%	76%	78%	78%	75%	77%	77%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	73%	84%	96%	96%	93%	96%	93%	94%

FINDING OUT THAT YOU HAD CANCER				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	67%	72%	74%	69%	76%	80%	77%	75%
Q13. Patient was definitely told sensitively that they had cancer	*	75%	71%	71%	68%	66%	81%	72%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	54%	71%	70%	77%	73%	82%	75%	75%
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	69%	81%	86%	86%	85%	88%	94%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	*	73%	89%	84%	84%	82%	80%	69%	82%

SUPPORT FROM A MAIN CONTACT PERSO	N			Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	*	100%	92%	89%	94%	93%	91%	86%	92%
Q18. Patient found it very or quite easy to contact their main contact person	*	77%	72%	71%	72%	80%	86%	76%	78%
Q19. Patient found advice from main contact person was very or quite helpful	*	92%	85%	88%	93%	96%	96%	100%	94%

DECIDING ON THE BEST TREATMENT				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	*	85%	76%	79%	78%	79%	79%	93%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	69%	69%	69%	73%	82%	75%	78%	76%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	*	80%	73%	81%	79%	80%	96%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	30%	43%	58%	64%	57%	46%	42%	55%

CARE PLANNING				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	33%	60%	65%	70%	68%	65%	73%	67%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	90%	79%	94%	93%	90%	89%	93%	90%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	100%	98%	98%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF		-							
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	*	91%	79%	91%	90%	93%	85%	90%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	62%	69%	67%	75%	75%	74%	87%	74%
Q29. Patient was offered information about how to get financial help or benefits	*	*	67%	72%	69%	64%	47%	77%	63%

HOSPITAL CARE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	*	80%	78%	79%	83%	87%	82%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	45%	54%	66%	67%	66%	*	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	*	63%	62%	68%	73%	71%	50%	68%
Q34. Patient was always able to get help from ward staff when needed	*	*	73%	72%	66%	77%	76%	80%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	50%	61%	64%	71%	58%	*	64%
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	74%	84%	89%	87%	81%	*	84%
Q37. Patient was always treated with respect and dignity while in hospital	*	*	81%	83%	87%	87%	90%	80%	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	87%	89%	86%	90%	84%	100%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	30%	56%	66%	74%	76%	74%	84%	72%

YOUR TREATMENT				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	70%	82%	84%	85%	86%	88%	82%	85%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	*	88%	75%	83%	87%	86%	*	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	79%	86%	87%	85%	91%	*	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	73%	65%	63%	81%	80%	*	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	*	*	81%	78%	88%	*	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	*	80%	79%	81%	81%	81%	82%	75%	81%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	*	77%	82%	72%	84%	76%	*	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	83%	80%	78%	84%	78%	*	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	73%	72%	69%	64%	79%	*	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	*	*	77%	93%	77%	*	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	50%	46%	50%	65%	71%	76%	88%	67%

<b>IMMEDIATE AND LONG TERM SIDE EFFEC</b>	ΓS			Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	83%	71%	72%	76%	70%	70%	70%	72%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	45%	60%	69%	71%	66%	63%	60%	66%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	80%	87%	83%	85%	86%	80%	76%	84%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	45%	50%	59%	61%	58%	52%	54%	57%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	45%	36%	52%	52%	57%	50%	36%	51%

SUPPORT WHILE AT HOME				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	*	46%	47%	59%	63%	59%	57%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	45%	42%	46%	43%	54%	50%	47%

CARE FROM YOUR GP PRACTICE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	*	27%	30%	44%	39%	40%	50%	39%
Q52. Patient has had a review of cancer care by GP practice	*	20%	33%	18%	30%	22%	20%	21%	24%

LIVING WITH AND BEYOND CANCER				Age						
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	20%	34%	26%	24%	25%	*	25%	
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	*	65%	66%	75%	81%	78%	80%	76%	
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	36%	38%	51%	55%	58%	57%	77%	55%	

YOUR OVERALL NHS CARE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	*	82%	84%	92%	87%	88%	89%	94%	88%
Q57. Administration of care was very good or good	*	91%	78%	83%	85%	88%	83%	87%	85%
Q58. Cancer research opportunities were discussed with patient	*	40%	45%	45%	52%	50%	50%	50%	49%
Q59. Patient's average rating of care scored from very poor to very good	*	8.0	8.4	8.6	8.7	8.9	8.7	8.9	8.7

SUPPORT FROM YOUR GP PRACTICE				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	71%	72%	*	*	*	88%	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	60%	58%	*	*	*	54%	59%

DIAGNOSTIC TESTS				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	90%	93%	*	*	*	87%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	80%	78%	*	*	*	83%	79%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	73%	77%	*	*	*	79%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	76%	*	*	*	81%	77%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	92%	*	*	*	95%	94%

FINDING OUT THAT YOU HAD CANCER			Male/Female/Non-binary/Other						
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All		
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	71%	*	*	*	82%	75%		
Q13. Patient was definitely told sensitively that they had cancer	74%	66%	*	*	*	81%	71%		
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	75%	*	*	*	77%	75%		
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	84%	*	*	*	94%	86%		
Q16. Patient was told they could go back later for more information about their diagnosis	82%	80%	*	*	*	91%	82%		

SUPPORT FROM A MAIN CONTACT PERSO	N		Male/Female/Non-binary/Other				
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	95%	90%	*	*	*	93%	92%
Q18. Patient found it very or quite easy to contact their main contact person	78%	78%	*	*	*	76%	78%
Q19. Patient found advice from main contact person was very or quite helpful	93%	95%	*	*	*	94%	94%

DECIDING ON THE BEST TREATMENT				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	80%	79%	*	*	*	79%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	76%	76%	*	*	*	76%	76%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	79%	*	*	*	81%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	48%	62%	*	*	*	58%	55%

CARE PLANNING				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	65%	69%	*	*	*	70%	67%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	90%	91%	*	*	*	92%	90%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	*	*	*	100%	99%

SUPPORT FROM HOSPITAL STAFF				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	88%	90%	*	*	*	95%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	72%	76%	*	*	*	70%	74%
Q29. Patient was offered information about how to get financial help or benefits	66%	60%	*	*	*	63%	63%

HOSPITAL CARE				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	88%	*	*	*	70%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	60%	70%	*	*	*	47%	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	67%	69%	*	*	*	65%	68%
Q34. Patient was always able to get help from ward staff when needed	70%	79%	*	*	*	68%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	66%	*	*	*	58%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	84%	*	*	*	72%	84%
Q37. Patient was always treated with respect and dignity while in hospital	84%	89%	*	*	*	86%	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	88%	*	*	*	76%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	72%	74%	*	*	*	70%	72%

YOUR TREATMENT				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	86%	84%	*	*	*	91%	85%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	82%	*	*	*	91%	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	87%	*	*	*	*	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	73%	76%	*	*	*	*	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	81%	*	*	*	*	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	82%	80%	*	*	*	82%	81%
Q42_2. Patient completely had enough understandable nformation about progress with chemotherapy	80%	74%	*	*	*	87%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	81%	80%	*	*	*	*	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	71%	73%	*	*	*	*	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	80%	85%	*	*	*	*	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	61%	74%	*	*	*	73%	67%

IMMEDIATE AND LONG TERM SIDE EFFECT	TS			Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	70%	75%	*	*	*	69%	72%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	63%	69%	*	*	*	68%	66%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	85%	83%	*	*	*	79%	84%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	59%	*	*	*	55%	57%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	49%	53%	*	*	*	59%	51%

SUPPORT WHILE AT HOME				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	57%	58%	*	*	*	68%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	45%	48%	*	*	*	53%	47%

CARE FROM YOUR GP PRACTICE				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	39%	39%	*	*	*	30%	39%
Q52. Patient has had a review of cancer care by GP practice	23%	24%	*	*	*	30%	24%

LIVING WITH AND BEYOND CANCER				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	28%	22%	*	*	*	18%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	73%	80%	*	*	*	79%	76%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	52%	60%	*	*	*	55%	55%

YOUR OVERALL NHS CARE		Male/Female/Non-binary/Other						
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All	
Q56. The whole care team worked well together	87%	90%	*	*	*	82%	88%	
Q57. Administration of care was very good or good	83%	87%	*	*	*	85%	85%	
Q58. Cancer research opportunities were discussed with patient	44%	55%	*	*	*	67%	49%	
Q59. Patient's average rating of care scored from very poor to very good	8.7	8.7	*	*	*	9.1	8.7	

SUPPORT FROM YOUR GP PRACTICE				Ethr	nicity		
	White Mixed Asian Black Other Not given					All	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	77%	*	55%	72%	*	65%	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	61%	*	55%	45%	*	56%	59%

DIAGNOSTIC TESTS				Ethr			
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	92%	92%	88%	*	87%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	79%	93%	82%	77%	*	76%	79%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	75%	86%	71%	79%	*	76%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	80%	60%	74%	63%	*	73%	77%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	93%	92%	95%	*	96%	94%

FINDING OUT THAT YOU HAD CANCER			Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All		
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	74%	73%	79%	70%	*	78%	75%		
Q13. Patient was definitely told sensitively that they had cancer	71%	53%	72%	72%	*	75%	71%		
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	60%	71%	68%	*	66%	75%		
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	80%	87%	85%	*	88%	86%		
Q16. Patient was told they could go back later for more information about their diagnosis	81%	93%	85%	79%	*	81%	82%		

<b>SUPPORT FROM A MAIN CONTACT PERSO</b>	N			Ethn	icity		
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	92%	100%	93%	97%	*	93%	92%
Q18. Patient found it very or quite easy to contact their main contact person	79%	71%	79%	76%	*	74%	78%
Q19. Patient found advice from main contact person was very or quite helpful	94%	79%	96%	95%	*	92%	94%

DECIDING ON THE BEST TREATMENT		Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All	
Q20. Treatment options were explained in a way the patient could completely understand	80%	80%	72%	75%	*	85%	79%	
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	77%	93%	73%	71%	*	75%	76%	
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	83%	79%	76%	*	78%	80%	
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	51%	*	58%	58%	*	62%	55%	

CARE PLANNING				Ethr	icity		
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	67%	71%	63%	66%	*	66%	67%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	90%	90%	91%	100%	*	88%	90%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	97%	100%	*	98%	99%

SUPPORT FROM HOSPITAL STAFF				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	88%	92%	92%	94%	*	94%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	60%	71%	73%	*	73%	74%
Q29. Patient was offered information about how to get financial help or benefits	61%	64%	65%	65%	*	74%	63%

HOSPITAL CARE				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	85%	*	71%	82%	*	74%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	65%	*	51%	73%	*	66%	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	*	58%	76%	*	68%	68%
Q34. Patient was always able to get help from ward staff when needed	75%	*	64%	71%	*	75%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	67%	*	57%	53%	*	57%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	90%	*	75%	74%	*	76%	84%
Q37. Patient was always treated with respect and dignity while in hospital	88%	*	79%	89%	*	89%	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	90%	*	84%	85%	*	82%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	76%	50%	67%	59%	*	70%	72%

YOUR TREATMENT				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	87%	*	83%	75%	*	86%	85%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	*	81%	84%	*	89%	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	*	84%	93%	*	83%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	*	69%	*	*	*	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	84%	*	*	*	*	*	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	82%	*	82%	74%	*	79%	81%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	79%	*	75%	81%	*	84%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	80%	*	76%	100%	*	78%	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	72%	*	77%	*	*	*	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	83%	*	*	*	*	82%	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	69%	73%	56%	62%	*	72%	67%

<b>IMMEDIATE AND LONG TERM SIDE EFFECT</b>	S			Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	71%	69%	67%	*	70%	72%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	66%	43%	66%	69%	*	67%	66%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	84%	75%	85%	86%	*	83%	84%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	50%	61%	61%	*	51%	57%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	52%	31%	52%	46%	*	57%	51%

SUPPORT WHILE AT HOME				Ethr	nicity		
	White Mixed Asian Black Other Not given						All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	55%	*	69%	63%	*	60%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	47%	*	49%	52%	*	39%	47%

CARE FROM YOUR GP PRACTICE				Ethr	nicity		
	White Mixed Asian Black Other Not given						All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	40%	*	46%	35%	*	28%	39%
Q52. Patient has had a review of cancer care by GP practice	18%	54%	37%	33%	*	32%	24%

LIVING WITH AND BEYOND CANCER		Ethnicity							
	White	Mixed	Asian	Black	Other	Not given	All		
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	24%	*	32%	14%	*	25%	25%		
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	77%	62%	72%	84%	*	78%	76%		
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	55%	46%	65%	58%	*	46%	55%		

YOUR OVERALL NHS CARE		Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All	
Q56. The whole care team worked well together	88%	86%	89%	92%	*	85%	88%	
Q57. Administration of care was very good or good	85%	73%	85%	89%	*	84%	85%	
Q58. Cancer research opportunities were discussed with patient	46%	36%	57%	58%	*	64%	49%	
Q59. Patient's average rating of care scored from very poor to very good	8.9	7.9	8.4	8.5	*	8.7	8.7	

# **IMD** quintile tables

SUPPORT FROM YOUR GP PRACTICE				IMD Quinti	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	68%	72%	71%	71%	81%	*	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	44%	63%	62%	58%	61%	*	59%

DIAGNOSTIC TESTS		IMD Quintile							
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All		
Q5. Patient received all the information needed about the diagnostic test in advance	91%	93%	89%	92%	88%	*	91%		
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	75%	81%	82%	80%	*	79%		
Q7. Patient felt the length of time waiting for diagnostic test results was about right	76%	72%	73%	80%	75%	*	75%		
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	72%	76%	83%	81%	*	77%		
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	93%	96%	95%	89%	*	94%		

FINDING OUT THAT YOU HAD CANCER		IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	77%	74%	69%	75%	*	75%	
Q13. Patient was definitely told sensitively that they had cancer	78%	71%	66%	73%	67%	*	71%	
Q14. Cancer diagnosis explained in a way the patient could completely understand	76%	71%	81%	74%	75%	*	75%	
Q15. Patient was definitely told about their diagnosis in an appropriate place	88%	84%	86%	89%	83%	*	86%	
Q16. Patient was told they could go back later for more information about their diagnosis	78%	83%	83%	85%	79%	*	82%	

SUPPORT FROM A MAIN CONTACT PERSO	N			IMD Quinti			
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q17. Patient had a main point of contact within the care team	91%	93%	90%	94%	93%	*	92%
Q18. Patient found it very or quite easy to contact their main contact person	74%	77%	74%	84%	82%	*	78%
Q19. Patient found advice from main contact person was very or quite helpful	95%	95%	92%	92%	94%	*	94%

# **IMD** quintile tables

DECIDING ON THE BEST TREATMENT		IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All	
Q20. Treatment options were explained in a way the patient could completely understand	78%	80%	76%	84%	78%	*	79%	
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	70%	74%	76%	86%	77%	*	76%	
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	76%	78%	86%	81%	*	80%	
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	63%	56%	44%	59%	51%	*	55%	

CARE PLANNING		IMD Quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	69%	65%	66%	71%	65%	*	67%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	93%	88%	91%	84%	*	90%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	97%	100%	98%	100%	*	99%

SUPPORT FROM HOSPITAL STAFF				IMD Quinti	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q27. Staff provided the patient with relevant information on available support	88%	90%	89%	92%	86%	*	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	77%	71%	71%	80%	74%	*	74%
Q29. Patient was offered information about how to get financial help or benefits	66%	64%	64%	64%	55%	*	63%

HOSPITAL CARE				IMD Quint	ile		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	88%	74%	83%	89%	84%	*	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	67%	60%	66%	71%	56%	*	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	72%	61%	72%	76%	68%	*	68%
Q34. Patient was always able to get help from ward staff when needed	82%	65%	75%	85%	74%	*	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	70%	60%	59%	76%	62%	*	64%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	81%	84%	98%	81%	*	84%
Q37. Patient was always treated with respect and dignity while in hospital	91%	85%	82%	93%	86%	*	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	92%	88%	83%	94%	83%	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	71%	70%	70%	83%	70%	*	72%

# **IMD** quintile tables

YOUR TREATMENT	IMD Quintile								
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All		
Q41_1. Beforehand patient completely had enough understandable information about surgery	79%	87%	83%	88%	87%	*	85%		
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	84%	82%	85%	93%	78%	*	84%		
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	87%	91%	83%	84%	*	87%		
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	71%	82%	70%	61%	88%	*	75%		
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	92%	85%	95%	78%	64%	*	84%		
Q42_1. Patient completely had enough understandable information about progress with surgery	83%	78%	78%	87%	84%	*	81%		
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	76%	77%	80%	86%	72%	*	78%		
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	80%	74%	87%	84%	*	81%		
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	71%	72%	68%	70%	81%	*	72%		
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	85%	82%	79%	89%	79%	*	82%		
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	64%	62%	71%	72%	72%	*	67%		

MMEDIATE AND LONG TERM SIDE EFFECTS				IMD Quintile			
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	72%	73%	73%	67%	*	72%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	66%	66%	61%	73%	66%	*	66%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	84%	85%	82%	88%	82%	*	84%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	62%	58%	57%	56%	50%	*	57%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	51%	53%	54%	46%	*	51%

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	68%	60%	55%	57%	47%	*	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	45%	53%	43%	43%	42%	*	47%

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	35%	37%	36%	48%	44%	*	39%
Q52. Patient has had a review of cancer care by GP practice	26%	24%	25%	21%	22%	*	24%

# **IMD** quintile tables

LIVING WITH AND BEYOND CANCER				IMD Quintile			
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	24%	28%	22%	13%	32%	*	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	75%	78%	69%	78%	81%	*	76%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	58%	55%	50%	65%	52%	*	55%

YOUR OVERALL NHS CARE				IMD Quintile			
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q56. The whole care team worked well together	95%	88%	86%	88%	84%	*	88%
Q57. Administration of care was very good or good	84%	85%	84%	89%	81%	*	85%
Q58. Cancer research opportunities were discussed with patient	52%	55%	42%	46%	51%	*	49%
Q59. Patient's average rating of care scored from very poor to very good	8.7	8.7	8.7	9.0	8.7	*	8.7

SUPPORT FROM YOUR GP PRACTICE		Long term condition		
	Yes	No	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	71%	72%	83%	72%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	54%	65%	64%	59%

DIAGNOSTIC TESTS				
	Yes	No	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	90%	94%	92%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	76%	84%	90%	79%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	72%	77%	83%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	76%	77%	81%	77%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	95%	98%	94%

FINDING OUT THAT YOU HAD CANCER	Long term condition status			
	Yes	No	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	68%	82%	75%
Q13. Patient was definitely told sensitively that they had cancer	71%	71%	76%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	74%	78%	75%	75%
Q15. Patient was definitely told about their diagnosis in appropriate place	85%	87%	91%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	79%	84%	92%	82%

SUPPORT FROM A MAIN CONTACT PERSOI	ON Long term condition status				
	Yes	No	Not given	All	
Q17. Patient had a main point of contact within the care team	92%	93%	92%	92%	
Q18. Patient found it very or quite easy to contact their main contact person	77%	81%	75%	78%	
Q19. Patient found advice from main contact person was very or quite helpful	95%	92%	91%	94%	

DECIDING ON THE BEST TREATMENT		Long term condition status		
	Yes	No	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	78%	81%	83%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	74%	79%	76%	76%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	80%	76%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	53%	57%	56%	55%

CARE PLANNING	Long term condition status				
	Yes	No	Not given	All	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	66%	67%	75%	67%	
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	90%	91%	92%	90%	
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	98%	100%	99%	

SUPPORT FROM HOSPITAL STAFF	Long term condition status				
	Yes	No	Not given	All	
Q27. Staff provided the patient with relevant information on available support	85%	95%	100%	89%	
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	72%	77%	75%	74%	
Q29. Patient was offered information about how to get financial help or benefits	59%	71%	71%	63%	

HOSPITAL CARE	Long term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	81%	83%	73%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	64%	55%	64%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	67%	71%	64%	68%
Q34. Patient was always able to get help from ward staff when needed	73%	74%	73%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	64%	63%	65%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	85%	86%	64%	84%
Q37. Patient was always treated with respect and dignity while in hospital	87%	85%	85%	86%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	92%	76%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	71%	74%	75%	72%

YOUR TREATMENT Long term condition status					
	Yes	No	Not given	All	
Q41_1. Beforehand patient completely had enough understandable information about surgery	84%	86%	91%	85%	
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	81%	88%	84%	
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	85%	100%	87%	
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	72%	*	75%	
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	81%	89%	*	84%	
Q42_1. Patient completely had enough understandable information about progress with surgery	80%	81%	84%	81%	
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	79%	76%	85%	78%	
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	79%	82%	91%	81%	
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	73%	72%	*	72%	
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	81%	89%	*	82%	
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	67%	67%	72%	67%	


IMMEDIATE AND LONG TERM SIDE EFFECTS  Long term condition status					
	Yes	No	Not given	All	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	70%	77%	64%	72%	
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	64%	71%	67%	66%	
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	83%	86%	84%	84%	
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	55%	62%	52%	57%	
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	55%	51%	51%	


SUPPORT WHILE AT HOME	Long term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	58%	57%	63%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	43%	56%	53%	47%


CARE FROM YOUR GP PRACTICE	Long term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	40%	38%	31%	39%
Q52. Patient has had a review of cancer care by GP practice	24%	23%	27%	24%


LIVING WITH AND BEYOND CANCER Long term condition status				
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	22%	32%	27%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	71%	85%	80%	76%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	52%	61%	62%	55%


YOUR OVERALL NHS CARE	Long term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	87%	91%	80%	88%
Q57. Administration of care was very good or good	84%	87%	88%	85%
Q58. Cancer research opportunities were discussed with patient	48%	51%	62%	49%
Q59. Patient's average rating of care scored from very poor to very good	8.6	8.9	9.0	8.7











































































































































































































### Cancer Patient Experience Survey 2022 North East London Cancer Alliance

# **Trust Expected Range Summary**

Data labels relate to the number of scores that fell below, within and above the expected range	Number of scores below the Lower Expected Range
	Number of scores between the Upper and Lower Expected Ranges
	Number of scores above the Upper Expected Range

Trust		Expected Range Classification			
RQX	Homerton Healthcare NHS Foundation Trust	3		25	
RF4	Barking, Havering and Redbridge University Hospitals NHS Trust		4	57	
R1H	Barts Health NHS Trust		9	51	1

#### **Cancer Patient Experience Survey 2022 North East London Cancer Alliance**

51

10

### **ICB Expected Range Summary**

Number of scores below the Lower Expected Range Data labels relate to the number of scores that fell below, within and above the expected range Number of scores between the Upper and Lower Expected Ranges Number of scores above the Upper Expected Range **ICB Expected Range Classification** NHS North East London Integrated Care Board