

# **Cancer Patient Experience Survey**

2022 Results

## **West Yorkshire and Harrogate Cancer Alliance**

Published July 2023

## Executive Summary

### Questions Above Expected Range

	Case Mix Adjusted Scores			England Score
	2022 Score	Lower Expected Range	Upper Expected Range	
Q7. Patient felt the length of time waiting for diagnostic test results was about right	<b>81%</b>	76%	80%	<b>78%</b>

### Questions Below Expected Range

	Case Mix Adjusted Scores			England Score
	2022 Score	Lower Expected Range	Upper Expected Range	
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	<b>62%</b>	62%	69%	<b>66%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	<b>80%</b>	81%	88%	<b>84%</b>

## Introduction

The National Cancer Patient Experience Survey 2022 is the 12th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2022 survey involved 133 NHS Trusts. Out of 115,662 people, 61,268 people responded to the survey, yielding a response rate of 53%.

## Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2022. The fieldwork for the survey was undertaken between November 2022 and February 2023.

As in the previous seven years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### How Alliance and ICB results are generated

Alliance and ICB results are derived using the post code of each patient, rather than by mapping trust results to ICBs or Alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint.

### Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an Alliance is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Alliance. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Please note that following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral.

### Statistical significance

In the reporting of 2022 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

## Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Alliance, the results are not shown for that question for that Alliance.

For Alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

## Additional suppression

Additional suppression happens if only **one** Alliance has a score suppressed. If this happens, we will suppress another Alliance's results (both the Alliance level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Alliance.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Alliance has the 85+ age group suppressed for Q25 we will need to suppress another Alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

## Understanding the results

This report shows how this Alliance scored for each question in the survey compared with national results. It is aimed at helping individual Alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

### Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Alliance performs better than what Alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Alliance's size and demographics.

### Comparability tables

The comparability tables show the 2021 and 2022 unadjusted scores for this Alliance for each scored question. If there is a statistically significant change from 2021 an arrow will be presented for the direction of change.

The adjusted 2022 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

### Sub-group breakdowns

Unadjusted scores are shown for tumour type, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results.

### Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

### **Age group tables**

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

### **Male/Female/Non-binary/Other tables**

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

### **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

### **Long-term condition status tables**

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long term conditions and those who indicate that they have no long-term conditions.

### **IMD quintile tables**

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

### **Year on year charts**

The year on year charts show two columns representing the unadjusted scores of the last two years (2021 and 2022) for each scored question.

### **Trust Expected Range Summary**

The number of scored questions that fell below, within and above the expected range for each Trust within the Alliance.

### **ICB Expected Range Summary**

The number of scored questions that fell below, within and above the expected range for each ICB within the Alliance.

## **Further information**

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2022 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2022 questionnaire and survey guidance on the website at [www.ncpes.co.uk](http://www.ncpes.co.uk). For all other outputs at Alliance level, please see the Excel tables and dashboards at [www.ncpes.co.uk](http://www.ncpes.co.uk).

## Response Rate

### Overall Response Rate

2,488 patients responded out of a total of 4,644 patients, resulting in a response rate of 54%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	4,945	4,644	2,488	54%
National	123,632	115,662	61,268	53%

### Respondents by Survey Type

	Number of Respondents
Paper	2,020
Online	463
Phone	3
Translation Service	2
<b>Total</b>	<b>2,488</b>





### Respondents by Tumour Group

	Number of Respondents
Brain / CNS	8
Breast	582
Colorectal / LGT	316
Gynaecological	117
Haematological	285
Head and Neck	64
Lung	218
Prostate	276
Sarcoma	42
Skin	85
Upper Gastro	109
Urological	185
Other	201
<b>Total</b>	<b>2,488</b>

## Respondents by Ethnicity






	Number of Respondents
<b>White</b>	
English / Welsh / Scottish / Northern Irish / British	2,173
Irish	21
Gypsy or Irish Traveller	*
Any other White background	37
<b>Mixed / Multiple Ethnicity</b>	
White and Black Caribbean	6
White and Black African	*
White and Asian	*
Any other Mixed / multiple ethnic background	*
<b>Asian or Asian British</b>	
Indian	17
Pakistani	21
Bangladeshi	*
Chinese	7
Any other Asian background	*
<b>Black / African / Caribbean / Black British</b>	
African	11
Caribbean	12
Any other Black / African / Caribbean background	*
<b>Other Ethnicity</b>	
Arab	7
Any other ethnic group	*
<b>Not given</b>	
Not given	153
<b>Total</b>	<b>2,488</b>

## Expected Range Charts










## Expected Range Charts



## Expected Range Charts



## Expected Range Charts



## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	1285	<b>78%</b>	1273	<b>79%</b>		<b>79%</b>	75%	80%	<b>78%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	1685	<b>65%</b>	1653	<b>66%</b>		<b>66%</b>	62%	69%	<b>65%</b>

DIAGNOSTIC TESTS	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q5. Patient received all the information needed about the diagnostic test in advance	2018	<b>93%</b>	1927	<b>91%</b>		<b>92%</b>	91%	94%	<b>92%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	2117	<b>84%</b>	2039	<b>84%</b>		<b>84%</b>	81%	86%	<b>83%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	2128	<b>83%</b>	2056	<b>81%</b>		<b>81%</b>	76%	80%	<b>78%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	2126	<b>78%</b>	2058	<b>78%</b>		<b>78%</b>	76%	80%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	2128	<b>94%</b>	2063	<b>94%</b>		<b>94%</b>	94%	96%	<b>95%</b>

FINDING OUT THAT YOU HAD CANCER	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	2421	<b>69%</b>	2312	<b>75%</b>	▲	<b>75%</b>	74%	78%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	2551	<b>72%</b>	2444	<b>74%</b>		<b>74%</b>	71%	76%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	2560	<b>76%</b>	2454	<b>75%</b>		<b>75%</b>	75%	78%	<b>76%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	2537	<b>82%</b>	2447	<b>85%</b>		<b>84%</b>	84%	86%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	2250	<b>82%</b>	2165	<b>84%</b>		<b>84%</b>	82%	85%	<b>84%</b>

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q17. Patient had a main point of contact within the care team	2448	<b>90%</b>	2362	<b>90%</b>		<b>90%</b>	90%	93%	<b>92%</b>
Q18. Patient found it very or quite easy to contact their main contact person	2030	<b>86%</b>	1949	<b>85%</b>		<b>85%</b>	80%	87%	<b>84%</b>
Q19. Patient found advice from main contact person was very or quite helpful	2096	<b>96%</b>	2035	<b>96%</b>		<b>96%</b>	94%	97%	<b>95%</b>

## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>DECIDING ON THE BEST TREATMENT</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q20. Treatment options were explained in a way the patient could completely understand	2392	<b>81%</b>	2308	<b>82%</b>		<b>82%</b>	80%	84%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	2531	<b>78%</b>	2439	<b>79%</b>		<b>79%</b>	77%	82%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	2166	<b>75%</b>	2101	<b>80%</b>	▲	<b>80%</b>	78%	82%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	1217	<b>50%</b>	1183	<b>52%</b>		<b>52%</b>	49%	55%	<b>52%</b>

<b>CARE PLANNING</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	2310	<b>70%</b>	2204	<b>72%</b>		<b>72%</b>	68%	74%	<b>71%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	1360	<b>92%</b>	1266	<b>92%</b>		<b>92%</b>	91%	95%	<b>93%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	1063	<b>98%</b>	985	<b>99%</b>		<b>99%</b>	98%	99%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q27. Staff provided the patient with relevant information on available support	2149	<b>90%</b>	2103	<b>91%</b>		<b>90%</b>	88%	92%	<b>90%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	2544	<b>74%</b>	2451	<b>75%</b>		<b>75%</b>	72%	79%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	1355	<b>71%</b>	1394	<b>70%</b>		<b>70%</b>	64%	71%	<b>67%</b>

<b>HOSPITAL CARE</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	1173	<b>78%</b>	1039	<b>77%</b>		<b>76%</b>	75%	82%	<b>79%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	948	<b>58%</b>	846	<b>62%</b>		<b>62%</b>	62%	69%	<b>66%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	1152	<b>67%</b>	1020	<b>69%</b>		<b>69%</b>	66%	73%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	1156	<b>73%</b>	1017	<b>69%</b>		<b>69%</b>	67%	78%	<b>73%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	1135	<b>64%</b>	985	<b>64%</b>		<b>64%</b>	60%	68%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	1002	<b>82%</b>	906	<b>80%</b>		<b>80%</b>	81%	88%	<b>84%</b>
Q37. Patient was always treated with respect and dignity while in hospital	1170	<b>87%</b>	1034	<b>88%</b>		<b>88%</b>	85%	91%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	1137	<b>88%</b>	1007	<b>87%</b>		<b>87%</b>	86%	90%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	2215	<b>77%</b>	2169	<b>78%</b>		<b>78%</b>	75%	82%	<b>78%</b>

## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

YOUR TREATMENT	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	1437	<b>89%</b>	1368	<b>90%</b>		<b>90%</b>	87%	91%	<b>89%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	1257	<b>84%</b>	1200	<b>84%</b>		<b>84%</b>	83%	87%	<b>85%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	1001	<b>90%</b>	972	<b>89%</b>		<b>88%</b>	86%	90%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	524	<b>79%</b>	478	<b>77%</b>		<b>76%</b>	75%	83%	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	323	<b>83%</b>	327	<b>83%</b>		<b>83%</b>	80%	88%	<b>84%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	1427	<b>86%</b>	1364	<b>85%</b>		<b>85%</b>	83%	87%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	1256	<b>75%</b>	1197	<b>78%</b>		<b>78%</b>	76%	81%	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	996	<b>79%</b>	960	<b>81%</b>		<b>81%</b>	78%	83%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	511	<b>71%</b>	474	<b>72%</b>		<b>71%</b>	68%	77%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	322	<b>80%</b>	329	<b>80%</b>		<b>80%</b>	75%	84%	<b>79%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	2517	<b>76%</b>	2409	<b>75%</b>		<b>75%</b>	71%	85%	<b>78%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	2455	<b>72%</b>	2332	<b>74%</b>		<b>74%</b>	72%	77%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	2328	<b>68%</b>	2216	<b>69%</b>		<b>69%</b>	66%	72%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	1914	<b>85%</b>	1838	<b>88%</b>		<b>88%</b>	83%	89%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	2335	<b>58%</b>	2195	<b>58%</b>		<b>58%</b>	56%	62%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	2017	<b>53%</b>	1892	<b>54%</b>		<b>53%</b>	49%	57%	<b>53%</b>

SUPPORT WHILE AT HOME	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	1723	<b>54%</b>	1672	<b>59%</b>		<b>58%</b>	55%	61%	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	1045	<b>51%</b>	941	<b>52%</b>		<b>52%</b>	45%	58%	<b>51%</b>

## Comparability tables

<p>* Indicates where a score is not available due to suppression or a low base size. ▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.</p> <p>** No score available for 2021.</p>				<p>Adjusted Score below Lower Expected Range</p> <p>Adjusted Score between Upper and Lower Expected Ranges</p> <p>Adjusted Score above Upper Expected Range</p>
---	--	--	--	---

<b>CARE FROM YOUR GP PRACTICE</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	1422	<b>41%</b>	1347	<b>43%</b>		<b>43%</b>	41%	48%	<b>45%</b>
Q52. Patient has had a review of cancer care by GP practice	2445	<b>20%</b>	2346	<b>20%</b>		<b>20%</b>	18%	23%	<b>21%</b>

<b>LIVING WITH AND BEYOND CANCER</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	700	<b>31%</b>	591	<b>27%</b>		<b>27%</b>	24%	38%	<b>31%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	1297	<b>76%</b>	1267	<b>80%</b>		<b>80%</b>	75%	81%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	2016	<b>57%</b>	1950	<b>62%</b>		<b>62%</b>	59%	66%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Unadjusted Scores					Case Mix Adjusted Scores			England Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q56. The whole care team worked well together	2452	<b>90%</b>	2309	<b>89%</b>		<b>89%</b>	88%	91%	<b>90%</b>
Q57. Administration of care was very good or good	2522	<b>88%</b>	2403	<b>87%</b>		<b>87%</b>	84%	89%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	1535	<b>46%</b>	1465	<b>48%</b>		<b>48%</b>	35%	51%	<b>43%</b>
Q59. Patient's average rating of care scored from very poor to very good	2486	<b>8.8</b>	2362	<b>8.9</b>		<b>8.9</b>	8.8	9.0	<b>8.9</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	94%	72%	89%	55%	69%	65%	85%	67%	85%	75%	84%	72%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	81%	60%	72%	55%	46%	47%	80%	69%	67%	55%	63%	58%	<b>66%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q5. Patient received all the information needed about the diagnostic test in advance	*	94%	91%	92%	85%	91%	91%	95%	88%	93%	88%	90%	93%	<b>91%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	87%	82%	89%	76%	75%	82%	91%	71%	93%	88%	84%	77%	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	84%	84%	75%	78%	70%	78%	84%	69%	77%	91%	82%	80%	<b>81%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	82%	79%	80%	71%	79%	72%	80%	67%	82%	83%	77%	78%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	97%	92%	95%	92%	90%	93%	96%	88%	96%	91%	93%	93%	<b>94%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	76%	80%	73%	67%	68%	82%	80%	79%	69%	77%	59%	79%	<b>75%</b>
Q13. Patient was definitely told sensitively that they had cancer	*	82%	72%	85%	71%	70%	75%	73%	64%	75%	70%	66%	69%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	80%	80%	78%	68%	78%	72%	76%	64%	81%	75%	76%	68%	<b>75%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	90%	83%	89%	80%	83%	78%	88%	74%	92%	77%	77%	87%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	*	91%	80%	85%	80%	79%	84%	85%	85%	93%	82%	82%	76%	<b>84%</b>



## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q17. Patient had a main point of contact within the care team	*	93%	91%	90%	84%	91%	91%	94%	90%	90%	89%	89%	85%	<b>90%</b>
Q18. Patient found it very or quite easy to contact their main contact person	*	88%	79%	88%	81%	94%	87%	84%	69%	84%	88%	83%	84%	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	*	98%	96%	97%	95%	98%	94%	98%	88%	99%	93%	95%	93%	<b>96%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q20. Treatment options were explained in a way the patient could completely understand	*	84%	85%	86%	74%	82%	84%	83%	79%	86%	82%	78%	79%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	83%	78%	83%	70%	78%	80%	85%	68%	88%	82%	77%	70%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	83%	78%	87%	72%	81%	80%	86%	72%	78%	85%	80%	72%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	59%	52%	49%	45%	52%	54%	60%	33%	56%	49%	51%	41%	<b>52%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	78%	71%	80%	64%	75%	70%	76%	64%	74%	72%	68%	61%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	95%	92%	96%	88%	94%	89%	93%	85%	97%	95%	89%	87%	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	98%	99%	100%	100%	100%	99%	99%	100%	100%	100%	100%	99%	<b>99%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q27. Staff provided the patient with relevant information on available support	*	95%	89%	95%	84%	86%	91%	93%	89%	97%	93%	87%	83%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	76%	73%	84%	68%	78%	77%	82%	64%	83%	76%	69%	66%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	*	76%	69%	69%	64%	59%	72%	70%	47%	79%	73%	56%	72%	<b>70%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	81%	77%	71%	70%	75%	78%	81%	70%	80%	83%	76%	74%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	61%	64%	69%	55%	66%	67%	64%	47%	79%	56%	57%	66%	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	78%	68%	68%	60%	69%	71%	76%	58%	85%	68%	61%	74%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	*	77%	68%	67%	69%	64%	64%	74%	46%	83%	78%	65%	69%	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	71%	68%	59%	54%	66%	59%	67%	32%	68%	66%	62%	71%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	89%	80%	82%	72%	76%	81%	83%	58%	88%	82%	77%	82%	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	88%	84%	90%	90%	91%	90%	92%	75%	90%	90%	82%	94%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	92%	87%	87%	82%	86%	87%	89%	70%	100%	81%	84%	89%	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	79%	77%	83%	75%	86%	79%	86%	57%	81%	78%	79%	70%	<b>78%</b>

	Tumour Type													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	92%	89%	91%	73%	98%	88%	85%	88%	92%	94%	87%	88%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	83%	85%	90%	80%	78%	85%	89%	81%	*	92%	90%	79%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	90%	91%	90%	88%	80%	78%	91%	*	*	96%	83%	89%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	74%	*	*	*	*	*	87%	*	*	*	*	67%	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	71%	91%	*	75%	*	88%	*	*	93%	92%	83%	77%	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	*	89%	83%	88%	64%	88%	83%	80%	72%	84%	88%	83%	85%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	78%	74%	93%	79%	71%	80%	79%	72%	*	90%	77%	71%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	84%	76%	93%	84%	80%	73%	78%	*	*	82%	73%	73%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	69%	*	*	*	*	*	83%	*	*	*	*	57%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	74%	91%	*	78%	*	77%	*	*	90%	92%	82%	78%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	69%	77%	77%	72%	73%	82%	81%	55%	72%	72%	84%	75%	<b>75%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	75%	75%	77%	64%	79%	71%	81%	61%	88%	83%	77%	64%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	71%	72%	79%	62%	78%	70%	68%	63%	79%	77%	70%	57%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	92%	88%	93%	83%	89%	86%	88%	76%	92%	88%	88%	82%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	60%	60%	65%	46%	71%	50%	69%	44%	68%	73%	59%	45%	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	54%	52%	65%	43%	73%	49%	62%	44%	64%	58%	58%	43%	<b>54%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	57%	58%	70%	54%	76%	61%	65%	47%	71%	61%	54%	50%	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	54%	51%	66%	48%	50%	49%	51%	41%	57%	59%	50%	54%	<b>52%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	53%	40%	46%	39%	25%	33%	46%	48%	46%	40%	34%	41%	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	*	22%	18%	23%	16%	13%	19%	27%	18%	13%	26%	19%	18%	<b>20%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	26%	23%	22%	31%	29%	34%	23%	0%	*	30%	36%	27%	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	83%	76%	84%	80%	87%	67%	86%	65%	91%	82%	77%	68%	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	58%	57%	75%	62%	59%	58%	64%	64%	84%	64%	59%	62%	<b>62%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q56. The whole care team worked well together	*	92%	89%	92%	85%	93%	89%	91%	88%	92%	83%	88%	87%	<b>89%</b>
Q57. Administration of care was very good or good	*	91%	87%	90%	79%	90%	91%	85%	88%	89%	85%	87%	84%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	*	40%	57%	43%	59%	50%	42%	48%	35%	57%	60%	41%	42%	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	*	9.0	8.8	9.0	8.7	9.0	8.9	9.1	8.6	9.3	8.6	8.6	8.6	<b>8.9</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>SUPPORT FROM YOUR GP PRACTICE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	92%	79%	81%	74%	79%	80%	85%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	64%	75%	76%	66%	62%	68%	61%	<b>66%</b>

<b>DIAGNOSTIC TESTS</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	58%	88%	89%	91%	93%	93%	87%	<b>91%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	69%	72%	80%	82%	86%	85%	83%	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	62%	62%	72%	78%	85%	86%	84%	<b>81%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	54%	71%	73%	77%	79%	81%	75%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	85%	95%	92%	91%	95%	95%	99%	<b>94%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	76%	66%	64%	72%	75%	81%	83%	<b>75%</b>
Q13. Patient was definitely told sensitively that they had cancer	*	71%	68%	71%	72%	74%	78%	78%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	59%	69%	71%	71%	77%	80%	76%	<b>75%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	80%	77%	84%	79%	85%	89%	88%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	*	85%	94%	84%	86%	83%	84%	76%	<b>84%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	*	88%	94%	88%	91%	92%	89%	76%	<b>90%</b>
Q18. Patient found it very or quite easy to contact their main contact person	*	64%	87%	84%	81%	88%	84%	79%	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	*	100%	97%	96%	94%	97%	96%	94%	<b>96%</b>

<b>DECIDING ON THE BEST TREATMENT</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	*	75%	77%	79%	79%	83%	86%	78%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	65%	75%	70%	77%	82%	83%	72%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	69%	76%	72%	78%	83%	81%	79%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	30%	63%	45%	51%	53%	55%	49%	<b>52%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	63%	69%	71%	70%	73%	73%	68%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	100%	91%	92%	90%	92%	95%	85%	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	96%	100%	99%	99%	99%	100%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	*	87%	92%	90%	90%	93%	90%	79%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	47%	66%	69%	69%	79%	79%	74%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	*	60%	79%	72%	73%	70%	69%	47%	<b>70%</b>

<b>HOSPITAL CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	*	60%	70%	75%	79%	81%	74%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	58%	52%	57%	66%	66%	57%	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	*	62%	62%	70%	72%	70%	57%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	*	*	60%	65%	65%	72%	73%	73%	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	55%	59%	61%	67%	66%	51%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	77%	77%	77%	84%	82%	75%	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	*	80%	85%	87%	89%	88%	89%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	90%	85%	84%	89%	87%	76%	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	47%	61%	76%	76%	80%	82%	70%	<b>78%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	100%	87%	87%	88%	90%	94%	81%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	80%	76%	83%	82%	86%	86%	64%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	86%	85%	88%	90%	90%	79%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	74%	55%	72%	85%	84%	*	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	83%	81%	83%	85%	85%	*	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	*	73%	84%	82%	83%	88%	86%	80%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	70%	79%	72%	77%	80%	82%	60%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	90%	78%	80%	84%	80%	60%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	68%	54%	65%	80%	77%	*	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	83%	80%	81%	79%	82%	*	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	50%	65%	69%	73%	78%	77%	76%	<b>75%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	56%	80%	76%	73%	77%	74%	58%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	38%	62%	66%	68%	71%	71%	66%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	79%	83%	86%	87%	90%	88%	81%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	53%	58%	56%	58%	61%	59%	42%	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	47%	51%	48%	55%	56%	53%	42%	<b>54%</b>

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	31%	59%	56%	54%	63%	61%	49%	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	69%	46%	54%	51%	54%	39%	<b>52%</b>

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	30%	60%	50%	46%	39%	39%	38%	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	*	13%	30%	22%	24%	19%	17%	17%	<b>20%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	30%	25%	23%	29%	30%	20%	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	55%	78%	73%	77%	83%	82%	73%	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	25%	54%	54%	61%	64%	65%	54%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	*	93%	89%	86%	87%	90%	92%	91%	<b>89%</b>
Q57. Administration of care was very good or good	*	76%	90%	87%	87%	89%	86%	86%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	*	*	40%	38%	51%	53%	43%	43%	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	*	8.5	8.4	8.6	8.8	8.9	9.0	8.6	<b>8.9</b>



## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>SUPPORT FROM YOUR GP PRACTICE</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	81%	76%	*	*	*	77%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	65%	*	*	*	72%	<b>66%</b>

<b>DIAGNOSTIC TESTS</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	91%	91%	*	*	*	97%	<b>91%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	85%	*	*	*	85%	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	80%	82%	*	*	*	88%	<b>81%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	79%	*	*	*	80%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	94%	*	*	*	95%	<b>94%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	74%	76%	*	*	*	75%	<b>75%</b>
Q13. Patient was definitely told sensitively that they had cancer	76%	72%	*	*	*	70%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	74%	77%	*	*	*	74%	<b>75%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	85%	*	*	*	85%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	85%	84%	*	*	*	75%	<b>84%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	90%	91%	*	*	*	87%	<b>90%</b>
Q18. Patient found it very or quite easy to contact their main contact person	86%	83%	*	*	*	83%	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	*	*	*	95%	<b>96%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	82%	*	*	*	86%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	77%	81%	*	*	*	84%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	81%	*	*	*	78%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	51%	55%	*	*	*	45%	<b>52%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	74%	*	*	*	73%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	92%	*	*	*	86%	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	100%	*	*	*	100%	<b>99%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	91%	*	*	*	90%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	73%	77%	*	*	*	75%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	71%	70%	*	*	*	61%	<b>70%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	76%	77%	*	*	*	75%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	62%	62%	*	*	*	56%	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	72%	65%	*	*	*	67%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	70%	68%	*	*	*	68%	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	64%	65%	*	*	*	46%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	81%	79%	*	*	*	83%	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	89%	87%	*	*	*	83%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	86%	*	*	*	72%	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	76%	81%	*	*	*	78%	<b>78%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	89%	*	*	*	87%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	83%	85%	*	*	*	85%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	89%	*	*	*	87%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	72%	85%	*	*	*	71%	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	82%	85%	*	*	*	73%	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	87%	82%	*	*	*	83%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	77%	78%	*	*	*	87%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	78%	*	*	*	83%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	67%	79%	*	*	*	75%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	80%	81%	*	*	*	82%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	72%	79%	*	*	*	72%	<b>75%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	72%	78%	*	*	*	68%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	70%	*	*	*	68%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	87%	*	*	*	85%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	55%	63%	*	*	*	49%	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	51%	57%	*	*	*	43%	<b>54%</b>

<b>SUPPORT WHILE AT HOME</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	54%	65%	*	*	*	54%	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	51%	55%	*	*	*	45%	<b>52%</b>

<b>CARE FROM YOUR GP PRACTICE</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	40%	*	*	*	41%	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	20%	20%	*	*	*	22%	<b>20%</b>

<b>LIVING WITH AND BEYOND CANCER</b>		Male/Female/Non-binary/Other					
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	25%	30%	*	*	*	25%	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	78%	83%	*	*	*	73%	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	59%	64%	*	*	*	62%	<b>62%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	90%	89%	*	*	*	89%	<b>89%</b>
Q57. Administration of care was very good or good	87%	86%	*	*	*	90%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	44%	52%	*	*	*	54%	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.9	*	*	*	8.9	<b>8.9</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>SUPPORT FROM YOUR GP PRACTICE</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	80%	90%	55%	77%	*	72%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	75%	50%	65%	*	66%	<b>66%</b>

<b>DIAGNOSTIC TESTS</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	80%	87%	88%	90%	93%	<b>91%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	87%	66%	71%	*	82%	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	82%	73%	61%	77%	70%	86%	<b>81%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	60%	68%	68%	80%	78%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	87%	88%	92%	*	93%	<b>94%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	75%	67%	76%	77%	82%	74%	<b>75%</b>
Q13. Patient was definitely told sensitively that they had cancer	75%	60%	66%	80%	64%	69%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	76%	79%	64%	67%	91%	74%	<b>75%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	80%	89%	88%	91%	86%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	85%	75%	93%	78%	73%	78%	<b>84%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	90%	93%	94%	84%	80%	88%	<b>90%</b>
Q18. Patient found it very or quite easy to contact their main contact person	85%	85%	73%	90%	*	81%	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	96%	100%	98%	100%	*	93%	<b>96%</b>

<b>DECIDING ON THE BEST TREATMENT</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	60%	72%	71%	90%	84%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	73%	66%	63%	80%	82%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	73%	69%	74%	100%	77%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	52%	*	52%	48%	*	55%	<b>52%</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	73%	55%	64%	*	74%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	92%	94%	93%	*	85%	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	100%	100%	*	100%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	87%	86%	96%	70%	92%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	67%	74%	59%	82%	72%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	71%	77%	55%	71%	*	63%	<b>70%</b>

<b>HOSPITAL CARE</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	*	68%	75%	*	79%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	62%	*	55%	*	*	61%	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	*	52%	83%	*	72%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	69%	*	65%	83%	*	73%	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	65%	*	56%	45%	*	57%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	81%	*	67%	83%	*	83%	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	88%	*	87%	92%	*	88%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	88%	*	71%	100%	*	78%	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	73%	58%	68%	*	76%	<b>78%</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	*	76%	100%	*	89%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	84%	90%	84%	82%	*	84%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	*	91%	79%	*	86%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	*	*	*	*	76%	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	83%	*	*	*	*	87%	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	85%	*	76%	94%	*	86%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	77%	90%	81%	92%	*	85%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	81%	*	82%	71%	*	82%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	72%	*	*	*	*	73%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	80%	*	*	*	*	87%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	76%	67%	65%	54%	70%	70%	<b>75%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	75%	60%	71%	74%	73%	68%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	70%	77%	62%	61%	*	66%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	100%	78%	89%	*	87%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	59%	53%	63%	52%	*	54%	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	54%	29%	52%	43%	*	47%	<b>54%</b>

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	59%	50%	69%	52%	*	56%	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	52%	*	66%	47%	*	45%	<b>52%</b>

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	43%	*	54%	18%	*	42%	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	20%	15%	35%	22%	*	23%	<b>20%</b>



## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	27%	*	23%	29%	*	26%	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	*	72%	72%	*	77%	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	54%	62%	55%	*	64%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	89%	86%	98%	92%	*	85%	<b>89%</b>
Q57. Administration of care was very good or good	87%	87%	96%	93%	*	89%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	47%	45%	65%	50%	*	51%	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.8	8.4	8.4	8.2	9.0	<b>8.9</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	70%	80%	81%	81%	80%	*	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	59%	68%	64%	67%	73%	*	<b>66%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	90%	90%	93%	90%	94%	*	<b>91%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	81%	86%	83%	87%	*	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	81%	82%	82%	80%	82%	*	<b>81%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	72%	78%	79%	84%	*	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	91%	95%	93%	96%	*	<b>94%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	77%	74%	73%	76%	*	<b>75%</b>
Q13. Patient was definitely told sensitively that they had cancer	77%	71%	72%	75%	76%	*	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	73%	75%	74%	80%	*	<b>75%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	83%	82%	83%	88%	*	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	81%	82%	87%	84%	88%	*	<b>84%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	89%	89%	94%	91%	87%	*	<b>90%</b>
Q18. Patient found it very or quite easy to contact their main contact person	85%	82%	86%	83%	87%	*	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	97%	94%	95%	96%	97%	*	<b>96%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	82%	78%	83%	81%	86%	*	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	77%	77%	79%	79%	83%	*	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	76%	79%	78%	81%	84%	*	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	56%	49%	55%	52%	49%	*	<b>52%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>CARE PLANNING</b>							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	69%	72%	75%	73%	*	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	88%	93%	93%	91%	*	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	98%	98%	99%	*	<b>99%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM HOSPITAL STAFF</b>							
Q27. Staff provided the patient with relevant information on available support	89%	87%	93%	90%	92%	*	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	77%	70%	79%	73%	75%	*	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	63%	69%	74%	69%	78%	*	<b>70%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>HOSPITAL CARE</b>							
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	74%	76%	78%	81%	73%	*	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	62%	62%	63%	58%	*	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	73%	68%	70%	67%	*	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	67%	71%	73%	72%	63%	*	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	61%	65%	68%	60%	*	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	76%	81%	86%	82%	76%	*	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	90%	87%	90%	89%	83%	*	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	85%	85%	87%	89%	86%	*	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	77%	76%	80%	77%	82%	*	<b>78%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	86%	90%	91%	91%	*	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	84%	80%	88%	82%	85%	*	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	88%	91%	87%	89%	*	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	76%	76%	78%	78%	76%	*	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	80%	87%	81%	81%	89%	*	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	84%	81%	88%	85%	87%	*	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	78%	76%	79%	77%	80%	*	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	80%	81%	79%	81%	*	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	69%	79%	75%	68%	69%	*	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	76%	80%	80%	79%	84%	*	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	74%	75%	80%	74%	72%	*	<b>75%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	71%	76%	73%	75%	*	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	66%	72%	67%	71%	*	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	86%	83%	90%	89%	90%	*	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	57%	60%	55%	59%	*	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	58%	53%	52%	51%	55%	*	<b>54%</b>

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	57%	54%	58%	63%	*	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	48%	48%	53%	57%	55%	*	<b>52%</b>

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	35%	43%	42%	46%	47%	*	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	19%	20%	20%	24%	18%	*	<b>20%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	24%	25%	25%	34%	27%	*	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	76%	76%	81%	83%	82%	*	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	63%	58%	60%	62%	65%	*	<b>62%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q56. The whole care team worked well together	89%	86%	90%	91%	90%	*	<b>89%</b>
Q57. Administration of care was very good or good	89%	83%	89%	87%	87%	*	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	49%	46%	46%	47%	50%	*	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.8	8.9	8.9	8.9	*	<b>8.9</b>

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

	Long term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>				
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	77%	81%	80%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	65%	68%	70%	66%

	Long term condition status			
	Yes	No	Not given	All
<b>DIAGNOSTIC TESTS</b>				
Q5. Patient received all the information needed about the diagnostic test in advance	91%	92%	95%	91%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	87%	84%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	80%	82%	89%	81%
Q8. Diagnostic test results were explained in a way the patient could completely understand	76%	81%	82%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	95%	96%	94%

	Long term condition status			
	Yes	No	Not given	All
<b>FINDING OUT THAT YOU HAD CANCER</b>				
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	71%	79%	75%
Q13. Patient was definitely told sensitively that they had cancer	74%	75%	74%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	77%	78%	75%
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	84%	88%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	84%	85%	79%	84%

	Long term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>				
Q17. Patient had a main point of contact within the care team	90%	91%	87%	90%
Q18. Patient found it very or quite easy to contact their main contact person	84%	86%	83%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	98%	96%

	Long term condition status			
	Yes	No	Not given	All
<b>DECIDING ON THE BEST TREATMENT</b>				
Q20. Treatment options were explained in a way the patient could completely understand	82%	81%	88%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	81%	85%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	82%	82%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	53%	49%	52%	52%

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Long term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	71%	74%	74%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	92%	92%	<b>92%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	100%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Long term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	90%	92%	90%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	73%	78%	76%	<b>75%</b>
Q29. Patient was offered information about how to get financial help or benefits	69%	75%	68%	<b>70%</b>

<b>HOSPITAL CARE</b>	Long term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	81%	75%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	62%	62%	61%	<b>62%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	68%	70%	71%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	68%	71%	70%	<b>69%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	67%	55%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	78%	85%	86%	<b>80%</b>
Q37. Patient was always treated with respect and dignity while in hospital	87%	89%	88%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	89%	80%	<b>87%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	78%	77%	<b>78%</b>

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>YOUR TREATMENT</b>	Long term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	89%	91%	90%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	83%	85%	89%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	90%	90%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	73%	81%	<b>77%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	82%	87%	80%	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	84%	87%	86%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	77%	80%	82%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	79%	84%	79%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	73%	67%	80%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	79%	84%	80%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	74%	77%	73%	<b>75%</b>

<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>	Long term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	77%	74%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	71%	73%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	88%	87%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	59%	59%	53%	<b>58%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	53%	55%	51%	<b>54%</b>

<b>SUPPORT WHILE AT HOME</b>	Long term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	60%	56%	58%	<b>59%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	51%	57%	47%	<b>52%</b>

<b>CARE FROM YOUR GP PRACTICE</b>	Long term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	41%	47%	41%	<b>43%</b>
Q52. Patient has had a review of cancer care by GP practice	20%	20%	23%	<b>20%</b>



## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Long term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	25%	30%	29%	<b>27%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	79%	81%	80%	<b>80%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	63%	68%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Long term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	88%	92%	88%	<b>89%</b>
Q57. Administration of care was very good or good	86%	88%	93%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	46%	50%	56%	<b>48%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	9.0	9.0	<b>8.9</b>


## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

### SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




### DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

**Q8. Diagnostic test results were explained in a way the patient could completely understand**



**Q9. Enough privacy was always given to the patient when receiving diagnostic test results**




### FINDING OUT THAT YOU HAD CANCER

**Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis**



**Q13. Patient was definitely told sensitively that they had cancer**



**Q14. Cancer diagnosis explained in a way the patient could completely understand**



## Year on Year Charts


\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

Q15. Patient was definitely told about their diagnosis in an appropriate place



Q16. Patient was told they could go back later for more information about their diagnosis




### SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

### DECIDING ON THE BEST TREATMENT

Q20. Treatment options were explained in a way the patient could completely understand




Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options



Q23. Patient could get further advice or a second opinion before making decisions about their treatment options



### CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment




## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

**Q25. A member of their care team helped the patient create a care plan to address any needs or concerns**



**Q26. Care team reviewed the patient's care plan with them to ensure it was up to date**



### SUPPORT FROM HOSPITAL STAFF

**Q27. Staff provided the patient with relevant information on available support**



**Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff**



**Q29. Patient was offered information about how to get financial help or benefits**



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

### HOSPITAL CARE

**Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital**



**Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital**



**Q33. Patient was always involved in decisions about their care and treatment whilst in hospital**



**Q34. Patient was always able to get help from ward staff when needed**



**Q35. Patient was always able to discuss worries and fears with hospital staff**



## Year on Year Charts


\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


**Q36. Hospital staff always did everything they could to help the patient control pain**



**Q37. Patient was always treated with respect and dignity while in hospital**



**Q38. Patient received easily understandable information about what they should or should not do after leaving hospital**



**Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case**



### YOUR TREATMENT

**Q41\_1. Beforehand patient completely had enough understandable information about surgery**





## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


Q41\_2. Beforehand patient completely had enough understandable information about chemotherapy



Q41\_3. Beforehand patient completely had enough understandable information about radiotherapy




Q41\_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41\_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42\_1. Patient completely had enough understandable information about progress with surgery



## Year on Year Charts


\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


Q42\_2. Patient completely had enough understandable information about progress with chemotherapy



Q42\_3. Patient completely had enough understandable information about progress with radiotherapy




Q42\_4. Patient completely had enough understandable information about progress with hormone therapy



Q42\_5. Patient completely had enough understandable information about progress with immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right




## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

### IMMEDIATE AND LONG TERM SIDE EFFECTS

Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment



Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

### SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home




Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




### CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the right amount of support from their GP practice during treatment




Q52. Patient has had a review of cancer care by GP practice



### LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment



Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




### YOUR OVERALL NHS CARE

Q56. The whole care team worked well together



Q57. Administration of care was very good or good




Q58. Cancer research opportunities were discussed with patient






### Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.



## Trust Expected Range Summary

Data labels relate to the number of scores that fell below, within and above the expected range		Number of scores below the Lower Expected Range
		Number of scores between the Upper and Lower Expected Ranges
		Number of scores above the Upper Expected Range

Trust		Expected Range Classification	
RCD	Harrogate and District NHS Foundation Trust	43	18
RCF	Airedale NHS Foundation Trust	54	6
RR8	Leeds Teaching Hospitals NHS Trust	55	3
RAE	Bradford Teaching Hospitals NHS Foundation Trust	55	1
RWY	Calderdale and Huddersfield NHS Foundation Trust	53	3
RXF	Mid Yorkshire Hospitals NHS Trust	47	14

## ICB Expected Range Summary

<p>Data labels relate to the number of scores that fell below, within and above the expected range</p>	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #add8e6; margin-right: 5px;"></div> <span>Number of scores below the Lower Expected Range</span> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #d3d3d3; margin-right: 5px;"></div> <span>Number of scores between the Upper and Lower Expected Ranges</span> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #0070c0; margin-right: 5px;"></div> <span>Number of scores above the Upper Expected Range</span> </div> </div>
--	---

	ICB	Expected Range Classification
QWO	NHS West Yorkshire Integrated Care Board	