

Cancer Patient Experience Survey

2022 Results

NHS Sussex Integrated Care Board

Published July 2023

Executive Summary

NHS Sussex Integrated Care Board has no scores above or below expected range

Introduction

The National Cancer Patient Experience Survey 2022 is the 12th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2022 survey involved 133 NHS Trusts. Out of 115,662 people, 61,268 people responded to the survey, yielding a response rate of 53%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2022. The fieldwork for the survey was undertaken between November 2022 and February 2023.

As in the previous seven years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

How Alliance and ICB results are generated

Alliance and ICB results are derived using the post code of each patient, rather than by mapping trust results to ICBs or Alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an ICB is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the ICB. Casemix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Please note that following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral.

Statistical significance

In the reporting of 2022 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular ICB, the results are not shown for that question for that ICB.

For ICBs with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** ICB has a score suppressed. If this happens, we will suppress another ICB's results (both the ICB level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual ICB.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** ICB has the 85+ age group suppressed for Q25 we will need to suppress another ICB's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this ICB scored for each question in the survey compared with national results. It is aimed at helping individual ICBs to understand their performance and identify areas for local and regional improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this ICB.

ICBs whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the ICB performs better than what ICBs of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the ICB's size and demographics.

Comparability tables

The comparability tables show the 2021 and 2022 unadjusted scores for this ICB for each scored question. If there is a statistically significant change from 2021 an arrow will be presented for the direction of change.

The adjusted 2022 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Sub-group breakdowns

Unadjusted scores are shown for tumour type, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different ICBs may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

Male/Female/Non-binary/Other tables

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long term conditions and those who indicate that they have no long-term conditions.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show two columns representing the unadjusted scores of the last two years (2021 and 2022) for each scored question.

Further information

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2022 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2022 questionnaire and survey guidance on the website at www.ncpes.co.uk. For all other outputs at ICB level, please see the Excel tables and dashboards at www.ncpes.co.uk.

Response Rate

Overall Response Rate

2,034 patients responded out of a total of 3,516 patients, resulting in a response rate of 58%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	3,819	3,516	2,034	58%
National	123,632	115,662	61,268	53%

Respondents by Survey Type


	Number of Respondents
Paper	1,661
Online	373
Phone	0
Translation Service	0
Total	2,034


Respondents by Tumour Group


	Number of Respondents
Brain / CNS	6
Breast	525
Colorectal / LGT	231
Gynaecological	99
Haematological	398
Head and Neck	57
Lung	102
Prostate	142
Sarcoma	18
Skin	51
Upper Gastro	91
Urological	157
Other	157
Total	2,034


Respondents by Ethnicity

	Number of Respondents
White	
English / Welsh / Scottish / Northern Irish / British	1,782
Irish	8
Gypsy or Irish Traveller	*
Any other White background	54
Mixed / Multiple Ethnicity	<u>'</u>
White and Black Caribbean	*
White and Black African	*
White and Asian	7
Any other Mixed / multiple ethnic background	6
Asian or Asian British	,
Indian	11
Pakistani	*
Bangladeshi	*
Chinese	6
Any other Asian background	6
Black / African / Caribbean / Black British	
African	*
Caribbean	*
Any other Black / African / Caribbean background	*
Other Ethnicity	
Arab	*
Any other ethnic group	*
Not given	
Not given	126
Total	2,034









Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

** No score available for 2021.

▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges

Adjusted Score above Upper Expected Range

		Una	djusted So	cores		Case M			
SUPPORT FROM YOUR GP PRACTICE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	988	77%	965	79%		78%	75%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	1329	65%	1280	68%		68%	62%	69%	65%

	Unadjusted Scores						Case Mix Adjusted Scores			
DIAGNOSTIC TESTS	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score	
Q5. Patient received all the information needed about the diagnostic test in advance	1550	94%	1565	93%		93%	91%	94%	92%	
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	1645	84%	1635	84%		84%	81%	86%	83%	
Q7. Patient felt the length of time waiting for diagnostic test results was about right	1651	82%	1632	78%	•	78%	76%	81%	78%	
Q8. Diagnostic test results were explained in a way the patient could completely understand	1648	79%	1638	78%		78%	76%	80%	78%	
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	1642	95%	1643	96%		96%	94%	96%	95%	

		Una	djusted So	cores	Case M				
FINDING OUT THAT YOU HAD CANCER	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	1889	72%	1847	77%	A	77%	72%	80%	76%
Q13. Patient was definitely told sensitively that they had cancer	2015	73%	2002	73%		73%	70%	77%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	2027	77%	2005	77%		77%	74%	78%	76%
Q15. Patient was definitely told about their diagnosis in an appropriate place	2011	84%	1995	86%		86%	83%	87%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	1769	82%	1750	84%		84%	82%	86%	84%

		Una	djusted So	cores	Case M				
SUPPORT FROM A MAIN CONTACT PERSON	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q17. Patient had a main point of contact within the care team	1942	90%	1931	91%		91%	89%	94%	92%
Q18. Patient found it very or quite easy to contact their main contact person	1608	83%	1607	83%		83%	80%	87%	84%
Q19. Patient found advice from main contact person was very or quite helpful	1667	95%	1680	94%		94%	94%	97%	95%

Comparability tables

Adjusted Score below Lower

 * Indicates where a score is not available due to suppression or a low base size. ** No score available for 2021. 	022: Indicates where 2022 score is ner or lower than 2021 score.	Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range
	Unadjusted Scores	Case Mix Adjusted Scores

		Una	djusted So	cores		Case M			
DECIDING ON THE BEST TREATMENT	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q20. Treatment options were explained in a way the patient could completely understand	1868	83%	1873	83%		83%	80%	84%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	1998	80%	1993	79%		79%	77%	82%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	1650	76%	1676	80%	•	80%	78%	82%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	891	52%	899	46%		48%	48%	56%	52%

		Una	djusted So	cores	Case M				
CARE PLANNING	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	1809	70%	1791	69%		69%	69%	74%	71%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	1011	93%	977	92%		92%	91%	95%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	770	99%	715	99%		99%	98%	99%	99%

		Una	djusted So	cores	Case M				
SUPPORT FROM HOSPITAL STAFF	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q27. Staff provided the patient with relevant information on available support	1638	91%	1652	91%		91%	88%	92%	90%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	1997	76%	1994	75%		75%	73%	78%	75%
Q29. Patient was offered information about how to get financial help or benefits	890	69%	927	66%		66%	62%	73%	67%

		Una	djusted So	cores		Case M	ix Adjusted	d Scores	
HOSPITAL CARE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	956	85%	905	82%		81%	75%	82%	79%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	748	63%	729	65%		65%	62%	69%	66%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	932	72%	893	68%		68%	66%	72%	69%
Q34. Patient was always able to get help from ward staff when needed	922	81%	887	76%	•	76%	68%	77%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	908	71%	879	65%		65%	61%	68%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	829	89%	771	86%		86%	81%	87%	84%
Q37. Patient was always treated with respect and dignity while in hospital	947	92%	902	89%		89%	85%	90%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	919	90%	890	88%		88%	86%	90%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	1719	80%	1710	78%		78%	75%	82%	78%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

**	Nο	score	available	for	2021

		Una	djusted So	cores		Case M	ix Adjusted	d Scores	
YOUR TREATMENT	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q41_1. Beforehand patient completely had enough understandable information about surgery	1166	89%	1137	89%		89%	88%	91%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	991	85%	985	85%		85%	83%	87%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	542	89%	541	88%		89%	86%	91%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	324	79%	331	79%		80%	74%	83%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	228	87%	264	83%		83%	80%	88%	84%
Q42_1. Patient completely had enough understandable information about progress with surgery	1156	86%	1124	84%		85%	83%	87%	85%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	991	78%	978	78%		78%	76%	81%	79%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	542	83%	538	79%		79%	77%	84%	81%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	316	73%	325	70%		71%	68%	77%	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	227	81%	253	77%		77%	75%	84%	79%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	1956	80%	1946	79%		79%	70%	86%	78%

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
IMMEDIATE AND LONG TERM SIDE EFFECTS	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	1908	74%	1888	73%		74%	72%	77%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	1825	68%	1790	69%		69%	66%	72%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	1406	86%	1404	85%		85%	84%	89%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	1773	57%	1762	56%		57%	56%	62%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	1488	52%	1463	52%		52%	49%	57%	53%

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
SUPPORT WHILE AT HOME	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	1279	55%	1275	56%		56%	54%	62%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	684	53%	664	47%		47%	44%	58%	51%

Comparability tables

Indicates where a score is not available due to suppression or a low base size.



Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges
Adjusted Score above Upper Expected Range

** No score available for 2021.

		Una	djusted So	cores		Case M	lix Adjusted	d Scores	
CARE FROM YOUR GP PRACTICE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q51. Patient definitely received the right amount of support from their GP practice during treatment	1062	44%	1082	45%		46%	39%	50%	45%
Q52. Patient has had a review of cancer care by GP practice	1932	17%	1909	18%		19%	18%	23%	21%

		Una	djusted So	cores		Case M	ix Adjuste	d Scores	
LIVING WITH AND BEYOND CANCER	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	451	33%	388	28%		28%	25%	37%	31%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	960	79%	921	79%		79%	75%	82%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	1558	62%	1581	61%		61%	59%	66%	62%

		Una	djusted So	cores		Case M	ix Adjusted	d Scores	
YOUR OVERALL NHS CARE	2021 n	2021 Score	2022 n	2022 Score	Change 2021- 2022	2022 Score	Lower Expected Range	Upper Expected Range	England Score
Q56. The whole care team worked well together	1920	90%	1885	90%		90%	88%	91%	90%
Q57. Administration of care was very good or good	1994	88%	1977	86%		86%	84%	89%	87%
Q58. Cancer research opportunities were discussed with patient	1150	40%	1218	39%		40%	34%	52%	43%
Q59. Patient's average rating of care scored from very poor to very good	1937	8.9	1934	8.8		8.8	8.7	9.0	8.9

SUPPORT FROM YOUR GP PRACTICE							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	92%	73%	76%	60%	76%	69%	84%	83%	97%	68%	89%	72%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	82%	68%	67%	57%	57%	60%	73%	57%	86%	52%	67%	63%	68%

DIAGNOSTIC TESTS							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	93%	95%	91%	92%	92%	95%	92%	94%	90%	87%	96%	92%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	85%	83%	83%	84%	74%	93%	93%	100%	89%	76%	87%	78%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	77%	78%	76%	82%	75%	78%	74%	71%	77%	72%	87%	76%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	80%	76%	72%	75%	75%	83%	79%	94%	88%	72%	82%	74%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	99%	95%	99%	93%	94%	94%	94%	100%	98%	92%	96%	94%	96%

FINDING OUT THAT YOU HAD CANCER							Tumo	our Typ	эе					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	80%	77%	72%	77%	65%	79%	70%	71%	65%	84%	71%	77%	77%
Q13. Patient was definitely told sensitively that they had cancer	*	75%	69%	71%	72%	68%	81%	71%	78%	82%	69%	72%	67%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	81%	80%	77%	71%	70%	82%	76%	72%	86%	71%	78%	73%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	91%	84%	81%	84%	86%	87%	86%	83%	88%	84%	83%	84%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	*	90%	80%	83%	82%	71%	80%	85%	82%	91%	86%	82%	79%	84%

SUPPORT FROM A MAIN CONTACT PERSO	N						Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q17. Patient had a main point of contact within the care team	*	92%	91%	95%	93%	89%	92%	82%	89%	88%	97%	90%	91%	91%
Q18. Patient found it very or quite easy to contact their main contact person	*	85%	81%	72%	84%	89%	85%	79%	77%	88%	82%	80%	83%	83%
Q19. Patient found advice from main contact person was very or quite helpful	*	94%	92%	88%	95%	94%	95%	96%	87%	98%	93%	95%	95%	94%

DECIDING ON THE BEST TREATMENT							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q20. Treatment options were explained in a way the patient could completely understand	*	86%	84%	84%	80%	84%	86%	79%	83%	78%	74%	83%	84%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	80%	79%	81%	78%	78%	88%	81%	72%	82%	79%	79%	69%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	77%	82%	87%	83%	73%	92%	78%	64%	73%	85%	78%	77%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	47%	53%	40%	46%	38%	41%	54%	36%	47%	54%	44%	36%	46%

CARE PLANNING							Tumo	ur Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	74%	70%	65%	68%	66%	73%	57%	50%	73%	70%	71%	61%	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	91%	88%	94%	94%	100%	100%	86%	*	96%	96%	92%	89%	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	99%	96%	95%	99%	100%	100%	100%	*	100%	98%	100%	98%	99%

SUPPORT FROM HOSPITAL STAFF							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q27. Staff provided the patient with relevant information on available support	*	93%	89%	85%	88%	93%	89%	95%	75%	90%	96%	88%	88%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	73%	73%	69%	79%	72%	82%	73%	67%	78%	79%	78%	71%	75%
Q29. Patient was offered information about how to get financial help or benefits	*	74%	55%	65%	70%	74%	71%	56%	*	65%	63%	53%	63%	66%

HOSPITAL CARE							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	83%	76%	82%	88%	79%	83%	89%	*	*	72%	79%	83%	82%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	61%	65%	63%	74%	58%	69%	65%	*	*	66%	59%	63%	65%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	70%	64%	74%	72%	74%	66%	72%	*	*	64%	65%	60%	68%
Q34. Patient was always able to get help from ward staff when needed	*	76%	73%	72%	84%	63%	73%	80%	*	*	72%	77%	77%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	59%	68%	64%	74%	61%	70%	57%	*	*	65%	67%	58%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	*	87%	83%	93%	87%	81%	92%	87%	*	*	88%	87%	78%	86%
Q37. Patient was always treated with respect and dignity while in hospital	*	85%	86%	89%	94%	89%	93%	89%	*	*	92%	91%	89%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	90%	85%	86%	90%	84%	88%	90%	*	*	87%	91%	81%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	75%	73%	80%	80%	80%	88%	81%	61%	82%	79%	78%	78%	78%

YOUR TREATMENT							Tumo	ur Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	90%	89%	89%	84%	86%	92%	87%	93%	89%	93%	90%	84%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	83%	84%	88%	84%	91%	88%	81%	*	*	87%	87%	89%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	87%	89%	96%	84%	93%	88%	95%	*	*	83%	100%	89%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	77%	*	*	*	*	*	78%	*	*	*	*	89%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	86%	*	*	81%	*	83%	*	*	*	*	78%	85%	83%
Q42_1. Patient completely had enough understandable information about progress with surgery	*	87%	86%	86%	83%	77%	92%	81%	79%	77%	76%	85%	81%	84%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	74%	79%	84%	79%	64%	81%	59%	*	*	82%	87%	76%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	81%	76%	92%	67%	67%	75%	80%	*	*	73%	100%	81%	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	71%	*	*	*	*	*	60%	*	*	*	*	79%	70%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	75%	*	*	75%	*	87%	*	*	*	*	76%	69%	77%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	72%	84%	85%	78%	84%	87%	86%	71%	71%	84%	83%	78%	79%

IMMEDIATE AND LONG TERM SIDE EFFECT	TS						Tumo	our Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	71%	74%	72%	73%	69%	77%	74%	59%	84%	70%	74%	76%	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	69%	66%	70%	66%	71%	74%	61%	63%	77%	69%	73%	70%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	88%	83%	80%	84%	90%	82%	81%	70%	91%	84%	86%	83%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	58%	57%	51%	53%	59%	60%	60%	36%	75%	48%	54%	51%	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	51%	49%	53%	53%	53%	54%	44%	43%	69%	49%	49%	55%	52%

SUPPORT WHILE AT HOME							Tumo	our Typ	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	51%	52%	50%	62%	64%	69%	52%	42%	58%	64%	54%	54%	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	48%	49%	53%	44%	42%	50%	42%	*	*	60%	42%	41%	47%

CARE FROM YOUR GP PRACTICE							Tumo	our Ty	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	49%	43%	49%	43%	46%	38%	41%	*	62%	52%	43%	41%	45%
Q52. Patient has had a review of cancer care by GP practice	*	19%	19%	15%	10%	21%	19%	27%	29%	22%	26%	23%	20%	18%

LIVING WITH AND BEYOND CANCER							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	20%	41%	42%	25%	20%	35%	12%	*	*	35%	27%	23%	28%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	76%	81%	81%	79%	82%	83%	77%	90%	82%	73%	81%	78%	79%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	56%	61%	56%	72%	42%	58%	48%	47%	83%	62%	68%	62%	61%

YOUR OVERALL NHS CARE							Tumo	our Ty _l	ре					
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All
Q56. The whole care team worked well together	*	90%	86%	90%	91%	85%	95%	87%	83%	94%	89%	93%	89%	90%
Q57. Administration of care was very good or good	*	88%	85%	81%	88%	79%	90%	80%	78%	88%	79%	90%	83%	86%
Q58. Cancer research opportunities were discussed with patient	*	32%	28%	44%	50%	22%	40%	36%	55%	41%	53%	36%	48%	39%
Q59. Patient's average rating of care scored from very poor to very good	*	8.9	8.7	8.8	9.0	8.7	9.1	8.5	9.1	9.1	8.7	8.9	8.7	8.8

SUPPORT FROM YOUR GP PRACTICE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	*	72%	84%	76%	75%	84%	88%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	*	79%	76%	72%	68%	65%	66%	68%

DIAGNOSTIC TESTS				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	*	90%	90%	97%	92%	93%	88%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	*	77%	78%	85%	84%	87%	84%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	*	55%	71%	72%	79%	84%	86%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	*	57%	71%	76%	79%	82%	80%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	*	92%	96%	96%	95%	97%	95%	96%

FINDING OUT THAT YOU HAD CANCER				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	*	64%	70%	76%	79%	77%	80%	77%
Q13. Patient was definitely told sensitively that they had cancer	*	*	58%	68%	70%	73%	77%	78%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	*	61%	74%	73%	77%	80%	79%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	*	69%	82%	82%	87%	89%	89%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	*	*	76%	86%	89%	83%	83%	80%	84%

SUPPORT FROM A MAIN CONTACT PERSO	N			Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	*	*	88%	90%	92%	91%	90%	88%	91%
Q18. Patient found it very or quite easy to contact their main contact person	*	*	83%	77%	81%	84%	84%	86%	83%
Q19. Patient found advice from main contact person was very or quite helpful	*	*	95%	88%	94%	95%	95%	96%	94%

DECIDING ON THE BEST TREATMENT				Age						
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All	
Q20. Treatment options were explained in a way the patient could completely understand	*	*	71%	78%	83%	84%	82%	90%	83%	
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	*	74%	66%	80%	81%	80%	78%	79%	
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	*	70%	66%	77%	81%	86%	86%	80%	
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	*	61%	45%	42%	49%	42%	57%	46%	

CARE PLANNING		Age							
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	*	68%	65%	69%	69%	70%	70%	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	*	93%	82%	95%	91%	93%	98%	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	100%	97%	97%	99%	100%	100%	99%

SUPPORT FROM HOSPITAL STAFF									
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	*	*	98%	88%	91%	91%	89%	94%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	*	64%	63%	69%	77%	79%	82%	75%
Q29. Patient was offered information about how to get financial help or benefits	*	*	57%	70%	71%	69%	57%	57%	66%

HOSPITAL CARE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	*	80%	75%	73%	84%	86%	85%	82%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	55%	62%	62%	65%	68%	64%	65%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	*	65%	55%	64%	71%	71%	71%	68%
Q34. Patient was always able to get help from ward staff when needed	*	*	85%	67%	71%	78%	79%	79%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	60%	54%	62%	70%	64%	66%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	83%	78%	83%	88%	88%	93%	86%
Q37. Patient was always treated with respect and dignity while in hospital	*	*	90%	83%	88%	91%	91%	85%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	85%	84%	87%	90%	88%	86%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	*	64%	71%	76%	79%	81%	84%	78%

YOUR TREATMENT				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	*	74%	84%	89%	89%	94%	87%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	*	76%	85%	86%	85%	85%	85%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	85%	83%	88%	88%	91%	100%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	80%	68%	81%	75%	88%	*	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	*	78%	80%	85%	81%	*	83%
Q42_1. Patient completely had enough understandable information about progress with surgery	*	*	79%	81%	83%	83%	88%	89%	84%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	*	73%	73%	77%	80%	79%	72%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	90%	75%	77%	80%	80%	83%	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	79%	55%	67%	74%	79%	*	70%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	*	70%	81%	79%	74%	*	77%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	*	72%	73%	76%	79%	82%	87%	79%

IMMEDIATE AND LONG TERM SIDE EFFEC	TS			Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	*	72%	67%	77%	72%	73%	74%	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	*	71%	61%	67%	71%	68%	68%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	*	90%	82%	84%	85%	84%	87%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	*	50%	50%	55%	59%	56%	48%	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	*	40%	42%	53%	54%	53%	48%	52%

SUPPORT WHILE AT HOME				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	*	51%	46%	51%	59%	58%	66%	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	52%	38%	42%	47%	52%	48%	47%

CARE FROM YOUR GP PRACTICE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	*	40%	47%	44%	45%	45%	60%	45%
Q52. Patient has had a review of cancer care by GP practice	*	*	24%	23%	22%	17%	16%	24%	18%

LIVING WITH AND BEYOND CANCER				Age						
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	13%	23%	24%	25%	35%	43%	28%	
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	*	58%	63%	78%	82%	83%	88%	79%	
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	*	39%	50%	63%	64%	63%	68%	61%	

YOUR OVERALL NHS CARE				Age					
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	*	*	88%	80%	91%	90%	92%	90%	90%
Q57. Administration of care was very good or good	*	*	80%	81%	87%	85%	88%	89%	86%
Q58. Cancer research opportunities were discussed with patient	*	*	38%	39%	40%	42%	37%	31%	39%
Q59. Patient's average rating of care scored from very poor to very good	*	*	8.2	8.5	9.0	8.9	8.9	8.9	8.8

SUPPORT FROM YOUR GP PRACTICE				Male/Fema	le/Non-bina	ry/Other	
	Female Male Non-binary Prefer to self-describe Prefer not to say					Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	78%	*	*	*	82%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	66%	*	*	*	66%	68%

DIAGNOSTIC TESTS			Male/Female/Non-binary/Other						
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All		
Q5. Patient received all the information needed about the diagnostic test in advance	92%	94%	*	*	*	88%	93%		
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	87%	*	*	*	84%	84%		
Q7. Patient felt the length of time waiting for diagnostic test results was about right	76%	80%	*	*	*	83%	78%		
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	79%	*	*	*	71%	78%		
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	97%	95%	*	*	*	94%	96%		

FINDING OUT THAT YOU HAD CANCER			Male/Female/Non-binary/Other					
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	77%	*	*	*	82%	77%	
Q13. Patient was definitely told sensitively that they had cancer	72%	73%	*	*	*	76%	73%	
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	78%	*	*	*	70%	77%	
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	85%	*	*	*	91%	86%	
Q16. Patient was told they could go back later for more information about their diagnosis	84%	85%	*	*	*	85%	84%	

SUPPORT FROM A MAIN CONTACT PERSO	N			Male/Female/Non-binary/Other			
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	92%	90%	*	*	*	85%	91%
Q18. Patient found it very or quite easy to contact their main contact person	82%	85%	*	*	*	81%	83%
Q19. Patient found advice from main contact person was very or quite helpful	93%	96%	*	*	*	95%	94%

DECIDING ON THE BEST TREATMENT				Male/Fema	ale/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	84%	82%	*	*	*	76%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	79%	*	*	*	80%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	83%	*	*	*	80%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	45%	49%	*	*	*	44%	46%

CARE PLANNING		Male/Female/Non-binary/Other					
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	69%	70%	*	*	*	64%	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	93%	*	*	*	87%	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	*	*	*	100%	99%

SUPPORT FROM HOSPITAL STAFF				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	89%	94%	*	*	*	88%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	72%	79%	*	*	*	78%	75%
Q29. Patient was offered information about how to get financial help or benefits	66%	67%	*	*	*	59%	66%

HOSPITAL CARE				Male/Fema	le/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	79%	84%	*	*	*	83%	82%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	61%	69%	*	*	*	63%	65%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	68%	70%	*	*	*	44%	68%
Q34. Patient was always able to get help from ward staff when needed	73%	79%	*	*	*	80%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	61%	70%	*	*	*	61%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	87%	*	*	*	77%	86%
Q37. Patient was always treated with respect and dignity while in hospital	87%	92%	*	*	*	93%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	85%	91%	*	*	*	83%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	75%	82%	*	*	*	75%	78%

YOUR TREATMENT				Male/Fema	ile/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	AII
Q41_1. Beforehand patient completely had enough understandable information about surgery	89%	89%	*	*	*	87%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	86%	*	*	*	78%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	90%	*	*	*	83%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	80%	*	*	*	94%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	80%	86%	*	*	*	*	83%
Q42_1. Patient completely had enough understandable information about progress with surgery	85%	85%	*	*	*	74%	84%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	78%	78%	*	*	*	74%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	81%	75%	*	*	*	71%	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	70%	68%	*	*	*	82%	70%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	72%	81%	*	*	*	*	77%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	76%	84%	*	*	*	74%	79%

IMMEDIATE AND LONG TERM SIDE EFFECT	TS		Male/Female/Non-binary/Other				
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	71%	76%	*	*	*	76%	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	67%	72%	*	*	*	67%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	86%	85%	*	*	*	74%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	55%	58%	*	*	*	50%	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	51%	53%	*	*	*	53%	52%

SUPPORT WHILE AT HOME				Male/Fema	le/Non-bina	ry/Other	
	Female Male Non-binary Prefer to self-describe Prefer not to say No						All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	52%	62%	*	*	*	55%	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	44%	53%	*	*	*	43%	47%

CARE FROM YOUR GP PRACTICE	Male/Female/Non-binary/Other						
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	48%	*	*	*	35%	45%
Q52. Patient has had a review of cancer care by GP practice	18%	19%	*	*	*	16%	18%

LIVING WITH AND BEYOND CANCER			Male/Female/Non-binary/Other					
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	26%	31%	*	*	*	26%	28%	
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	77%	82%	*	*	*	81%	79%	
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	58%	67%	*	*	*	63%	61%	

YOUR OVERALL NHS CARE				Male/Fema	ale/Non-bina	ry/Other	
	Female	Male	Non- binary	Prefer to self- describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	90%	90%	*	*	*	93%	90%
Q57. Administration of care was very good or good	86%	86%	*	*	*	88%	86%
Q58. Cancer research opportunities were discussed with patient	37%	42%	*	*	*	43%	39%
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.9	*	*	*	8.8	8.8

SUPPORT FROM YOUR GP PRACTICE				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	73%	72%	*	*	75%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	69%	73%	53%	*	*	69%	68%

DIAGNOSTIC TESTS		Ethnicity							
	White	Mixed	Asian	Black	Other	Not given	All		
Q5. Patient received all the information needed about the diagnostic test in advance	93%	100%	83%	*	90%	88%	93%		
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	93%	70%	*	80%	85%	84%		
Q7. Patient felt the length of time waiting for diagnostic test results was about right	78%	73%	71%	*	90%	80%	78%		
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	73%	55%	*	80%	71%	78%		
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	96%	93%	100%	*	80%	95%	96%		

FINDING OUT THAT YOU HAD CANCER			Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All		
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	67%	64%	*	80%	77%	77%		
Q13. Patient was definitely told sensitively that they had cancer	73%	61%	56%	*	80%	74%	73%		
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	67%	74%	*	80%	68%	77%		
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	72%	85%	*	*	89%	86%		
Q16. Patient was told they could go back later for more information about their diagnosis	84%	71%	95%	*	*	82%	84%		

SUPPORT FROM A MAIN CONTACT PERSO	N			Ethr	icity		
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	91%	83%	96%	*	100%	86%	91%
Q18. Patient found it very or quite easy to contact their main contact person	83%	71%	76%	*	80%	80%	83%
Q19. Patient found advice from main contact person was very or quite helpful	94%	100%	96%	*	70%	96%	94%

DECIDING ON THE BEST TREATMENT			Ethnicity				
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	93%	85%	*	*	78%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	82%	78%	*	80%	80%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	67%	76%	*	*	79%	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	46%	62%	56%	*	*	38%	46%

CARE PLANNING				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	69%	69%	62%	*	70%	62%	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	*	100%	*	*	85%	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	100%	*	*	100%	99%

SUPPORT FROM HOSPITAL STAFF				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	94%	87%	*	*	84%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	78%	61%	*	80%	75%	75%
Q29. Patient was offered information about how to get financial help or benefits	67%	92%	57%	*	*	62%	66%

HOSPITAL CARE				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	82%	70%	80%	*	*	82%	82%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	*	*	*	*	59%	65%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	70%	60%	*	*	49%	68%
Q34. Patient was always able to get help from ward staff when needed	76%	80%	60%	*	*	77%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	66%	60%	50%	*	*	56%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	87%	*	*	*	*	80%	86%
Q37. Patient was always treated with respect and dignity while in hospital	90%	80%	80%	*	*	86%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	88%	80%	80%	*	*	81%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	78%	80%	65%	*	*	74%	78%

YOUR TREATMENT				Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	89%	92%	88%	*	*	91%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	100%	80%	*	*	79%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	*	*	*	*	86%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	*	*	*	*	94%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	83%	*	*	*	*	*	83%
Q42_1. Patient completely had enough understandable information about progress with surgery	85%	83%	81%	*	*	73%	84%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	78%	77%	80%	*	*	76%	78%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	80%	*	*	*	*	71%	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	69%	*	*	*	*	81%	70%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	77%	*	*	*	*	*	77%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	83%	79%	*	*	79%	79%

IMMEDIATE AND LONG TERM SIDE EFFECT	S			Ethr	nicity		
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	65%	62%	*	70%	76%	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	69%	61%	78%	*	70%	70%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	85%	92%	86%	*	*	78%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	50%	46%	*	*	55%	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	51%	50%	50%	*	*	55%	52%

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	56%	43%	42%	*	*	55%	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	47%	*	47%	*	*	45%	47%

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White Mixed Asian Black Other Not					Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	46%	62%	32%	*	*	37%	45%
Q52. Patient has had a review of cancer care by GP practice	18%	31%	27%	*	*	17%	18%

LIVING WITH AND BEYOND CANCER			Ethnicity							
	White	Mixed	Asian	Black	Other	Not given	All			
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	28%	*	*	*	*	29%	28%			
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	*	67%	*	*	69%	79%			
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	50%	43%	*	*	61%	61%			

YOUR OVERALL NHS CARE			Ethnicity							
	White	Mixed	Asian	Black	Other	Not given	All			
Q56. The whole care team worked well together	90%	83%	88%	*	*	89%	90%			
Q57. Administration of care was very good or good	86%	83%	74%	*	70%	87%	86%			
Q58. Cancer research opportunities were discussed with patient	39%	40%	53%	*	*	48%	39%			
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.8	8.3	*	8.3	8.7	8.8			

IMD quintile tables

SUPPORT FROM YOUR GP PRACTICE				IMD Quintil	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	64%	85%	80%	78%	78%	*	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	63%	71%	68%	69%	68%	*	68%

DIAGNOSTIC TESTS		IMD Quintile							
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All		
Q5. Patient received all the information needed about the diagnostic test in advance	93%	96%	91%	92%	93%	*	93%		
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	91%	84%	85%	81%	86%	*	84%		
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	74%	78%	79%	79%	*	78%		
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	76%	78%	77%	80%	*	78%		
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	97%	94%	96%	96%	*	96%		

FINDING OUT THAT YOU HAD CANCER		IMD Quintile							
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All		
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	71%	79%	73%	79%	78%	*	77%		
Q13. Patient was definitely told sensitively that they had cancer	70%	76%	72%	71%	74%	*	73%		
Q14. Cancer diagnosis explained in a way the patient could completely understand	76%	77%	78%	74%	78%	*	77%		
Q15. Patient was definitely told about their diagnosis in an appropriate place	81%	87%	87%	84%	87%	*	86%		
Q16. Patient was told they could go back later for more information about their diagnosis	82%	86%	84%	84%	85%	*	84%		

SUPPORT FROM A MAIN CONTACT PERSO	N			IMD Quinti	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q17. Patient had a main point of contact within the care team	93%	94%	92%	90%	90%	*	91%
Q18. Patient found it very or quite easy to contact their main contact person	82%	82%	83%	84%	83%	*	83%
Q19. Patient found advice from main contact person was very or quite helpful	93%	91%	93%	95%	95%	*	94%

IMD quintile tables

DECIDING ON THE BEST TREATMENT				IMD Quinti	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	78%	85%	81%	84%	*	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	75%	80%	79%	80%	*	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	89%	79%	78%	83%	79%	*	80%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	47%	51%	47%	43%	47%	*	46%

CARE PLANNING				IMD Quinti	le		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	69%	69%	67%	68%	71%	*	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	92%	93%	92%	90%	*	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	99%	98%	99%	*	99%

SUPPORT FROM HOSPITAL STAFF	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q27. Staff provided the patient with relevant information on available support	91%	89%	91%	90%	92%	*	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	78%	73%	78%	71%	76%	*	75%
Q29. Patient was offered information about how to get financial help or benefits	71%	61%	68%	68%	66%	*	66%

HOSPITAL CARE				IMD Quint	ile		
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	86%	77%	83%	77%	86%	*	82%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	78%	61%	63%	64%	66%	*	65%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	83%	66%	70%	62%	70%	*	68%
Q34. Patient was always able to get help from ward staff when needed	89%	76%	73%	73%	77%	*	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	71%	68%	65%	62%	66%	*	65%
Q36. Hospital staff always did everything they could to help the patient control pain	88%	83%	86%	83%	90%	*	86%
Q37. Patient was always treated with respect and dignity while in hospital	94%	89%	88%	89%	90%	*	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	86%	89%	89%	87%	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	72%	79%	78%	79%	*	78%

IMD quintile tables

YOUR TREATMENT	IMD Quintile							
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All	
Q41_1. Beforehand patient completely had enough understandable information about surgery	88%	86%	90%	89%	90%	*	89%	
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	84%	88%	85%	82%	*	85%	
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	91%	90%	89%	87%	87%	*	88%	
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	73%	71%	83%	76%	81%	*	79%	
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	93%	70%	80%	78%	91%	*	83%	
Q42_1. Patient completely had enough understandable information about progress with surgery	85%	85%	83%	83%	87%	*	84%	
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	84%	72%	80%	80%	76%	*	78%	
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	85%	76%	79%	80%	78%	*	79%	
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	67%	61%	75%	69%	72%	*	70%	
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	77%	68%	80%	76%	79%	*	77%	
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	83%	76%	79%	81%	78%	*	79%	

MMEDIATE AND LONG TERM SIDE EFFECTS			IMD Quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	69%	76%	73%	73%	*	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	66%	63%	73%	68%	69%	*	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	84%	84%	87%	86%	83%	*	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	58%	55%	57%	53%	58%	*	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	56%	49%	55%	49%	50%	*	52%

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	55%	55%	54%	57%	*	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	49%	40%	51%	49%	43%	*	47%

CARE FROM YOUR GP PRACTICE		IMD Quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	50%	42%	44%	47%	45%	*	45%
Q52. Patient has had a review of cancer care by GP practice	19%	17%	21%	21%	14%	*	18%

IMD quintile tables

LIVING WITH AND BEYOND CANCER				IMD Quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	23%	29%	26%	26%	32%	*	28%	
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	75%	72%	79%	80%	81%	*	79%	
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	60%	62%	61%	62%	*	61%	

YOUR OVERALL NHS CARE				IMD Quintile			
	1 (most deprived)	2	3	4	5 (least deprived)	Non- England	All
Q56. The whole care team worked well together	93%	90%	91%	88%	90%	*	90%
Q57. Administration of care was very good or good	83%	88%	89%	84%	85%	*	86%
Q58. Cancer research opportunities were discussed with patient	41%	34%	42%	40%	39%	*	39%
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.8	8.9	8.8	8.8	*	8.8

SUPPORT FROM YOUR GP PRACTICE	Long term condition status				
	Yes	No	Not given	All	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	77%	82%	76%	79%	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	71%	69%	68%	

DIAGNOSTIC TESTS				
	Yes	No	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	93%	88%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	86%	88%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	75%	81%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	80%	76%	71%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	96%	96%	92%	96%

FINDING OUT THAT YOU HAD CANCER	Long term condition status			
	Yes	No	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	76%	81%	77%
Q13. Patient was definitely told sensitively that they had cancer	73%	72%	71%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	77%	72%	77%
Q15. Patient was definitely told about their diagnosis in appropriate place	86%	86%	83%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	83%	86%	79%	84%

SUPPORT FROM A MAIN CONTACT PERSOI	Long term condition status				
	Yes	No	Not given	All	
Q17. Patient had a main point of contact within the care team	91%	92%	86%	91%	
Q18. Patient found it very or quite easy to contact their main contact person	82%	84%	83%	83%	
Q19. Patient found advice from main contact person was very or quite helpful	93%	95%	95%	94%	

DECIDING ON THE BEST TREATMENT Long term condition status					
	Yes	No	Not given	All	
Q20. Treatment options were explained in a way the patient could completely understand	82%	84%	80%	83%	
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	80%	80%	79%	
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	79%	83%	80%	
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	48%	45%	40%	46%	

CARE PLANNING	Long term condition status				
	Yes	No	Not given	All	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	69%	69%	65%	69%	
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	91%	88%	92%	
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	100%	98%	99%	

SUPPORT FROM HOSPITAL STAFF				
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	89%	94%	88%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	73%	77%	77%	75%
Q29. Patient was offered information about how to get financial help or benefits	65%	70%	60%	66%

HOSPITAL CARE		Long term condition status			
	Yes	No	Not given	All	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	81%	83%	82%	82%	
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	65%	66%	65%	
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	71%	49%	68%	
Q34. Patient was always able to get help from ward staff when needed	75%	77%	77%	76%	
Q35. Patient was always able to discuss worries and fears with hospital staff	64%	68%	62%	65%	
Q36. Hospital staff always did everything they could to help the patient control pain	87%	84%	85%	86%	
Q37. Patient was always treated with respect and dignity while in hospital	89%	90%	93%	89%	
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	91%	85%	88%	
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	78%	79%	76%	78%	

YOUR TREATMENT Long term condition status						
	Yes	No	Not given	All		
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	88%	89%	89%		
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	86%	80%	85%		
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	87%	86%	88%		
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	79%	90%	79%		
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	82%	83%	80%	83%		
Q42_1. Patient completely had enough understandable information about progress with surgery	85%	86%	75%	84%		
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	77%	80%	72%	78%		
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	79%	79%	78%	79%		
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	68%	73%	80%	70%		
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	74%	81%	100%	77%		
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	80%	75%	79%		

IMMEDIATE AND LONG TERM SIDE EFFECTS		Long term condition status		
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	72%	74%	72%	73%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	67%	71%	68%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	83%	89%	81%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	54%	60%	51%	56%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	54%	54%	52%

SUPPORT WHILE AT HOME	Long term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	57%	53%	57%	56%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	43%	56%	51%	47%

CARE FROM YOUR GP PRACTICE	Long term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	44%	50%	40%	45%
Q52. Patient has had a review of cancer care by GP practice	18%	19%	18%	18%

LIVING WITH AND BEYOND CANCER	G WITH AND BEYOND CANCER Long term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	27%	30%	28%	28%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	76%	82%	83%	79%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	61%	63%	61%

YOUR OVERALL NHS CARE		Long term condition status		
	Yes	No	Not given	All
Q56. The whole care team worked well together	89%	91%	92%	90%
Q57. Administration of care was very good or good	86%	85%	87%	86%
Q58. Cancer research opportunities were discussed with patient	38%	41%	43%	39%
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.9	8.9	8.8

