

# **Cancer Patient Experience Survey**

2022 Results

**Oxford University Hospitals NHS  
Foundation Trust**

Published July 2023

## Executive Summary

### Questions Above Expected Range

	Case Mix Adjusted Scores			National Score
	2022 Score	Lower Expected Range	Upper Expected Range	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	<b>69%</b>	63%	68%	<b>65%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	<b>86%</b>	81%	85%	<b>83%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	<b>81%</b>	76%	81%	<b>78%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	<b>79%</b>	74%	78%	<b>76%</b>
Q20. Treatment options were explained in a way the patient could completely understand	<b>85%</b>	80%	84%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	<b>84%</b>	77%	81%	<b>79%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	<b>56%</b>	48%	56%	<b>52%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	<b>95%</b>	91%	95%	<b>93%</b>
Q27. Staff provided the patient with relevant information on available support	<b>94%</b>	88%	92%	<b>90%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	<b>78%</b>	73%	78%	<b>76%</b>
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	<b>82%</b>	75%	82%	<b>79%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	<b>73%</b>	62%	70%	<b>66%</b>
Q34. Patient was always able to get help from ward staff when needed	<b>78%</b>	68%	77%	<b>73%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	<b>70%</b>	60%	68%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	<b>88%</b>	81%	87%	<b>84%</b>
Q37. Patient was always treated with respect and dignity while in hospital	<b>92%</b>	85%	90%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	<b>91%</b>	85%	91%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	<b>81%</b>	76%	81%	<b>78%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	<b>85%</b>	78%	84%	<b>81%</b>
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	<b>78%</b>	72%	76%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	<b>72%</b>	67%	72%	<b>69%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	<b>63%</b>	56%	62%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	<b>59%</b>	49%	57%	<b>53%</b>
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	<b>63%</b>	54%	62%	<b>58%</b>
Q51. Patient definitely received the right amount of support from their GP practice during treatment	<b>50%</b>	40%	50%	<b>45%</b>
Q52. Patient has had a review of cancer care by GP practice	<b>23%</b>	19%	23%	<b>21%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	<b>82%</b>	75%	81%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	<b>67%</b>	60%	65%	<b>62%</b>
Q58. Cancer research opportunities were discussed with patient	<b>59%</b>	34%	52%	<b>43%</b>

Oxford University Hospitals NHS Foundation Trust has no scores below expected range

## Introduction

The National Cancer Patient Experience Survey 2022 is the 12th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2022 survey involved 133 NHS Trusts. Out of 115,662 people, 61,268 people responded to the survey, yielding a response rate of 53%.

## Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2022. The fieldwork for the survey was undertaken between November 2022 and February 2023.

As in the previous seven years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Trust is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Trust. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Please note that following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral.

### Statistical significance

In the reporting of 2022 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

### Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Trust, the results are not shown for that question for that Trust.

For Trusts with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

### **Additional suppression**

Additional suppression happens if only **one** Trust has a score suppressed. If this happens, we will suppress another Trust's results (both the Trust level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Trust.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Trust has the 85+ age group suppressed for Q25 we will need to suppress another Trust's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

## **Understanding the results**

This report shows how this Trust scored for each question in the survey compared with national results. It is aimed at helping individual Trusts to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

### **Expected range charts**

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Trust.

Trusts whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Trust performs better than what Trusts of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Trust's size and demographics.

### **Comparability tables**

The comparability tables show the 2021 and 2022 unadjusted scores for this Trust for each scored question. If there is a statistically significant change from 2021 an arrow will be presented for the direction of change.

The adjusted 2022 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

### **Sub-group breakdowns**

Unadjusted scores are shown for tumour type, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Trusts may not be comparable, as they do not account for the impact that differing patient populations might have on results.

### **Tumour type tables**

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

### **Age group tables**

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

### **Male/Female/Non-binary/Other tables**

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

### **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

### **Long-term condition status tables**

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long term conditions and those who indicate that they have no long-term conditions.

### **IMD quintile tables**

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

### **Year on year charts**

The year on year charts show two columns representing the unadjusted scores of the last two years (2021 and 2022) for each scored question.

## **Further information**

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2022 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2022 questionnaire and survey guidance on the website at [www.ncpes.co.uk](http://www.ncpes.co.uk). For all other outputs at Trust level, please see the Excel tables and dashboards at [www.ncpes.co.uk](http://www.ncpes.co.uk).

## Response Rate

### Overall Response Rate

1,570 patients responded out of a total of 2,734 patients, resulting in a response rate of 57%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	2,917	2,734	1,570	57%
National	123,632	115,662	61,268	53%

### Respondents by Survey Type

	Number of Respondents
Paper	1,233
Online	336
Phone	1
Translation Service	0
<b>Total</b>	<b>1,570</b>






### Respondents by Tumour Group

	Number of Respondents
Brain / CNS	14
Breast	357
Colorectal / LGT	153
Gynaecological	73
Haematological	183
Head and Neck	39
Lung	98
Prostate	146
Sarcoma	26
Skin	119
Upper Gastro	87
Urological	115
Other	160
<b>Total</b>	<b>1,570</b>

## Respondents by Ethnicity






	Number of Respondents
<b>White</b>	
English / Welsh / Scottish / Northern Irish / British	1,345
Irish	18
Gypsy or Irish Traveller	*
Any other White background	41
<b>Mixed / Multiple Ethnicity</b>	
White and Black Caribbean	*
White and Black African	*
White and Asian	7
Any other Mixed / multiple ethnic background	*
<b>Asian or Asian British</b>	
Indian	15
Pakistani	6
Bangladeshi	*
Chinese	10
Any other Asian background	8
<b>Black / African / Caribbean / Black British</b>	
African	6
Caribbean	7
Any other Black / African / Caribbean background	*
<b>Other Ethnicity</b>	
Arab	*
Any other ethnic group	*
<b>Not given</b>	
Not given	96
<b>Total</b>	<b>1,570</b>

## Expected Range Charts











## Expected Range Charts



## Expected Range Charts



## Expected Range Charts



## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

\*\* No score available for 2021.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	668	<b>78%</b>	817	<b>79%</b>		<b>78%</b>	75%	81%	<b>78%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	863	<b>72%</b>	1087	<b>70%</b>		<b>69%</b>	63%	68%	<b>65%</b>

DIAGNOSTIC TESTS	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q5. Patient received all the information needed about the diagnostic test in advance	1020	<b>95%</b>	1219	<b>93%</b>		<b>93%</b>	91%	94%	<b>92%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	1062	<b>87%</b>	1274	<b>86%</b>		<b>86%</b>	81%	85%	<b>83%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	1057	<b>83%</b>	1271	<b>76%</b>	▼	<b>77%</b>	76%	81%	<b>78%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	1060	<b>82%</b>	1277	<b>81%</b>		<b>81%</b>	76%	81%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	1061	<b>97%</b>	1268	<b>95%</b>		<b>95%</b>	93%	96%	<b>95%</b>

FINDING OUT THAT YOU HAD CANCER	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	1183	<b>65%</b>	1440	<b>76%</b>	▲	<b>77%</b>	72%	80%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	1270	<b>73%</b>	1540	<b>75%</b>		<b>75%</b>	71%	76%	<b>74%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	1275	<b>79%</b>	1550	<b>79%</b>		<b>79%</b>	74%	78%	<b>76%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	1266	<b>84%</b>	1542	<b>85%</b>		<b>85%</b>	83%	87%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	1136	<b>82%</b>	1368	<b>84%</b>		<b>84%</b>	82%	86%	<b>84%</b>

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q17. Patient had a main point of contact within the care team	1228	<b>91%</b>	1484	<b>91%</b>		<b>92%</b>	89%	94%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	1005	<b>85%</b>	1233	<b>86%</b>		<b>86%</b>	80%	87%	<b>84%</b>
Q19. Patient found advice from main contact person was very or quite helpful	1060	<b>97%</b>	1296	<b>96%</b>		<b>96%</b>	94%	97%	<b>95%</b>

## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>DECIDING ON THE BEST TREATMENT</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q20. Treatment options were explained in a way the patient could completely understand	1207	<b>83%</b>	1447	<b>85%</b>		<b>85%</b>	80%	84%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	1271	<b>82%</b>	1539	<b>84%</b>		<b>84%</b>	77%	81%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	1031	<b>76%</b>	1311	<b>82%</b>	▲	<b>81%</b>	78%	82%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	591	<b>55%</b>	686	<b>55%</b>		<b>56%</b>	48%	56%	<b>52%</b>

<b>CARE PLANNING</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	1131	<b>72%</b>	1386	<b>73%</b>		<b>73%</b>	69%	74%	<b>71%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	649	<b>94%</b>	809	<b>95%</b>		<b>95%</b>	91%	95%	<b>93%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	511	<b>98%</b>	642	<b>98%</b>		<b>99%</b>	98%	100%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q27. Staff provided the patient with relevant information on available support	1054	<b>93%</b>	1329	<b>94%</b>		<b>94%</b>	88%	92%	<b>90%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	1266	<b>78%</b>	1535	<b>78%</b>		<b>78%</b>	73%	78%	<b>76%</b>
Q29. Patient was offered information about how to get financial help or benefits	567	<b>75%</b>	754	<b>73%</b>		<b>72%</b>	60%	75%	<b>67%</b>

<b>HOSPITAL CARE</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	559	<b>86%</b>	637	<b>81%</b>		<b>82%</b>	75%	82%	<b>79%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	447	<b>67%</b>	513	<b>72%</b>		<b>73%</b>	62%	70%	<b>66%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	548	<b>72%</b>	630	<b>72%</b>		<b>73%</b>	66%	73%	<b>70%</b>
Q34. Patient was always able to get help from ward staff when needed	548	<b>79%</b>	620	<b>76%</b>		<b>78%</b>	68%	77%	<b>73%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	523	<b>70%</b>	610	<b>69%</b>		<b>70%</b>	60%	68%	<b>64%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	482	<b>86%</b>	542	<b>88%</b>		<b>88%</b>	81%	87%	<b>84%</b>
Q37. Patient was always treated with respect and dignity while in hospital	553	<b>92%</b>	634	<b>91%</b>		<b>92%</b>	85%	90%	<b>88%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	544	<b>90%</b>	624	<b>91%</b>		<b>91%</b>	85%	91%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	1098	<b>78%</b>	1384	<b>81%</b>		<b>81%</b>	76%	81%	<b>78%</b>

## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2021.

▲ or ▼ Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

YOUR TREATMENT	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	771	<b>90%</b>	856	<b>90%</b>		<b>90%</b>	87%	91%	<b>89%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	480	<b>84%</b>	683	<b>84%</b>		<b>85%</b>	82%	88%	<b>85%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	610	<b>87%</b>	682	<b>90%</b>		<b>90%</b>	86%	91%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	263	<b>78%</b>	263	<b>79%</b>		<b>80%</b>	74%	84%	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	115	<b>85%</b>	227	<b>89%</b>		<b>88%</b>	79%	89%	<b>84%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	758	<b>86%</b>	857	<b>86%</b>		<b>86%</b>	83%	87%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	469	<b>77%</b>	680	<b>81%</b>		<b>82%</b>	75%	82%	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	599	<b>78%</b>	685	<b>84%</b>		<b>85%</b>	78%	84%	<b>81%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	252	<b>68%</b>	256	<b>71%</b>		<b>73%</b>	67%	78%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	115	<b>82%</b>	225	<b>80%</b>		<b>79%</b>	74%	85%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	1264	<b>82%</b>	1530	<b>83%</b>		<b>83%</b>	71%	85%	<b>78%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	1217	<b>78%</b>	1474	<b>77%</b>		<b>78%</b>	72%	76%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	1157	<b>72%</b>	1414	<b>72%</b>		<b>72%</b>	67%	72%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	913	<b>89%</b>	1133	<b>88%</b>		<b>88%</b>	84%	88%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	1137	<b>61%</b>	1381	<b>62%</b>		<b>63%</b>	56%	62%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	966	<b>55%</b>	1163	<b>58%</b>		<b>59%</b>	49%	57%	<b>53%</b>

SUPPORT WHILE AT HOME	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	764	<b>60%</b>	998	<b>63%</b>		<b>63%</b>	54%	62%	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	434	<b>53%</b>	513	<b>55%</b>		<b>55%</b>	46%	56%	<b>51%</b>



## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size. ▲ or ▼

Change 2021-2022: Indicates where 2022 score is significantly higher or lower than 2021 score.

\*\* No score available for 2021.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>CARE FROM YOUR GP PRACTICE</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	709	<b>53%</b>	900	<b>51%</b>		<b>50%</b>	40%	50%	<b>45%</b>
Q52. Patient has had a review of cancer care by GP practice	1217	<b>21%</b>	1494	<b>23%</b>		<b>23%</b>	19%	23%	<b>21%</b>

<b>LIVING WITH AND BEYOND CANCER</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	259	<b>34%</b>	314	<b>29%</b>		<b>29%</b>	26%	36%	<b>31%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	732	<b>82%</b>	861	<b>82%</b>		<b>82%</b>	75%	81%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	1070	<b>66%</b>	1290	<b>67%</b>		<b>67%</b>	60%	65%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Unadjusted Scores					Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2022 n	2022 Score	Change 2021-2022	2022 Score	Lower Expected Range	Upper Expected Range	
Q56. The whole care team worked well together	1217	<b>93%</b>	1479	<b>91%</b>		<b>91%</b>	88%	91%	<b>90%</b>
Q57. Administration of care was very good or good	1270	<b>88%</b>	1527	<b>86%</b>		<b>87%</b>	83%	90%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	831	<b>58%</b>	1016	<b>57%</b>		<b>59%</b>	34%	52%	<b>43%</b>
Q59. Patient's average rating of care scored from very poor to very good	1230	<b>9.0</b>	1488	<b>9.0</b>		<b>9.0</b>	8.7	9.0	<b>8.9</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	93%	88%	82%	64%	77%	70%	77%	73%	80%	79%	71%	76%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	85%	71%	74%	58%	86%	54%	72%	81%	72%	58%	63%	69%	<b>70%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q5. Patient received all the information needed about the diagnostic test in advance	80%	92%	99%	86%	87%	100%	96%	97%	95%	95%	91%	90%	94%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	80%	86%	93%	78%	83%	78%	90%	92%	83%	82%	91%	82%	82%	<b>86%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	70%	78%	84%	73%	82%	89%	75%	78%	74%	57%	75%	71%	73%	<b>76%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	70%	86%	85%	80%	74%	83%	85%	85%	65%	79%	80%	81%	73%	<b>81%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	90%	98%	92%	90%	93%	97%	99%	98%	100%	96%	94%	92%	95%	<b>95%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	92%	78%	77%	68%	76%	86%	87%	77%	85%	66%	83%	69%	66%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	62%	81%	77%	65%	70%	89%	81%	71%	81%	72%	64%	69%	77%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	64%	83%	82%	75%	70%	82%	89%	77%	65%	77%	78%	77%	78%	<b>79%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	79%	90%	81%	78%	81%	92%	91%	87%	85%	88%	79%	81%	88%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	85%	91%	84%	81%	80%	86%	89%	88%	82%	88%	79%	78%	75%	<b>84%</b>



## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q17. Patient had a main point of contact within the care team	100%	95%	88%	94%	95%	81%	95%	91%	88%	91%	94%	87%	81%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	93%	85%	89%	88%	88%	88%	89%	81%	80%	83%	87%	79%	89%	<b>86%</b>
Q19. Patient found advice from main contact person was very or quite helpful	93%	96%	99%	94%	98%	88%	96%	97%	95%	98%	96%	98%	94%	<b>96%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q20. Treatment options were explained in a way the patient could completely understand	71%	84%	89%	84%	82%	97%	85%	86%	76%	87%	88%	86%	82%	<b>85%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	64%	84%	88%	83%	79%	95%	82%	84%	81%	90%	84%	82%	81%	<b>84%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	79%	85%	78%	79%	94%	86%	86%	79%	81%	81%	77%	83%	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	49%	59%	46%	57%	73%	54%	63%	57%	58%	69%	40%	54%	<b>55%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	86%	75%	74%	68%	69%	83%	75%	72%	74%	75%	69%	72%	66%	<b>73%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	82%	95%	99%	83%	96%	90%	90%	95%	92%	98%	96%	95%	95%	<b>95%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	95%	100%	100%	100%	100%	100%	97%	100%	97%	100%	100%	100%	<b>98%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q27. Staff provided the patient with relevant information on available support	100%	96%	98%	97%	92%	97%	96%	96%	89%	97%	92%	90%	89%	<b>94%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	64%	75%	84%	77%	79%	87%	79%	83%	62%	81%	72%	81%	75%	<b>78%</b>
Q29. Patient was offered information about how to get financial help or benefits	73%	73%	68%	78%	74%	79%	81%	68%	58%	68%	81%	66%	67%	<b>73%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	73%	79%	87%	84%	71%	96%	82%	89%	64%	88%	86%	79%	77%	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	45%	66%	74%	70%	70%	88%	79%	71%	58%	65%	83%	69%	69%	<b>72%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	55%	73%	78%	58%	71%	88%	72%	80%	64%	68%	82%	64%	67%	<b>72%</b>
Q34. Patient was always able to get help from ward staff when needed	73%	77%	82%	74%	71%	83%	76%	80%	64%	87%	77%	80%	67%	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	36%	71%	76%	64%	63%	83%	78%	63%	62%	70%	67%	72%	67%	<b>69%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	80%	91%	87%	92%	77%	100%	86%	94%	82%	90%	88%	90%	88%	<b>88%</b>
Q37. Patient was always treated with respect and dignity while in hospital	91%	88%	96%	89%	88%	100%	92%	97%	79%	100%	91%	90%	91%	<b>91%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	64%	93%	99%	88%	80%	100%	92%	85%	86%	88%	95%	91%	92%	<b>91%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	73%	78%	87%	76%	85%	81%	80%	86%	76%	83%	84%	76%	80%	<b>81%</b>

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q41_1. Beforehand patient completely had enough understandable information about surgery	75%	93%	92%	85%	89%	88%	86%	89%	69%	96%	88%	88%	86%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	75%	83%	86%	89%	85%	91%	89%	73%	80%	*	83%	88%	84%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	83%	92%	89%	86%	86%	93%	86%	90%	92%	*	92%	87%	83%	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	79%	*	*	*	*	*	82%	*	*	*	*	*	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	88%	82%	*	89%	*	86%	*	*	89%	*	93%	80%	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	92%	87%	88%	85%	78%	85%	90%	88%	54%	93%	86%	88%	80%	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	75%	75%	81%	79%	82%	100%	89%	82%	73%	*	89%	82%	78%	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	75%	85%	89%	83%	83%	94%	89%	82%	67%	*	92%	65%	70%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	71%	*	*	*	*	*	76%	*	*	*	*	*	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	64%	60%	*	78%	*	83%	*	*	88%	*	81%	71%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	77%	77%	86%	80%	82%	95%	82%	93%	73%	80%	93%	83%	82%	<b>83%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	64%	76%	81%	78%	71%	79%	86%	78%	84%	79%	80%	75%	75%	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	72%	77%	72%	67%	78%	78%	66%	70%	73%	73%	72%	68%	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	80%	89%	89%	87%	85%	93%	93%	88%	94%	92%	91%	86%	80%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	61%	60%	62%	54%	78%	72%	73%	58%	60%	64%	59%	61%	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	67%	57%	61%	59%	50%	66%	66%	62%	55%	62%	54%	58%	57%	<b>58%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	77%	53%	70%	60%	61%	75%	69%	66%	68%	54%	66%	67%	66%	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	57%	64%	61%	52%	81%	56%	53%	56%	43%	60%	42%	46%	<b>55%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	60%	51%	58%	57%	46%	42%	44%	55%	40%	49%	42%	49%	54%	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	27%	26%	21%	28%	18%	23%	23%	28%	32%	16%	23%	24%	22%	<b>23%</b>

## Tumour type tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	32%	28%	32%	28%	45%	25%	26%	*	20%	33%	13%	29%	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	82%	87%	77%	81%	96%	80%	80%	*	84%	80%	85%	78%	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	57%	60%	64%	63%	73%	78%	69%	60%	62%	79%	61%	76%	70%	<b>67%</b>

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q56. The whole care team worked well together	100%	90%	93%	91%	93%	92%	90%	94%	84%	89%	90%	90%	86%	<b>91%</b>
Q57. Administration of care was very good or good	71%	84%	89%	89%	93%	89%	89%	85%	69%	85%	88%	83%	85%	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	58%	46%	58%	44%	69%	48%	69%	48%	50%	74%	72%	62%	52%	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	9.0	9.2	8.8	9.0	9.2	9.1	9.0	8.5	9.0	9.1	8.8	8.8	<b>9.0</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>SUPPORT FROM YOUR GP PRACTICE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	77%	78%	81%	77%	78%	83%	76%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	75%	80%	63%	72%	69%	73%	69%	<b>70%</b>

<b>DIAGNOSTIC TESTS</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	83%	95%	85%	94%	95%	94%	92%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	78%	79%	84%	87%	86%	86%	88%	<b>86%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	67%	58%	74%	70%	77%	81%	80%	<b>76%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	83%	66%	80%	83%	83%	81%	78%	<b>81%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	89%	84%	93%	95%	97%	96%	95%	<b>95%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	75%	73%	69%	73%	77%	78%	75%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	*	76%	68%	64%	76%	75%	77%	79%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	71%	72%	75%	76%	82%	80%	80%	<b>79%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	90%	76%	83%	81%	86%	89%	90%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	*	83%	86%	84%	86%	88%	80%	76%	<b>84%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	*	90%	93%	86%	93%	92%	93%	77%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	*	78%	88%	81%	87%	88%	85%	80%	<b>86%</b>
Q19. Patient found advice from main contact person was very or quite helpful	*	89%	90%	95%	96%	97%	97%	98%	<b>96%</b>

<b>DECIDING ON THE BEST TREATMENT</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	*	90%	72%	80%	84%	87%	86%	85%	<b>85%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	76%	68%	76%	83%	87%	85%	90%	<b>84%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	61%	67%	81%	79%	80%	88%	82%	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	73%	45%	54%	46%	59%	59%	51%	<b>55%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	53%	55%	69%	74%	74%	74%	76%	<b>73%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	82%	91%	92%	93%	97%	96%	97%	<b>95%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	100%	93%	97%	98%	99%	100%	<b>98%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	*	95%	93%	90%	96%	97%	93%	89%	<b>94%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	67%	66%	69%	77%	79%	83%	82%	<b>78%</b>
Q29. Patient was offered information about how to get financial help or benefits	*	75%	63%	69%	77%	72%	71%	84%	<b>73%</b>

<b>HOSPITAL CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	75%	69%	69%	84%	83%	86%	83%	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	65%	63%	70%	72%	77%	80%	<b>72%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	50%	58%	59%	75%	76%	73%	67%	<b>72%</b>
Q34. Patient was always able to get help from ward staff when needed	*	83%	73%	63%	74%	78%	80%	91%	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	82%	69%	54%	74%	71%	69%	68%	<b>69%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	82%	86%	67%	90%	94%	87%	94%	<b>88%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	92%	85%	80%	94%	92%	95%	92%	<b>91%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	100%	96%	85%	91%	92%	90%	92%	<b>91%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	89%	68%	77%	80%	81%	85%	85%	<b>81%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	100%	82%	87%	90%	92%	90%	77%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	88%	79%	87%	80%	90%	82%	93%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	90%	78%	89%	89%	94%	90%	77%	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	57%	76%	74%	77%	89%	*	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	100%	91%	85%	89%	87%	*	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	*	67%	86%	83%	82%	89%	90%	82%	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	63%	79%	80%	77%	85%	81%	93%	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	82%	81%	84%	85%	85%	77%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	54%	65%	70%	68%	78%	*	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	79%	77%	71%	84%	83%	*	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	70%	78%	78%	83%	85%	84%	78%	<b>83%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	75%	70%	74%	78%	79%	78%	68%	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	65%	64%	61%	70%	75%	74%	71%	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	89%	91%	83%	88%	90%	89%	77%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	63%	59%	53%	60%	67%	63%	58%	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	65%	48%	54%	55%	60%	61%	61%	<b>58%</b>

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	64%	51%	54%	61%	65%	67%	51%	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	67%	52%	49%	52%	60%	56%	48%	<b>55%</b>

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	38%	51%	52%	47%	47%	57%	60%	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	*	28%	21%	24%	25%	25%	20%	23%	<b>23%</b>



## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	39%	23%	21%	32%	35%	28%	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	79%	73%	67%	79%	85%	88%	82%	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	57%	65%	58%	65%	69%	70%	67%	<b>67%</b>

<b>YOUR OVERALL NHS CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	*	95%	88%	89%	87%	91%	93%	93%	<b>91%</b>
Q57. Administration of care was very good or good	*	85%	82%	79%	85%	86%	89%	84%	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	*	53%	65%	57%	55%	59%	57%	41%	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	*	8.7	8.4	8.7	9.0	9.0	9.1	8.9	<b>9.0</b>



## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	80%	78%	*	*	*	70%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	74%	66%	*	*	*	68%	<b>70%</b>

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q5. Patient received all the information needed about the diagnostic test in advance	92%	95%	*	*	*	93%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	87%	*	*	*	84%	<b>86%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	73%	79%	*	*	*	75%	<b>76%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	83%	79%	*	*	*	77%	<b>81%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	*	*	*	100%	<b>95%</b>

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	75%	*	*	*	83%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	76%	73%	*	*	*	77%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	80%	77%	*	*	*	81%	<b>79%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	85%	*	*	*	89%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	86%	82%	*	*	*	89%	<b>84%</b>

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q17. Patient had a main point of contact within the care team	93%	90%	*	*	*	89%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	87%	85%	*	*	*	83%	<b>86%</b>
Q19. Patient found advice from main contact person was very or quite helpful	96%	97%	*	*	*	94%	<b>96%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	86%	84%	*	*	*	85%	<b>85%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	85%	*	*	*	87%	<b>84%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	83%	*	*	*	92%	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	54%	56%	*	*	*	47%	<b>55%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	73%	72%	*	*	*	70%	<b>73%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	95%	*	*	*	93%	<b>95%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	97%	99%	*	*	*	100%	<b>98%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	94%	95%	*	*	*	91%	<b>94%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	74%	82%	*	*	*	81%	<b>78%</b>
Q29. Patient was offered information about how to get financial help or benefits	74%	72%	*	*	*	62%	<b>73%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	84%	*	*	*	78%	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	74%	*	*	*	67%	<b>72%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	73%	*	*	*	43%	<b>72%</b>
Q34. Patient was always able to get help from ward staff when needed	72%	81%	*	*	*	65%	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	68%	71%	*	*	*	57%	<b>69%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	88%	88%	*	*	*	80%	<b>88%</b>
Q37. Patient was always treated with respect and dignity while in hospital	89%	94%	*	*	*	91%	<b>91%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	93%	89%	*	*	*	83%	<b>91%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	78%	84%	*	*	*	89%	<b>81%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	88%	*	*	*	89%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	84%	*	*	*	78%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	89%	*	*	*	100%	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	81%	*	*	*	*	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	91%	87%	*	*	*	*	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	87%	85%	*	*	*	96%	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	78%	85%	*	*	*	77%	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	83%	85%	*	*	*	90%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	69%	74%	*	*	*	*	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	78%	82%	*	*	*	*	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	78%	88%	*	*	*	82%	<b>83%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	77%	*	*	*	73%	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	72%	72%	*	*	*	59%	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	88%	*	*	*	80%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	60%	65%	*	*	*	61%	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	56%	61%	*	*	*	51%	<b>58%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	57%	69%	*	*	*	58%	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	52%	60%	*	*	*	44%	<b>55%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	50%	51%	*	*	*	50%	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	25%	22%	*	*	*	9%	<b>23%</b>

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	31%	27%	*	*	*	0%	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	84%	*	*	*	85%	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	64%	70%	*	*	*	65%	<b>67%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	90%	92%	*	*	*	92%	<b>91%</b>
Q57. Administration of care was very good or good	85%	87%	*	*	*	87%	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	52%	63%	*	*	*	45%	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.9	9.0	*	*	*	8.9	<b>9.0</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	81%	*	50%	*	*	64%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	71%	*	71%	*	*	70%	<b>70%</b>

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	93%	*	94%	100%	*	92%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	*	74%	92%	*	88%	<b>86%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	76%	*	74%	77%	*	77%	<b>76%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	*	71%	85%	*	78%	<b>81%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	*	94%	92%	*	98%	<b>95%</b>

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	75%	64%	78%	85%	*	85%	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	75%	50%	76%	58%	*	76%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	67%	74%	69%	*	78%	<b>79%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	92%	79%	85%	*	90%	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	84%	67%	82%	75%	*	90%	<b>84%</b>

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	92%	75%	92%	92%	*	90%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	86%	*	88%	92%	*	82%	<b>86%</b>
Q19. Patient found advice from main contact person was very or quite helpful	97%	*	97%	100%	*	93%	<b>96%</b>

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	86%	55%	79%	69%	*	87%	<b>85%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	84%	67%	79%	92%	*	88%	<b>84%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	73%	81%	80%	*	87%	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	54%	*	81%	*	*	48%	<b>55%</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	64%	78%	85%	*	78%	<b>73%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	*	90%	*	*	96%	<b>95%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	*	100%	*	*	100%	<b>98%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	95%	75%	94%	100%	*	90%	<b>94%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	79%	33%	77%	69%	*	79%	<b>78%</b>
Q29. Patient was offered information about how to get financial help or benefits	73%	50%	64%	82%	*	72%	<b>73%</b>

<b>HOSPITAL CARE</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	82%	*	70%	*	*	83%	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	72%	*	63%	*	*	75%	<b>72%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	*	65%	*	*	63%	<b>72%</b>
Q34. Patient was always able to get help from ward staff when needed	77%	*	78%	*	*	74%	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	70%	*	65%	*	*	75%	<b>69%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	88%	*	85%	*	*	90%	<b>88%</b>
Q37. Patient was always treated with respect and dignity while in hospital	91%	*	91%	*	*	97%	<b>91%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	91%	*	95%	*	*	89%	<b>91%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	73%	79%	100%	*	81%	<b>81%</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	*	95%	*	*	83%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	*	86%	*	*	85%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	90%	*	88%	*	*	92%	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	80%	*	*	*	*	67%	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	89%	*	*	*	*	91%	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	87%	*	81%	*	*	86%	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	82%	*	81%	*	*	77%	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	85%	*	69%	*	*	85%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	72%	*	*	*	*	50%	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	80%	*	*	*	*	80%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	84%	83%	74%	75%	*	76%	<b>83%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	67%	66%	77%	*	70%	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	73%	42%	50%	85%	*	62%	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	*	79%	91%	*	84%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	62%	50%	62%	83%	*	63%	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	59%	42%	41%	80%	*	55%	<b>58%</b>

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	63%	*	59%	*	*	51%	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	56%	*	53%	*	*	52%	<b>55%</b>

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	52%	*	39%	*	*	50%	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	23%	17%	33%	38%	*	16%	<b>23%</b>



## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	31%	*	21%	*	*	0%	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	83%	*	68%	*	*	83%	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	67%	60%	48%	70%	*	69%	<b>67%</b>

<b>YOUR OVERALL NHS CARE</b>	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	90%	75%	95%	91%	*	94%	<b>91%</b>
Q57. Administration of care was very good or good	86%	75%	87%	92%	*	88%	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	56%	*	73%	73%	*	58%	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	9.0	8.3	8.7	8.8	*	8.9	<b>9.0</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	75%	77%	82%	79%	79%	*	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	75%	69%	69%	69%	72%	*	<b>70%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	94%	89%	93%	95%	93%	*	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	83%	84%	87%	86%	*	<b>86%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	88%	73%	78%	76%	75%	*	<b>76%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	85%	79%	78%	81%	82%	*	<b>81%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	100%	94%	94%	96%	95%	*	<b>95%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	82%	71%	78%	75%	75%	*	<b>76%</b>
Q13. Patient was definitely told sensitively that they had cancer	74%	80%	75%	75%	74%	*	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	81%	82%	78%	78%	79%	*	<b>79%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	93%	88%	88%	85%	84%	*	<b>85%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	95%	76%	86%	85%	84%	*	<b>84%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	98%	92%	91%	90%	92%	*	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	95%	82%	89%	86%	85%	*	<b>86%</b>
Q19. Patient found advice from main contact person was very or quite helpful	97%	96%	97%	96%	96%	*	<b>96%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	93%	80%	85%	84%	86%	*	<b>85%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	90%	83%	84%	84%	83%	*	<b>84%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	76%	80%	81%	83%	82%	*	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	69%	50%	59%	58%	51%	*	<b>55%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>CARE PLANNING</b>							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	77%	76%	71%	73%	*	<b>73%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	90%	97%	94%	95%	*	<b>95%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	96%	98%	100%	98%	98%	*	<b>98%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM HOSPITAL STAFF</b>							
Q27. Staff provided the patient with relevant information on available support	95%	87%	95%	93%	96%	*	<b>94%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	81%	74%	77%	78%	79%	*	<b>78%</b>
Q29. Patient was offered information about how to get financial help or benefits	69%	58%	73%	73%	76%	*	<b>73%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>HOSPITAL CARE</b>							
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	89%	74%	84%	79%	83%	*	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	85%	69%	79%	70%	69%	*	<b>72%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	100%	63%	71%	72%	72%	*	<b>72%</b>
Q34. Patient was always able to get help from ward staff when needed	88%	76%	79%	71%	79%	*	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	65%	63%	67%	68%	72%	*	<b>69%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	75%	88%	92%	86%	88%	*	<b>88%</b>
Q37. Patient was always treated with respect and dignity while in hospital	94%	89%	92%	89%	93%	*	<b>91%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	100%	87%	92%	89%	92%	*	<b>91%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	82%	88%	79%	80%	*	<b>81%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	100%	92%	90%	88%	90%	*	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	95%	88%	88%	85%	82%	*	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	90%	92%	91%	88%	*	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	73%	65%	84%	81%	*	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	86%	93%	87%	88%	*	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	95%	88%	88%	85%	86%	*	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	86%	77%	87%	80%	80%	*	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	95%	83%	87%	83%	83%	*	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	64%	70%	74%	71%	*	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	79%	78%	78%	82%	*	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	88%	82%	85%	83%	82%	*	<b>83%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	93%	74%	78%	78%	76%	*	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	78%	70%	76%	70%	72%	*	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	94%	82%	91%	88%	88%	*	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	73%	60%	66%	59%	63%	*	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	69%	54%	64%	56%	57%	*	<b>58%</b>

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	59%	56%	68%	63%	62%	*	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	52%	51%	57%	53%	57%	*	<b>55%</b>

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	50%	44%	55%	48%	53%	*	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	28%	26%	30%	21%	21%	*	<b>23%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	26%	24%	23%	31%	31%	*	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	90%	76%	79%	81%	84%	*	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	82%	59%	71%	67%	65%	*	<b>67%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q56. The whole care team worked well together	90%	91%	92%	91%	90%	*	<b>91%</b>
Q57. Administration of care was very good or good	93%	89%	89%	85%	85%	*	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	68%	56%	62%	56%	56%	*	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	9.1	8.9	9.0	8.9	9.0	*	<b>9.0</b>

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

	Long term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>				
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	78%	82%	71%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	76%	75%	70%

	Long term condition status			
	Yes	No	Not given	All
<b>DIAGNOSTIC TESTS</b>				
Q5. Patient received all the information needed about the diagnostic test in advance	93%	94%	91%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	88%	85%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	75%	77%	77%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	80%	83%	81%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	98%	95%

	Long term condition status			
	Yes	No	Not given	All
<b>FINDING OUT THAT YOU HAD CANCER</b>				
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	75%	74%	85%	76%
Q13. Patient was definitely told sensitively that they had cancer	75%	74%	80%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	79%	81%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	85%	91%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	82%	87%	92%	84%

	Long term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>				
Q17. Patient had a main point of contact within the care team	91%	92%	86%	91%
Q18. Patient found it very or quite easy to contact their main contact person	85%	87%	86%	86%
Q19. Patient found advice from main contact person was very or quite helpful	96%	97%	96%	96%

	Long term condition status			
	Yes	No	Not given	All
<b>DECIDING ON THE BEST TREATMENT</b>				
Q20. Treatment options were explained in a way the patient could completely understand	84%	87%	87%	85%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	83%	92%	84%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	81%	89%	82%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	56%	53%	54%	55%

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Long term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	74%	71%	73%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	96%	94%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	97%	95%	98%

<b>SUPPORT FROM HOSPITAL STAFF</b>	Long term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	93%	97%	93%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	76%	81%	76%	78%
Q29. Patient was offered information about how to get financial help or benefits	69%	79%	70%	73%

<b>HOSPITAL CARE</b>	Long term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	80%	86%	72%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	72%	74%	56%	72%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	70%	77%	62%	72%
Q34. Patient was always able to get help from ward staff when needed	76%	78%	71%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	66%	76%	66%	69%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	91%	89%	88%
Q37. Patient was always treated with respect and dignity while in hospital	90%	94%	92%	91%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	95%	87%	91%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	81%	90%	81%

## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>YOUR TREATMENT</b>	Long term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	89%	91%	88%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	85%	83%	<b>84%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	93%	88%	<b>90%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	79%	79%	82%	<b>79%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	87%	91%	90%	<b>89%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	84%	89%	90%	<b>86%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	80%	81%	83%	<b>81%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	89%	83%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	70%	74%	64%	<b>71%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	76%	85%	80%	<b>80%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	84%	82%	80%	<b>83%</b>

<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>	Long term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	75%	81%	77%	<b>77%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	75%	65%	<b>72%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	90%	89%	<b>88%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	65%	60%	<b>62%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	56%	62%	60%	<b>58%</b>

<b>SUPPORT WHILE AT HOME</b>	Long term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	65%	62%	<b>63%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	50%	64%	68%	<b>55%</b>

<b>CARE FROM YOUR GP PRACTICE</b>	Long term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	48%	56%	49%	<b>51%</b>
Q52. Patient has had a review of cancer care by GP practice	22%	26%	17%	<b>23%</b>



## Long term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Long term condition status			
	Yes	No	Not given	<b>All</b>
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	29%	29%	24%	<b>29%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	81%	83%	84%	<b>82%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	66%	68%	68%	<b>67%</b>

<b>YOUR OVERALL NHS CARE</b>	Long term condition status			
	Yes	No	Not given	<b>All</b>
Q56. The whole care team worked well together	89%	94%	90%	<b>91%</b>
Q57. Administration of care was very good or good	84%	89%	85%	<b>86%</b>
Q58. Cancer research opportunities were discussed with patient	57%	58%	50%	<b>57%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.9	9.2	8.9	<b>9.0</b>


## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

### SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




### DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient




Q7. Patient felt the length of time waiting for diagnostic test results was about right



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.

Q8. Diagnostic test results were explained in a way the patient could completely understand



Q9. Enough privacy was always given to the patient when receiving diagnostic test results



### FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

Q15. Patient was definitely told about their diagnosis in an appropriate place



Q16. Patient was told they could go back later for more information about their diagnosis




### SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

### DECIDING ON THE BEST TREATMENT

Q20. Treatment options were explained in a way the patient could completely understand




Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice or a second opinion before making decisions about their treatment options



### CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns



Q26. Care team reviewed the patient's care plan with them to ensure it was up to date



### SUPPORT FROM HOSPITAL STAFF

Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits




## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

### HOSPITAL CARE

Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital



Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital



Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff





## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.

Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



### YOUR TREATMENT

Q41\_1. Beforehand patient completely had enough understandable information about surgery



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.

Q41\_2. Beforehand patient completely had enough understandable information about chemotherapy



Q41\_3. Beforehand patient completely had enough understandable information about radiotherapy




Q41\_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41\_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42\_1. Patient completely had enough understandable information about progress with surgery



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

Q42\_2. Patient completely had enough understandable information about progress with chemotherapy



Q42\_3. Patient completely had enough understandable information about progress with radiotherapy




Q42\_4. Patient completely had enough understandable information about progress with hormone therapy



Q42\_5. Patient completely had enough understandable information about progress with immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.

### IMMEDIATE AND LONG TERM SIDE EFFECTS

Q44. Possible side effects from treatment were definitely explained in a way the patient could understand



Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment



Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects




## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

### SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home



Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services



### CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the right amount of support from their GP practice during treatment




Q52. Patient has had a review of cancer care by GP practice



### LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment



Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




### YOUR OVERALL NHS CARE

Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Q58. Cancer research opportunities were discussed with patient



## Year on Year Charts

\* Indicates where a score is not available due to suppression or a low base size. The scores are unadjusted and based on England scores only.

Q59. Patient's average rating of care scored from very poor to very good

