

Cancer Patient Experience Survey

2023 Results

Peninsula Cancer Alliance

Published July 2024

Contents

Executive summary	3
Introduction	4
Methodology	4
Understanding the results	5
Further information	6
Response rate	8
Expected range charts	10
Comparability tables	14
Tumour group tables	18
Age group tables	23
Male/Female/Non-binary/Other tables	27
Ethnicity tables	32
IMD quintile tables	36
Long-term condition status tables	40
Year on year charts	44
Trust expected range summary	57

Executive summary

Questions above expected range

	Case mix adjusted scores			England score
	2023 score	Lower expected range	Upper expected range	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	63%	70%	67%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	81%	87%	84%
Q27. Staff provided the patient with relevant information on available support	94%	89%	93%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	72%	79%	76%
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	66%	58%	66%	62%
Q57. Administration of care was very good or good	90%	85%	89%	87%

Questions below expected range

	Case mix adjusted scores			England score
	2023 score	Lower expected range	Upper expected range	
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	86%	90%	88%

Introduction

The National Cancer Patient Experience Survey 2023 is the thirteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2023 survey involved 132 NHS Trusts. Out of 121,121 people, 63,428 people responded to the survey, yielding a response rate of 52%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2023. The fieldwork for the survey was undertaken between November 2023 and February 2024.

As in the previous eight years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022 and 2023 are included in this report for most questions. A review of the questionnaire in 2023 saw four changes being made:

- The question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022.
- The long-term condition question (Q67) was amended to include “Autism or autism spectrum condition” as a response option. And the “Neurological condition” answer option was updated to include an example condition changing it to “Neurological condition, such as epilepsy”. These changes see the answer option “Neurological condition, such as epilepsy” as no longer being deemed comparable to 2021 and 2022.
- The ethnic group question (Q71) was amended to include “Roma” as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022.

How Alliance results are generated

Alliance results are derived using the post code of each patient, rather than by mapping trust results to alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance results therefore reflect the experience of people referred from within the geographical footprint.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an Alliance is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Alliance. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

Statistical significance

In the reporting of 2023 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Alliance, the results are not shown for that question for that Alliance.

For Alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** Alliance has a score suppressed. If this happens, we will suppress another Alliance's results (both the Alliance level and sub-group results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Alliance.

The same rule applies to groups in each sub-group breakdown. For example, if only one Alliance has the 85+ age group suppressed for Q25 we will need to suppress another Alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this Alliance scored for each question in the survey compared with England results. It is aimed at helping individual Alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Alliance performs better than what Alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Alliance's size and demographics.

Comparability tables

The comparability tables show the 2022 and 2023 unadjusted scores for this Alliance for each scored question. The Change 2022-2023 and Change overall columns show whether the scores show a

statistically significant variation between years. This is shown between 2022-2023 and as an overall between 2021-2023. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease and no arrow indicates no statistically significant change.

The adjusted 2023 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Sub-group breakdowns

Unadjusted scores are shown for tumour group, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour group tables

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

Male/Female/Non-binary/Other tables

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show three columns representing the unadjusted scores of the last three years (2021, 2022 and 2023) for each scored question.

Trust expected range summary

The number of scored questions that fell below, within and above the expected range for each trust within the alliance.

National level and England level data

In some cases (343 respondents in 2023), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS Trusts for treatment. These patients are described as 'Non-England' in other reports.

Overall response rate at response rate sections shows national level counts and response rate. For Cancer Alliances and its comparison at comparability tables section, all data is presented at the England level.

Further information

Integrated Care Board data is not included in this version of the report. Integrated Care Board results will be published at a later date. Contact: england.insight-queries@nhs.net.

**Cancer Patient Experience Survey 2023
Peninsula Cancer Alliance**

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2023 questionnaire and survey guidance on the website at www.ncpes.co.uk. For all other outputs at Alliance level, please see the Excel tables and dashboards at www.ncpes.co.uk.

Response rate

Overall response rate

3,756 patients responded out of a total of 6,220 patients, resulting in a response rate of 60%.

	Sample size	Adjusted sample	Completed	Response rate
Overall response rate	6,658	6,220	3,756	60%
National	129,231	121,121	63,438	52%

Respondents by survey type

	Number of respondents
Paper	3,036
Online	716
Phone	3
Translation service	1
Total	3,756

Respondents by tumour group


	Number of respondents
Brain / CNS	20
Breast	754
Colorectal / LGT	372
Gynaecological	144
Haematological	504
Head and neck	90
Lung	226
Prostate	569
Sarcoma	27
Skin	248
Upper gastro	155
Urological	226
Other	421
Total	3,756

Respondents by ethnicity


	Number of respondents
White	
English / Welsh / Scottish / Northern Irish / British	3,384
Irish	16
Gypsy or Irish Traveller	*
Roma	*
Any other White background	75
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	6
White and Black African	*
White and Asian	8
Any other Mixed / multiple ethnic background	*
Asian or Asian British	
Indian	10
Pakistani	*
Bangladeshi	*
Chinese	*
Any other Asian background	*
Black / African / Caribbean / Black British	
African	*
Caribbean	*
Any other Black / African / Caribbean background	*
Other Ethnicity	
Arab	*
Any other ethnic group	*
Not given	
Not given	232
Total	3,756

* indicates the count is not shown due to suppression





Expected range charts




Expected range charts



Expected range charts



Expected range charts



Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

** No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.
Change overall: Indicates significant change overall (2021, 2022, and 2023).

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	1894	78%	1890	79%			78%	76%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	2577	70%	2606	70%			70%	63%	70%	67%

DIAGNOSTIC TESTS	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q5. Patient received all the information needed about the diagnostic test in advance	2941	94%	2941	94%			93%	91%	94%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	3071	85%	3094	86%			86%	81%	86%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	3066	80%	3093	80%		▼	80%	75%	80%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	3084	81%	3109	81%			80%	76%	81%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	3076	95%	3113	95%			95%	94%	96%	95%

FINDING OUT THAT YOU HAD CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	3393	72%	3438	80%	▲	▲	80%	78%	84%	81%
Q13. Patient was definitely told sensitively that they had cancer	3628	75%	3698	76%			76%	72%	77%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	3636	78%	3705	78%			78%	75%	78%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	3615	84%	3682	85%			85%	84%	87%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	3252	86%	3261	87%			87%	81%	87%	84%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q17. Patient had a main point of contact within the care team	3540	92%	3565	92%			92%	89%	93%	91%
Q18. Patient found it very or quite easy to contact their main contact person	2987	87%	2990	88%			88%	80%	88%	84%
Q19. Patient found advice from main contact person was very or quite helpful	3126	96%	3113	97%			97%	95%	97%	96%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

** No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.
Change overall: Indicates significant change overall (2021, 2022, and 2023).




■	Adjusted Score below Lower Expected Range
■	Adjusted Score between Upper and Lower Expected Ranges
■	Adjusted Score above Upper Expected Range

DECIDING ON THE BEST TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q20. Treatment options were explained in a way the patient could completely understand	3390	84%	3466	84%			83%	80%	85%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	3613	82%	3642	82%			81%	77%	82%	80%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	2970	81%	3157	84%	▲	▲	84%	82%	85%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	**	**	1875	59%			59%	53%	61%	57%

CARE PLANNING	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	3256	72%	3294	75%			75%	69%	75%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	1851	95%	1943	95%			95%	92%	95%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	1462	99%	1547	99%			99%	98%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q27. Staff provided the patient with relevant information on available support	3081	93%	3173	94%			94%	89%	93%	91%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	3611	78%	3644	80%			80%	72%	79%	76%
Q29. Patient was offered information about how to get financial help or benefits	1697	69%	1736	72%			73%	65%	75%	70%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼	Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).		Adjusted Score below Lower Expected Range
** No score available for 2022.				Adjusted Score between Upper and Lower Expected Ranges
				Adjusted Score above Upper Expected Range

HOSPITAL CARE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	1315	81%	1279	76%	▼	▼	76%	75%	80%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	1055	70%	1021	70%			70%	67%	73%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	1293	72%	1267	72%			72%	68%	73%	70%
Q34. Patient was always able to get help from ward staff when needed	1280	76%	1259	75%		▼	75%	69%	76%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	1236	67%	1230	66%		▼	66%	62%	68%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	1113	86%	1110	84%			84%	82%	86%	84%
Q37. Patient was always treated with respect and dignity while in hospital	1304	89%	1285	88%			88%	85%	89%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	1277	88%	1246	86%		▼	86%	86%	90%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	3194	82%	3253	83%			82%	75%	83%	79%

YOUR TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	1833	91%	1726	91%			90%	88%	91%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	1534	87%	1513	87%			87%	84%	87%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	1173	89%	1131	88%			88%	87%	91%	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	740	82%	777	82%			80%	76%	82%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	598	86%	641	87%			86%	81%	87%	84%
Q42_1. Patient completely had enough understandable information about their response to surgery	**	**	1713	87%			86%	85%	88%	86%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	**	**	1505	83%			83%	79%	84%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	**	**	1112	84%			84%	83%	87%	85%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	**	**	765	80%			79%	73%	79%	76%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	**	**	643	83%			83%	77%	84%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	3531	80%	3544	80%			79%	72%	85%	78%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

** No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.
Change overall: Indicates significant change overall (2021, 2022, and 2023).

 Adjusted Score below Lower Expected Range
 Adjusted Score between Upper and Lower Expected Ranges
 Adjusted Score above Upper Expected Range

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	3416	76%	3444	76%			76%	72%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	3265	73%	3278	72%			72%	67%	74%	70%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	2604	88%	2696	90%		▲	90%	84%	90%	87%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	3173	60%	3256	64%	▲		63%	57%	64%	60%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	2727	56%	2813	58%			58%	51%	58%	55%

SUPPORT WHILE AT HOME	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	2291	58%	2364	66%	▲	▲	66%	58%	66%	62%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	1263	56%	1243	57%			57%	47%	58%	52%

CARE FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	2153	51%	2133	50%			50%	43%	50%	46%
Q52. Patient has had a review of cancer care by GP practice	3450	20%	3487	21%			21%	20%	25%	23%

LIVING WITH AND BEYOND CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	692	31%	667	36%			36%	27%	37%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	1648	79%	1620	83%			82%	76%	83%	79%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	2814	66%	2852	68%			67%	59%	68%	64%

YOUR OVERALL NHS CARE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q56. The whole care team worked well together	3453	91%	3493	91%		▼	91%	88%	92%	90%
Q57. Administration of care was very good or good	3581	88%	3631	90%			90%	85%	89%	87%
Q58. Cancer research opportunities were discussed with patient	2185	43%	2213	43%			43%	36%	53%	45%
Q59. Patient's average rating of care scored from very poor to very good	3493	8.9	3561	9.0			9.0	8.8	9.0	8.9

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	93%	71%	77%	66%	84%	63%	87%	77%	88%	72%	73%	76%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	80%	71%	67%	58%	67%	58%	74%	61%	79%	56%	65%	70%	70%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q5. Patient received all the information needed about the diagnostic test in advance	92%	93%	93%	85%	91%	92%	97%	96%	81%	96%	91%	95%	96%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	75%	88%	87%	77%	85%	82%	84%	91%	68%	92%	80%	86%	81%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	56%	80%	83%	76%	86%	82%	81%	83%	50%	68%	77%	77%	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	53%	85%	82%	77%	78%	83%	81%	83%	67%	88%	74%	77%	78%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	97%	94%	92%	94%	95%	97%	97%	90%	98%	93%	94%	94%	95%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	88%	89%	86%	74%	74%	74%	81%	77%	73%	76%	83%	70%	77%	80%
Q13. Patient was definitely told sensitively that they had cancer	63%	86%	80%	73%	71%	74%	73%	71%	58%	82%	73%	71%	72%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	63%	85%	80%	76%	68%	82%	73%	79%	69%	85%	75%	76%	77%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	74%	93%	84%	83%	81%	83%	85%	83%	81%	93%	78%	80%	83%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	93%	92%	87%	82%	84%	86%	83%	90%	96%	94%	84%	82%	81%	87%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q17. Patient had a main point of contact within the care team	90%	90%	90%	96%	96%	87%	94%	94%	100%	93%	97%	89%	88%	92%
Q18. Patient found it very or quite easy to contact their main contact person	75%	87%	88%	91%	87%	82%	92%	86%	92%	94%	94%	81%	88%	88%
Q19. Patient found advice from main contact person was very or quite helpful	94%	97%	96%	97%	98%	91%	98%	97%	100%	99%	96%	94%	95%	97%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q20. Treatment options were explained in a way the patient could completely understand	83%	86%	85%	85%	83%	85%	82%	83%	68%	89%	78%	82%	81%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	53%	83%	83%	80%	83%	87%	83%	82%	69%	86%	75%	81%	77%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	89%	85%	90%	77%	81%	86%	86%	84%	82%	83%	82%	79%	86%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	61%	61%	55%	58%	47%	53%	65%	53%	63%	61%	51%	58%	59%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	61%	79%	76%	74%	74%	76%	73%	77%	71%	77%	69%	68%	71%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	95%	95%	96%	96%	89%	93%	96%	85%	98%	91%	92%	94%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	99%	99%	100%	99%	97%	100%	99%	*	100%	97%	99%	99%	99%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q27. Staff provided the patient with relevant information on available support	89%	97%	93%	95%	94%	95%	93%	96%	86%	95%	94%	91%	90%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	65%	78%	79%	76%	84%	73%	78%	83%	73%	88%	77%	80%	77%	80%
Q29. Patient was offered information about how to get financial help or benefits	69%	81%	69%	86%	72%	78%	75%	67%	67%	71%	82%	51%	62%	72%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	75%	73%	72%	83%	85%	78%	83%	69%	86%	70%	75%	72%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	67%	73%	67%	80%	61%	68%	73%	100%	82%	68%	68%	61%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	72%	74%	73%	80%	75%	62%	80%	56%	76%	69%	69%	66%	72%
Q34. Patient was always able to get help from ward staff when needed	*	70%	74%	70%	83%	77%	73%	83%	75%	82%	65%	79%	70%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	62%	69%	60%	77%	56%	63%	77%	60%	72%	65%	68%	52%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	*	84%	82%	83%	92%	84%	88%	86%	80%	97%	78%	83%	81%	84%
Q37. Patient was always treated with respect and dignity while in hospital	*	88%	87%	91%	94%	93%	83%	93%	94%	97%	93%	83%	78%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	84%	87%	82%	89%	97%	82%	89%	100%	88%	89%	80%	80%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	71%	81%	85%	82%	83%	79%	81%	86%	78%	90%	82%	84%	79%	83%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q41_1. Beforehand patient completely had enough understandable information about surgery	85%	92%	90%	89%	82%	89%	91%	96%	94%	94%	85%	88%	88%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	83%	93%	84%	88%	93%	83%	84%	90%	*	87%	88%	86%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	92%	86%	91%	84%	92%	93%	90%	92%	*	*	86%	93%	84%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	81%	*	64%	*	*	*	86%	*	*	*	*	74%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	77%	100%	78%	84%	93%	88%	75%	*	92%	86%	91%	91%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	77%	89%	85%	83%	87%	84%	79%	88%	100%	91%	83%	81%	85%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	69%	77%	87%	80%	84%	92%	85%	87%	73%	*	80%	91%	83%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	67%	84%	87%	75%	79%	91%	85%	89%	*	*	81%	83%	79%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	79%	*	45%	*	*	*	84%	*	*	*	*	75%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	72%	100%	77%	81%	87%	87%	64%	*	92%	62%	89%	85%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	78%	77%	83%	75%	72%	87%	77%	92%	76%	84%	76%	83%	78%	80%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	53%	77%	79%	74%	71%	77%	76%	78%	79%	82%	71%	74%	74%	76%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	59%	71%	75%	72%	70%	73%	73%	71%	71%	77%	69%	72%	76%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	90%	93%	87%	89%	92%	92%	90%	80%	93%	83%	89%	89%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	64%	71%	57%	56%	63%	58%	71%	71%	66%	61%	64%	59%	64%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	47%	59%	62%	52%	55%	59%	56%	63%	61%	58%	57%	56%	54%	58%

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	50%	66%	73%	56%	67%	71%	67%	67%	53%	69%	70%	61%	60%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	57%	58%	49%	55%	56%	59%	58%	*	69%	55%	57%	55%	57%

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	31%	51%	48%	43%	53%	49%	46%	57%	40%	57%	40%	45%	48%	50%
Q52. Patient has had a review of cancer care by GP practice	18%	19%	20%	23%	19%	18%	19%	26%	25%	19%	23%	23%	19%	21%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	35%	44%	22%	30%	27%	28%	43%	*	41%	31%	35%	31%	36%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	82%	82%	80%	81%	87%	83%	86%	92%	90%	72%	80%	82%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	69%	62%	63%	61%	76%	61%	61%	69%	76%	83%	63%	70%	66%	68%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q56. The whole care team worked well together	71%	91%	91%	88%	93%	88%	90%	94%	92%	95%	83%	91%	91%	91%
Q57. Administration of care was very good or good	88%	91%	90%	85%	92%	92%	90%	91%	100%	92%	91%	89%	87%	90%
Q58. Cancer research opportunities were discussed with patient	27%	36%	37%	35%	57%	56%	38%	43%	72%	49%	39%	46%	38%	43%
Q59. Patient's average rating of care scored from very poor to very good	8.6	9.1	8.9	8.9	9.1	9.0	9.0	9.1	8.8	9.3	8.9	8.9	8.9	9.0

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
SUPPORT FROM YOUR GP PRACTICE									
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	83%	87%	80%	74%	78%	82%	77%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	69%	81%	69%	68%	70%	69%	71%	70%

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
DIAGNOSTIC TESTS									
Q5. Patient received all the information needed about the diagnostic test in advance	*	93%	88%	92%	92%	94%	95%	94%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	94%	83%	86%	84%	85%	88%	83%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	53%	64%	68%	75%	80%	85%	86%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	56%	79%	72%	80%	82%	83%	80%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	100%	96%	85%	95%	95%	97%	98%	95%

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
FINDING OUT THAT YOU HAD CANCER									
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	94%	76%	73%	77%	80%	82%	82%	80%
Q13. Patient was definitely told sensitively that they had cancer	*	67%	83%	68%	73%	74%	79%	84%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	67%	84%	69%	74%	77%	82%	83%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	88%	80%	78%	81%	84%	90%	89%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	*	100%	94%	89%	88%	88%	85%	82%	87%

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
SUPPORT FROM A MAIN CONTACT PERSON									
Q17. Patient had a main point of contact within the care team	*	89%	93%	89%	92%	94%	92%	88%	92%
Q18. Patient found it very or quite easy to contact their main contact person	*	62%	77%	79%	88%	88%	90%	87%	88%
Q19. Patient found advice from main contact person was very or quite helpful	*	93%	91%	92%	97%	97%	97%	99%	97%

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
DECIDING ON THE BEST TREATMENT									
Q20. Treatment options were explained in a way the patient could completely understand	*	75%	84%	80%	82%	83%	85%	86%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	59%	73%	77%	80%	82%	85%	85%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	63%	79%	78%	84%	84%	87%	83%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	*	52%	55%	62%	60%	59%	53%	59%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	61%	62%	74%	75%	73%	78%	77%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	*	89%	95%	93%	94%	97%	97%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	100%	98%	99%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	*	100%	89%	94%	95%	95%	93%	93%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	39%	68%	70%	76%	80%	84%	87%	80%
Q29. Patient was offered information about how to get financial help or benefits	*	50%	77%	81%	75%	71%	68%	65%	72%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	75%	53%	61%	73%	76%	84%	89%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	50%	62%	69%	73%	70%	84%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	58%	52%	64%	72%	74%	75%	70%	72%
Q34. Patient was always able to get help from ward staff when needed	*	42%	55%	54%	71%	78%	79%	93%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	50%	54%	49%	64%	70%	68%	68%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	68%	65%	81%	87%	88%	100%	84%
Q37. Patient was always treated with respect and dignity while in hospital	*	67%	77%	78%	87%	89%	91%	98%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	91%	76%	74%	86%	88%	86%	87%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	59%	76%	74%	79%	83%	87%	89%	83%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	73%	86%	91%	91%	92%	90%	88%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	80%	77%	88%	86%	87%	87%	95%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	74%	85%	88%	90%	89%	87%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	68%	72%	78%	83%	86%	74%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	100%	76%	86%	85%	93%	85%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	69%	78%	83%	88%	88%	87%	89%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	*	80%	79%	79%	82%	83%	84%	97%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	*	71%	76%	86%	88%	84%	79%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	*	55%	75%	74%	80%	85%	84%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	*	100%	73%	85%	84%	82%	81%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	71%	70%	75%	80%	79%	82%	87%	80%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	63%	75%	72%	76%	77%	76%	73%	76%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	47%	68%	68%	73%	73%	73%	72%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	92%	89%	89%	91%	89%	90%	90%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	59%	61%	62%	63%	63%	65%	62%	64%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	43%	57%	51%	58%	58%	60%	59%	58%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	46%	53%	56%	66%	67%	69%	71%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	48%	61%	55%	57%	56%	64%	57%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	*	48%	44%	48%	51%	52%	51%	50%
Q52. Patient has had a review of cancer care by GP practice	*	21%	20%	25%	23%	19%	20%	27%	21%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	31%	34%	36%	36%	32%	58%	36%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	*	69%	83%	81%	83%	85%	88%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	63%	48%	55%	67%	68%	71%	73%	68%

	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	*	87%	85%	86%	88%	92%	94%	99%	91%
Q57. Administration of care was very good or good	*	76%	80%	87%	90%	90%	91%	95%	90%
Q58. Cancer research opportunities were discussed with patient	*	31%	47%	41%	43%	42%	44%	42%	43%
Q59. Patient's average rating of care scored from very poor to very good	*	8.0	8.6	8.7	9.0	9.1	9.1	9.1	9.0

Male/Female/Non-binary/Other tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	79%	*	*	*	78%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	69%	*	*	*	69%	70%

DIAGNOSTIC TESTS							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	95%	*	*	*	88%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	87%	*	*	*	85%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	83%	*	*	*	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	80%	83%	*	*	*	78%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	96%	*	*	*	94%	95%

FINDING OUT THAT YOU HAD CANCER							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	81%	77%	*	*	*	86%	80%
Q13. Patient was definitely told sensitively that they had cancer	79%	73%	*	*	*	71%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	78%	*	*	*	77%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	84%	*	*	*	86%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	88%	87%	*	*	*	83%	87%

SUPPORT FROM A MAIN CONTACT PERSON							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	91%	93%	*	*	*	89%	92%
Q18. Patient found it very or quite easy to contact their main contact person	88%	88%	*	*	*	87%	88%
Q19. Patient found advice from main contact person was very or quite helpful	97%	97%	*	*	*	97%	97%

Male/Female/Non-binary/Other tables

* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	84%	*	*	*	82%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	83%	*	*	*	83%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	84%	85%	*	*	*	82%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	56%	61%	*	*	*	74%	59%

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	73%	77%	*	*	*	70%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	96%	*	*	*	95%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	*	*	*	100%	99%

	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	93%	96%	*	*	*	95%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	76%	85%	*	*	*	74%	80%
Q29. Patient was offered information about how to get financial help or benefits	75%	70%	*	*	*	61%	72%

Male/Female/Non-binary/Other tables

* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	72%	81%	*	*	*	80%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	73%	*	*	*	64%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	70%	75%	*	*	*	71%	72%
Q34. Patient was always able to get help from ward staff when needed	70%	79%	*	*	*	85%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	59%	73%	*	*	*	75%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	82%	86%	*	*	*	90%	84%
Q37. Patient was always treated with respect and dignity while in hospital	84%	92%	*	*	*	95%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	83%	89%	*	*	*	93%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	80%	86%	*	*	*	84%	83%

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	92%	*	*	*	90%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	88%	*	*	*	91%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	86%	91%	*	*	*	87%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	85%	*	*	*	88%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	89%	*	*	*	93%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	86%	87%	*	*	*	86%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	87%	*	*	*	78%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	82%	88%	*	*	*	81%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	77%	83%	*	*	*	81%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	81%	86%	*	*	*	75%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	77%	84%	*	*	*	81%	80%

Male/Female/Non-binary/Other tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG TERM SIDE EFFECTS								Male/Female/Non-binary/Other							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All		Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	78%	*	*	*	77%	76%								
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	70%	75%	*	*	*	70%	72%								
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	91%	*	*	*	91%	90%								
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	59%	68%	*	*	*	59%	64%								
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	54%	62%	*	*	*	58%	58%								

SUPPORT WHILE AT HOME								Male/Female/Non-binary/Other							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All		Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	62%	71%	*	*	*	64%	66%								
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	55%	60%	*	*	*	51%	57%								

CARE FROM YOUR GP PRACTICE								Male/Female/Non-binary/Other							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All		Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	47%	54%	*	*	*	48%	50%								
Q52. Patient has had a review of cancer care by GP practice	21%	21%	*	*	*	20%	21%								

LIVING WITH AND BEYOND CANCER								Male/Female/Non-binary/Other							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All		Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	32%	43%	*	*	*	22%	36%								
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	87%	*	*	*	77%	83%								
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	63%	73%	*	*	*	63%	68%								

Male/Female/Non-binary/Other tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q56. The whole care team worked well together	90%	93%	*	*	*	94%	91%
Q57. Administration of care was very good or good	89%	92%	*	*	*	88%	90%
Q58. Cancer research opportunities were discussed with patient	40%	46%	*	*	*	36%	43%
Q59. Patient's average rating of care scored from very poor to very good	9.0	9.1	*	*	*	8.9	9.0

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	55%	*	*	*	79%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	62%	42%	*	*	70%	70%

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	94%	74%	79%	*	*	88%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	79%	73%	*	*	82%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	80%	72%	93%	*	*	80%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	81%	74%	67%	*	*	76%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	100%	*	*	94%	95%

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	79%	75%	85%	*	*	84%	80%
Q13. Patient was definitely told sensitively that they had cancer	76%	75%	67%	*	*	70%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	70%	71%	*	*	74%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	74%	89%	*	*	84%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	100%	93%	*	*	82%	87%

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	92%	84%	100%	*	*	91%	92%
Q18. Patient found it very or quite easy to contact their main contact person	88%	81%	88%	*	*	86%	88%
Q19. Patient found advice from main contact person was very or quite helpful	97%	100%	88%	*	*	95%	97%

	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	84%	55%	94%	*	*	80%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	63%	83%	*	*	82%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	84%	75%	88%	*	*	83%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	59%	57%	*	*	*	63%	59%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	78%	67%	*	*	69%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	100%	92%	*	*	92%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	100%	*	*	99%	99%

SUPPORT FROM HOSPITAL STAFF	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	94%	100%	100%	*	*	93%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	81%	74%	76%	*	*	73%	80%
Q29. Patient was offered information about how to get financial help or benefits	73%	82%	*	*	*	63%	72%

HOSPITAL CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	*	*	*	*	77%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	71%	*	*	*	*	62%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	*	*	*	*	69%	72%
Q34. Patient was always able to get help from ward staff when needed	75%	*	*	*	*	80%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	67%	*	*	*	*	67%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	*	*	*	*	90%	84%
Q37. Patient was always treated with respect and dignity while in hospital	88%	*	*	*	*	93%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	*	*	*	*	95%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	83%	81%	65%	*	*	81%	83%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	*	*	*	*	88%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	90%	*	*	*	90%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	*	*	*	*	85%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	82%	*	*	*	*	84%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	87%	*	*	*	*	89%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	80%	*	*	*	84%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	83%	91%	*	*	*	80%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	85%	*	*	*	*	80%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	80%	*	*	*	*	77%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	*	*	*	*	76%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	80%	84%	88%	*	*	80%	80%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	58%	69%	*	*	73%	76%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	73%	71%	63%	*	*	70%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	79%	69%	*	*	91%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	64%	45%	65%	*	*	59%	64%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	58%	41%	65%	*	*	55%	58%

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	66%	69%	77%	*	*	63%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	57%	*	*	*	*	48%	57%

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	50%	57%	50%	*	*	52%	50%
Q52. Patient has had a review of cancer care by GP practice	21%	32%	22%	*	*	20%	21%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	37%	*	*	*	*	24%	36%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	83%	*	*	*	*	80%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	68%	60%	71%	*	*	63%	68%

YOUR OVERALL NHS CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	91%	94%	83%	*	*	93%	91%
Q57. Administration of care was very good or good	90%	95%	89%	*	*	88%	90%
Q58. Cancer research opportunities were discussed with patient	43%	47%	38%	*	*	34%	43%
Q59. Patient's average rating of care scored from very poor to very good	9.0	8.2	8.7	*	*	9.0	9.0

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
SUPPORT FROM YOUR GP PRACTICE						
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	80%	76%	77%	81%	86%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	63%	68%	71%	70%	71%	70%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
DIAGNOSTIC TESTS						
Q5. Patient received all the information needed about the diagnostic test in advance	91%	93%	94%	93%	94%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	79%	86%	87%	86%	87%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	81%	80%	80%	81%	77%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	82%	82%	81%	80%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	97%	95%	95%	95%	95%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
FINDING OUT THAT YOU HAD CANCER						
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	80%	79%	80%	81%	80%
Q13. Patient was definitely told sensitively that they had cancer	71%	76%	77%	77%	76%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	79%	78%	79%	77%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	82%	85%	84%	87%	87%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	88%	86%	86%	89%	87%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
SUPPORT FROM A MAIN CONTACT PERSON						
Q17. Patient had a main point of contact within the care team	90%	92%	92%	92%	94%	92%
Q18. Patient found it very or quite easy to contact their main contact person	88%	87%	89%	88%	87%	88%
Q19. Patient found advice from main contact person was very or quite helpful	96%	97%	97%	97%	96%	97%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
DECIDING ON THE BEST TREATMENT						
Q20. Treatment options were explained in a way the patient could completely understand	82%	84%	84%	83%	84%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	82%	82%	81%	83%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	85%	83%	85%	86%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	64%	60%	58%	57%	58%	59%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
CARE PLANNING						
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	74%	75%	74%	76%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	91%	95%	95%	95%	95%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	99%	99%	98%	99%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
SUPPORT FROM HOSPITAL STAFF						
Q27. Staff provided the patient with relevant information on available support	92%	93%	95%	95%	94%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	79%	80%	79%	81%	80%	80%
Q29. Patient was offered information about how to get financial help or benefits	67%	70%	75%	72%	75%	72%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
HOSPITAL CARE						
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	77%	74%	80%	74%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	73%	69%	71%	73%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	74%	69%	73%	78%	72%
Q34. Patient was always able to get help from ward staff when needed	70%	75%	75%	76%	75%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	60%	66%	67%	65%	69%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	81%	86%	83%	85%	88%	84%
Q37. Patient was always treated with respect and dignity while in hospital	82%	90%	87%	89%	93%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	83%	87%	87%	86%	82%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	82%	84%	83%	84%	80%	83%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	87%	91%	90%	91%	92%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	89%	87%	86%	85%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	83%	89%	89%	86%	91%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	81%	84%	85%	78%	78%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	89%	92%	85%	83%	87%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	84%	86%	85%	89%	88%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	86%	83%	84%	80%	82%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	80%	84%	86%	84%	86%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	80%	79%	81%	80%	80%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	87%	87%	83%	77%	84%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	83%	81%	78%	81%	80%	80%

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	77%	78%	75%	73%	76%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	75%	75%	72%	69%	72%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	89%	91%	89%	91%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	66%	64%	63%	59%	64%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	54%	58%	60%	58%	55%	58%

SUPPORT WHILE AT HOME	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	64%	65%	67%	67%	68%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	55%	51%	62%	58%	56%	57%

CARE FROM YOUR GP PRACTICE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	47%	46%	53%	53%	48%	50%
Q52. Patient has had a review of cancer care by GP practice	27%	19%	22%	21%	20%	21%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
LIVING WITH AND BEYOND CANCER						
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	29%	30%	35%	46%	36%	36%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	79%	80%	84%	84%	85%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	67%	67%	71%	68%	68%

	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
YOUR OVERALL NHS CARE						
Q56. The whole care team worked well together	89%	91%	92%	91%	92%	91%
Q57. Administration of care was very good or good	89%	90%	90%	92%	90%	90%
Q58. Cancer research opportunities were discussed with patient	45%	44%	46%	40%	37%	43%
Q59. Patient's average rating of care scored from very poor to very good	9.0	9.0	9.0	9.0	9.0	9.0

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

	Long-term condition status			
	Yes	No	Not given	All
SUPPORT FROM YOUR GP PRACTICE				
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	77%	82%	76%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	73%	73%	70%

	Long-term condition status			
	Yes	No	Not given	All
DIAGNOSTIC TESTS				
Q5. Patient received all the information needed about the diagnostic test in advance	93%	95%	90%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	89%	84%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	80%	79%	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	81%	82%	77%	81%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	94%	95%

	Long-term condition status			
	Yes	No	Not given	All
FINDING OUT THAT YOU HAD CANCER				
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	79%	79%	86%	80%
Q13. Patient was definitely told sensitively that they had cancer	76%	76%	75%	76%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	79%	78%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	85%	85%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	89%	85%	87%

	Long-term condition status			
	Yes	No	Not given	All
SUPPORT FROM A MAIN CONTACT PERSON				
Q17. Patient had a main point of contact within the care team	92%	93%	92%	92%
Q18. Patient found it very or quite easy to contact their main contact person	88%	87%	89%	88%
Q19. Patient found advice from main contact person was very or quite helpful	97%	97%	96%	97%

	Long-term condition status			
	Yes	No	Not given	All
DECIDING ON THE BEST TREATMENT				
Q20. Treatment options were explained in a way the patient could completely understand	83%	86%	82%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	83%	83%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	83%	86%	84%	84%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	58%	60%	64%	59%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Long-term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	74%	78%	73%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	96%	94%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Long-term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	94%	95%	95%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	82%	76%	80%
Q29. Patient was offered information about how to get financial help or benefits	70%	79%	67%	72%

HOSPITAL CARE	Long-term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	74%	80%	76%	76%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	72%	69%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	71%	75%	69%	72%
Q34. Patient was always able to get help from ward staff when needed	73%	78%	74%	75%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	72%	70%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	86%	82%	84%
Q37. Patient was always treated with respect and dignity while in hospital	87%	90%	88%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	84%	89%	88%	86%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	82%	84%	83%	83%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Long-term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	93%	90%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	89%	89%	87%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	90%	88%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	80%	85%	89%	82%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	86%	88%	93%	87%
Q42_1. Patient completely had enough understandable information about their response to surgery	85%	90%	85%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	82%	86%	79%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	83%	87%	82%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	79%	81%	81%	80%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	82%	86%	80%	83%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	80%	81%	77%	80%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Long-term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	75%	78%	73%	76%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	76%	72%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	92%	90%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	62%	67%	59%	64%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	56%	62%	58%	58%

SUPPORT WHILE AT HOME	Long-term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	64%	72%	67%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	53%	68%	49%	57%

CARE FROM YOUR GP PRACTICE	Long-term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	47%	56%	51%	50%
Q52. Patient has had a review of cancer care by GP practice	21%	20%	21%	21%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Long-term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	33%	49%	23%	36%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	81%	88%	80%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	67%	70%	65%	68%

YOUR OVERALL NHS CARE	Long-term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	91%	93%	92%	91%
Q57. Administration of care was very good or good	90%	92%	88%	90%
Q58. Cancer research opportunities were discussed with patient	42%	45%	40%	43%
Q59. Patient's average rating of care scored from very poor to very good	9.0	9.1	9.0	9.0

Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.


The scores are unadjusted and based on England scores only.

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q8. Diagnostic test results were explained in a way the patient could completely understand




Q9. Enough privacy was always given to the patient when receiving diagnostic test results




FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q15. Patient was definitely told about their diagnosis in an appropriate place




Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.


The scores are unadjusted and based on England scores only.

DECIDING ON THE BEST TREATMENT


Q20. Treatment options were explained in a way the patient could completely understand



Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options



CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns




Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




SUPPORT FROM HOSPITAL STAFF


Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.


The scores are unadjusted and based on England scores only.

HOSPITAL CARE


Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital




Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital




Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.


Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.


Q41_2. Beforehand patient completely had enough understandable information about chemotherapy




Q41_3. Beforehand patient completely had enough understandable information about radiotherapy



Q41_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42_1. Patient completely had enough understandable information about their response to surgery



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.

The scores are unadjusted and based on England scores only.

Q42_2. Patient completely had enough understandable information about their response to chemotherapy



Q42_3. Patient completely had enough understandable information about their response to radiotherapy




Q42_4. Patient completely had enough understandable information about their response to hormone therapy



Q42_5. Patient completely had enough understandable information about their response to immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.


The scores are unadjusted and based on England scores only.

IMMEDIATE AND LONG TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment




Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

** No score available for these years.


The scores are unadjusted and based on England scores only.

SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home




Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the right amount of support from their GP practice during treatment




Q52. Patient has had a review of cancer care by GP practice



LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment




Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE


Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Q58. Cancer research opportunities were discussed with patient




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.




** No score available for these years.

The scores are unadjusted and based on England scores only.

Q59. Patient's average rating of care scored from very poor to very good



Trust expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range		Number of scores below the lower expected range
		Number of scores between the upper and lower expected ranges
		Number of scores above the upper expected range

Trust		Expected range classification		
REF	Royal Cornwall Hospitals NHS Trust	1	30	30
RH8	Royal Devon University Healthcare NHS Foundation Trust		51	10
RA9	Torbay and South Devon NHS Foundation Trust	1	50	10
RK9	University Hospitals Plymouth NHS Trust	3	54	4