

# **Cancer Patient Experience Survey**

2023 Results

## **West Midlands Cancer Alliance**

Published July 2024

## Contents

Executive summary . . . . .	3
Introduction . . . . .	4
Methodology . . . . .	4
Understanding the results . . . . .	5
Further information . . . . .	6
Response rate . . . . .	8
Expected range charts . . . . .	10
Comparability tables . . . . .	14
Tumour group tables . . . . .	18
Age group tables . . . . .	23
Male/Female/Non-binary/Other tables . . . . .	27
Ethnicity tables . . . . .	32
IMD quintile tables . . . . .	36
Long-term condition status tables . . . . .	40
Year on year charts . . . . .	44
Trust expected range summary . . . . .	57

## Executive summary

### Questions above expected range

	Case mix adjusted scores			England score
	2023 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	<b>84%</b>	78%	83%	<b>81%</b>

### Questions below expected range

	Case mix adjusted scores			England score
	2023 score	Lower expected range	Upper expected range	
Q7. Patient felt the length of time waiting for diagnostic test results was about right	<b>74%</b>	75%	80%	<b>78%</b>
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	<b>75%</b>	76%	79%	<b>77%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	<b>66%</b>	68%	72%	<b>70%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	<b>62%</b>	62%	67%	<b>65%</b>

## Introduction

The National Cancer Patient Experience Survey 2023 is the thirteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2023 survey involved 132 NHS Trusts. Out of 121,121 people, 63,428 people responded to the survey, yielding a response rate of 52%.

## Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2023. The fieldwork for the survey was undertaken between November 2023 and February 2024.

As in the previous eight years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022 and 2023 are included in this report for most questions. A review of the questionnaire in 2023 saw four changes being made:

- The question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022.
- The long-term condition question (Q67) was amended to include “Autism or autism spectrum condition” as a response option. And the “Neurological condition” answer option was updated to include an example condition changing it to “Neurological condition, such as epilepsy”. These changes see the answer option “Neurological condition, such as epilepsy” as no longer being deemed comparable to 2021 and 2022.
- The ethnic group question (Q71) was amended to include “Roma” as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022.

### How Alliance results are generated

Alliance results are derived using the post code of each patient, rather than by mapping trust results to alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance results therefore reflect the experience of people referred from within the geographical footprint.

### Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an Alliance is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Alliance. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

## Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

## Statistical significance

In the reporting of 2023 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

## Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Alliance, the results are not shown for that question for that Alliance.

For Alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

## Additional suppression

Additional suppression happens if only **one** Alliance has a score suppressed. If this happens, we will suppress another Alliance's results (both the Alliance level and sub-group results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Alliance.

The same rule applies to groups in each sub-group breakdown. For example, if only one Alliance has the 85+ age group suppressed for Q25 we will need to suppress another Alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

## Understanding the results

This report shows how this Alliance scored for each question in the survey compared with England results. It is aimed at helping individual Alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

### Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Alliance performs better than what Alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Alliance's size and demographics.

### Comparability tables

The comparability tables show the 2022 and 2023 unadjusted scores for this Alliance for each scored question. The Change 2022-2023 and Change overall columns show whether the scores show a

statistically significant variation between years. This is shown between 2022-2023 and as an overall between 2021-2023. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease and no arrow indicates no statistically significant change.

The adjusted 2023 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

## **Sub-group breakdowns**

Unadjusted scores are shown for tumour group, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results.

### **Tumour group tables**

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

### **Age group tables**

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

### **Male/Female/Non-binary/Other tables**

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

### **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

### **Long-term condition status tables**

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

### **IMD quintile tables**

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

### **Year on year charts**

The year on year charts show three columns representing the unadjusted scores of the last three years (2021, 2022 and 2023) for each scored question.

### **Trust expected range summary**

The number of scored questions that fell below, within and above the expected range for each trust within the alliance.

## **National level and England level data**

In some cases (343 respondents in 2023), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS Trusts for treatment. These patients are described as 'Non-England' in other reports.

Overall response rate at response rate sections shows national level counts and response rate. For Cancer Alliances and its comparison at comparability tables section, all data is presented at the England level.

## **Further information**

Integrated Care Board data is not included in this version of the report. Integrated Care Board results will be published at a later date. Contact: [england.insight-queries@nhs.net](mailto:england.insight-queries@nhs.net).

## Cancer Patient Experience Survey 2023 West Midlands Cancer Alliance

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing [regulation@statistics.gov.uk](mailto:regulation@statistics.gov.uk) or via the OSR website.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2023 questionnaire and survey guidance on the website at [www.ncpes.co.uk](http://www.ncpes.co.uk). For all other outputs at Alliance level, please see the Excel tables and dashboards at [www.ncpes.co.uk](http://www.ncpes.co.uk).

## Response rate

### Overall response rate

7,052 patients responded out of a total of 13,816 patients, resulting in a response rate of 51%.

	Sample size	Adjusted sample	Completed	Response rate
Overall response rate	14,752	13,816	7,052	51%
National	129,231	121,121	63,438	52%

### Respondents by survey type

	Number of respondents
Paper	5,719
Online	1,329
Phone	4
Translation service	0
<b>Total</b>	<b>7,052</b>

### Respondents by tumour group

	Number of respondents
Brain / CNS	22
Breast	1,627
Colorectal / LGT	929
Gynaecological	362
Haematological	875
Head and neck	180
Lung	404
Prostate	736
Sarcoma	51
Skin	250
Upper gastro	337
Urological	504
Other	775
<b>Total</b>	<b>7,052</b>




## Respondents by ethnicity


	Number of respondents
<b>White</b>	
English / Welsh / Scottish / Northern Irish / British	6,046
Irish	47
Gypsy or Irish Traveller	*
Roma	*
Any other White background	92
<b>Mixed / Multiple Ethnic Groups</b>	
White and Black Caribbean	34
White and Black African	7
White and Asian	13
Any other Mixed / multiple ethnic background	7
<b>Asian or Asian British</b>	
Indian	104
Pakistani	47
Bangladeshi	7
Chinese	16
Any other Asian background	26
<b>Black / African / Caribbean / Black British</b>	
African	38
Caribbean	59
Any other Black / African / Caribbean background	8
<b>Other Ethnicity</b>	
Arab	6
Any other ethnic group	7
<b>Not given</b>	
Not given	481
<b>Total</b>	<b>7,052</b>

\* indicates the count is not shown due to suppression





## Expected range charts




## Expected range charts



## Expected range charts



## Expected range charts



## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size. ▲ or ▼

\*\* No score available for 2022.

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.  
Change overall: Indicates significant change overall (2021, 2022, and 2023).

<span style="background-color: #d9e1f2; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score below Lower Expected Range
<span style="background-color: #e6e6e6; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score between Upper and Lower Expected Ranges
<span style="background-color: #0070c0; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	3152	77%	3343	79%			79%	77%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	4259	64%	4577	68%	▲	▲	68%	64%	70%	67%

DIAGNOSTIC TESTS	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q5. Patient received all the information needed about the diagnostic test in advance	5203	92%	5512	92%			92%	91%	94%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	5453	82%	5783	83%			83%	81%	85%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	5481	74%	5800	74%		▼	74%	75%	80%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	5477	77%	5810	78%			77%	77%	80%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	5483	95%	5823	94%			94%	94%	95%	95%

FINDING OUT THAT YOU HAD CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	6111	80%	6535	84%	▲	▲	84%	78%	83%	81%
Q13. Patient was definitely told sensitively that they had cancer	6429	74%	6920	75%			75%	72%	76%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	6446	76%	6930	77%			76%	76%	78%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	6442	85%	6929	86%			85%	85%	86%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	5732	83%	6110	82%			82%	81%	87%	84%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q17. Patient had a main point of contact within the care team	6205	91%	6654	91%			91%	90%	93%	91%
Q18. Patient found it very or quite easy to contact their main contact person	5156	84%	5487	84%			84%	81%	88%	84%
Q19. Patient found advice from main contact person was very or quite helpful	5384	95%	5745	96%			96%	95%	97%	96%




## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.  
Change overall: Indicates significant change overall (2021, 2022, and 2023).

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

DECIDING ON THE BEST TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q20. Treatment options were explained in a way the patient could completely understand	6013	<b>82%</b>	6523	<b>83%</b>			<b>83%</b>	81%	84%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	6369	<b>79%</b>	6859	<b>79%</b>			<b>79%</b>	77%	82%	<b>80%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	5508	<b>80%</b>	5997	<b>83%</b>	▲	▲	<b>83%</b>	82%	85%	<b>83%</b>
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	**	**	3814	<b>57%</b>			<b>57%</b>	53%	61%	<b>57%</b>

CARE PLANNING	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	5765	<b>71%</b>	6172	<b>71%</b>			<b>71%</b>	69%	75%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	3375	<b>92%</b>	3623	<b>93%</b>			<b>93%</b>	92%	95%	<b>94%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	2637	<b>99%</b>	2886	<b>99%</b>			<b>99%</b>	98%	99%	<b>99%</b>

SUPPORT FROM HOSPITAL STAFF	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q27. Staff provided the patient with relevant information on available support	5320	<b>88%</b>	5727	<b>89%</b>			<b>89%</b>	89%	93%	<b>91%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	6389	<b>74%</b>	6858	<b>74%</b>			<b>75%</b>	72%	79%	<b>76%</b>
Q29. Patient was offered information about how to get financial help or benefits	3561	<b>67%</b>	3844	<b>68%</b>			<b>68%</b>	66%	74%	<b>70%</b>

## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.  
Change overall: Indicates significant change overall (2021, 2022, and 2023).

<span style="background-color: #d9e1f2; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score below Lower Expected Range
<span style="background-color: #e6e6e6; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score between Upper and Lower Expected Ranges
<span style="background-color: #0070c0; border: 1px solid #000; display: inline-block; width: 15px; height: 10px;"></span> Adjusted Score above Upper Expected Range

HOSPITAL CARE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	2818	77%	3035	75%		▼	75%	76%	79%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	2253	61%	2566	67%	▲	▲	66%	68%	72%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	2780	68%	2980	69%			69%	69%	72%	70%
Q34. Patient was always able to get help from ward staff when needed	2774	71%	2977	70%		▼	70%	70%	75%	73%
Q35. Patient was always able to discuss worries and fears with hospital staff	2699	62%	2908	62%		▼	62%	62%	67%	65%
Q36. Hospital staff always did everything they could to help the patient control pain	2442	83%	2623	83%			83%	83%	85%	84%
Q37. Patient was always treated with respect and dignity while in hospital	2812	86%	3031	87%			87%	86%	89%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	2757	89%	2947	88%			88%	87%	89%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	5601	77%	6028	79%			79%	76%	83%	79%

YOUR TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	3459	90%	3546	90%			90%	89%	91%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	3415	85%	3519	86%			86%	84%	87%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	1841	88%	1860	88%			88%	87%	90%	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	1194	78%	1251	80%			80%	77%	82%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	737	83%	879	85%			84%	81%	86%	84%
Q42_1. Patient completely had enough understandable information about their response to surgery	**	**	3496	87%			87%	85%	88%	86%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	**	**	3522	82%			82%	79%	83%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	**	**	1854	84%			84%	83%	87%	85%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	**	**	1236	76%			76%	74%	79%	76%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	**	**	882	82%			81%	78%	83%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	6274	79%	6636	79%		▼	79%	72%	85%	78%



## Comparability tables

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for 2022.

▲ or ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score.  
Change overall: Indicates significant change overall (2021, 2022, and 2023).

<span style="color: #4F81BD;">■</span>	Adjusted Score below Lower Expected Range
<span style="color: #A9A9A9;">■</span>	Adjusted Score between Upper and Lower Expected Ranges
<span style="color: #0070C0;">■</span>	Adjusted Score above Upper Expected Range

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	6117	74%	6483	74%			74%	73%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	5842	68%	6203	69%			69%	67%	73%	70%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	4715	86%	4964	86%			86%	84%	90%	87%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	5761	58%	6213	59%			59%	57%	63%	60%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	5015	51%	5331	53%	▲		53%	51%	58%	55%

SUPPORT WHILE AT HOME	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	4383	57%	4659	60%	▲	▲	60%	58%	65%	62%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	2488	49%	2682	53%			52%	47%	57%	52%

CARE FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	3733	43%	4086	48%	▲	▲	48%	43%	50%	46%
Q52. Patient has had a review of cancer care by GP practice	6143	21%	6556	24%	▲	▲	24%	20%	25%	23%

LIVING WITH AND BEYOND CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	1400	28%	1445	32%			32%	28%	36%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	2828	76%	2871	78%			78%	76%	83%	79%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	5039	61%	5423	62%			62%	59%	68%	64%

YOUR OVERALL NHS CARE	Unadjusted scores						Case mix adjusted scores			England score
	2022 n	2022 score	2023 n	2023 score	Change 2022-2023	Change overall	2023 score	Lower expected range	Upper expected range	
Q56. The whole care team worked well together	6102	89%	6515	89%			90%	88%	91%	90%
Q57. Administration of care was very good or good	6350	86%	6795	87%			87%	85%	89%	87%
Q58. Cancer research opportunities were discussed with patient	3719	37%	3985	39%			39%	36%	53%	45%
Q59. Patient's average rating of care scored from very poor to very good	6155	8.8	6659	8.8			8.8	8.8	9.0	8.9

## Tumour group tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	93%	75%	73%	63%	70%	68%	84%	81%	90%	75%	81%	73%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	80%	69%	65%	55%	64%	57%	77%	60%	74%	59%	63%	62%	<b>68%</b>

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q5. Patient received all the information needed about the diagnostic test in advance	88%	91%	95%	87%	90%	94%	91%	92%	84%	93%	90%	91%	93%	<b>92%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	67%	86%	85%	76%	79%	79%	85%	87%	84%	91%	77%	76%	80%	<b>83%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	67%	72%	82%	66%	84%	71%	73%	72%	73%	71%	79%	72%	66%	<b>74%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	59%	80%	81%	75%	75%	83%	77%	78%	70%	84%	77%	73%	73%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	83%	96%	96%	93%	93%	93%	94%	94%	93%	97%	91%	91%	94%	<b>94%</b>

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	82%	90%	89%	82%	80%	81%	85%	82%	76%	76%	86%	71%	83%	<b>84%</b>
Q13. Patient was definitely told sensitively that they had cancer	73%	81%	79%	71%	73%	82%	72%	69%	64%	80%	73%	67%	73%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	91%	81%	82%	77%	70%	81%	73%	77%	68%	86%	76%	74%	70%	<b>77%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	77%	90%	87%	83%	84%	91%	82%	87%	72%	93%	84%	78%	82%	<b>86%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	80%	88%	85%	80%	80%	88%	82%	81%	80%	87%	81%	72%	75%	<b>82%</b>

## Tumour group tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q17. Patient had a main point of contact within the care team	100%	91%	94%	93%	95%	92%	91%	87%	98%	92%	94%	81%	89%	91%
Q18. Patient found it very or quite easy to contact their main contact person	90%	83%	88%	88%	87%	91%	83%	80%	80%	86%	88%	78%	80%	84%
Q19. Patient found advice from main contact person was very or quite helpful	100%	95%	98%	95%	97%	96%	94%	95%	91%	96%	98%	95%	94%	96%

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q20. Treatment options were explained in a way the patient could completely understand	95%	83%	87%	84%	81%	87%	83%	81%	86%	89%	81%	79%	78%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	77%	79%	82%	80%	79%	79%	79%	80%	75%	88%	82%	73%	74%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	91%	80%	86%	83%	81%	86%	84%	86%	80%	89%	87%	78%	80%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	77%	58%	61%	62%	56%	65%	55%	55%	47%	63%	63%	47%	51%	57%

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	59%	72%	76%	73%	73%	84%	68%	67%	78%	76%	76%	62%	67%	71%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	100%	91%	95%	92%	95%	95%	95%	91%	88%	96%	97%	92%	92%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	100%	99%	99%	97%	99%	99%	96%	99%	100%	99%	100%	99%

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q27. Staff provided the patient with relevant information on available support	95%	91%	91%	85%	88%	92%	88%	91%	87%	93%	92%	81%	85%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	91%	73%	77%	70%	80%	80%	75%	75%	72%	81%	77%	69%	70%	74%
Q29. Patient was offered information about how to get financial help or benefits	83%	71%	72%	71%	69%	75%	70%	55%	74%	62%	78%	53%	60%	68%

## Tumour group tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	72%	79%	74%	72%	81%	79%	82%	79%	88%	73%	73%	72%	<b>75%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	61%	72%	70%	67%	70%	73%	65%	71%	74%	68%	61%	59%	<b>67%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	83%	69%	71%	73%	62%	75%	75%	70%	74%	79%	70%	63%	64%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	85%	71%	72%	69%	64%	74%	75%	79%	75%	78%	69%	72%	63%	<b>70%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	67%	60%	67%	62%	57%	68%	69%	69%	71%	66%	62%	58%	54%	<b>62%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	100%	83%	88%	84%	81%	86%	84%	89%	74%	90%	81%	77%	78%	<b>83%</b>
Q37. Patient was always treated with respect and dignity while in hospital	92%	85%	88%	85%	84%	89%	89%	93%	86%	95%	84%	88%	82%	<b>87%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	92%	89%	91%	90%	85%	90%	87%	86%	81%	95%	89%	87%	86%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	75%	76%	82%	80%	81%	80%	76%	82%	79%	81%	82%	77%	75%	<b>79%</b>

	Tumour group													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q41_1. Beforehand patient completely had enough understandable information about surgery	100%	91%	92%	92%	85%	93%	92%	85%	94%	93%	86%	87%	87%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	95%	84%	88%	86%	86%	85%	84%	90%	75%	*	87%	92%	83%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	100%	88%	90%	83%	86%	90%	93%	90%	91%	*	89%	85%	86%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	78%	85%	67%	68%	*	*	85%	*	*	*	82%	80%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	77%	90%	100%	86%	85%	82%	94%	*	94%	88%	88%	80%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	100%	89%	90%	86%	80%	90%	89%	78%	91%	92%	83%	81%	85%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	89%	80%	84%	80%	82%	83%	81%	88%	75%	*	84%	88%	77%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	86%	84%	87%	73%	85%	90%	87%	88%	100%	*	86%	80%	80%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	75%	75%	50%	71%	*	*	80%	*	*	*	87%	74%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	82%	92%	92%	81%	85%	76%	83%	*	86%	83%	82%	78%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	67%	75%	84%	79%	75%	76%	78%	84%	82%	79%	81%	82%	77%	<b>79%</b>

## Tumour group tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	74%	77%	73%	72%	77%	73%	73%	79%	77%	74%	73%	71%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	68%	74%	68%	71%	80%	71%	64%	74%	74%	75%	66%	65%	69%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	94%	87%	89%	88%	87%	85%	85%	81%	79%	86%	91%	80%	84%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	50%	59%	65%	56%	57%	71%	61%	62%	53%	67%	63%	52%	54%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	62%	50%	58%	53%	52%	62%	57%	54%	59%	59%	62%	48%	49%	53%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	74%	56%	67%	56%	65%	71%	62%	56%	63%	65%	65%	53%	56%	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	69%	50%	59%	47%	52%	55%	54%	48%	62%	73%	62%	45%	48%	53%

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	36%	46%	49%	52%	43%	47%	45%	54%	69%	50%	49%	44%	44%	48%
Q52. Patient has had a review of cancer care by GP practice	47%	23%	24%	27%	18%	22%	24%	26%	33%	23%	30%	23%	23%	24%

## Tumour group tables

\* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	25%	39%	37%	26%	43%	30%	32%	63%	37%	37%	33%	30%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	75%	84%	81%	78%	84%	75%	76%	84%	85%	80%	73%	77%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	74%	55%	62%	62%	74%	56%	61%	59%	76%	86%	63%	63%	61%	<b>62%</b>

	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All cancers
Q56. The whole care team worked well together	86%	89%	92%	89%	89%	91%	92%	89%	86%	91%	90%	87%	87%	<b>89%</b>
Q57. Administration of care was very good or good	86%	87%	90%	86%	89%	90%	88%	84%	92%	84%	91%	80%	85%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	63%	32%	42%	32%	54%	36%	41%	30%	68%	38%	48%	27%	38%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.9	9.0	8.7	9.0	8.9	8.8	8.7	8.6	9.0	8.9	8.5	8.6	<b>8.8</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>SUPPORT FROM YOUR GP PRACTICE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	36%	74%	79%	78%	76%	79%	82%	81%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	50%	71%	66%	75%	69%	69%	64%	67%	<b>68%</b>

<b>DIAGNOSTIC TESTS</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	82%	83%	88%	90%	91%	93%	92%	91%	<b>92%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	55%	66%	78%	81%	81%	84%	84%	83%	<b>83%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	55%	64%	57%	63%	68%	75%	80%	85%	<b>74%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	30%	69%	69%	75%	75%	79%	80%	80%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	82%	85%	91%	94%	93%	95%	95%	96%	<b>94%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	100%	83%	80%	83%	81%	84%	86%	87%	<b>84%</b>
Q13. Patient was definitely told sensitively that they had cancer	62%	78%	73%	76%	72%	73%	78%	78%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	36%	80%	73%	74%	74%	77%	79%	82%	<b>77%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	80%	81%	84%	83%	86%	88%	87%	<b>86%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	83%	90%	91%	86%	86%	82%	79%	73%	<b>82%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	100%	95%	92%	91%	92%	90%	92%	87%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	100%	76%	79%	81%	84%	84%	86%	87%	<b>84%</b>
Q19. Patient found advice from main contact person was very or quite helpful	100%	92%	91%	95%	95%	96%	96%	97%	<b>96%</b>

<b>DECIDING ON THE BEST TREATMENT</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	92%	81%	78%	82%	82%	82%	84%	82%	<b>83%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	71%	64%	72%	75%	78%	79%	82%	80%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	79%	69%	79%	78%	81%	83%	85%	88%	<b>83%</b>
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	67%	48%	63%	58%	57%	57%	57%	51%	<b>57%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	64%	65%	73%	72%	71%	71%	72%	73%	71%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	100%	100%	91%	90%	92%	92%	95%	97%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	90%	100%	99%	98%	100%	100%	98%	99%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	85%	86%	84%	89%	90%	90%	88%	89%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	79%	59%	63%	70%	73%	73%	79%	84%	74%
Q29. Patient was offered information about how to get financial help or benefits	85%	50%	72%	72%	72%	68%	63%	58%	68%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	55%	67%	65%	67%	69%	78%	79%	87%	75%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	60%	62%	64%	58%	61%	69%	70%	75%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	64%	61%	68%	61%	66%	70%	73%	66%	69%
Q34. Patient was always able to get help from ward staff when needed	55%	67%	70%	63%	63%	73%	75%	78%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	50%	33%	60%	56%	60%	65%	63%	65%	62%
Q36. Hospital staff always did everything they could to help the patient control pain	70%	57%	80%	76%	80%	86%	87%	85%	83%
Q37. Patient was always treated with respect and dignity while in hospital	73%	78%	84%	78%	82%	89%	90%	93%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	91%	83%	84%	88%	85%	90%	90%	88%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	100%	67%	71%	75%	78%	79%	81%	83%	79%



## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	77%	87%	88%	90%	90%	92%	92%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	83%	85%	84%	84%	87%	86%	88%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	85%	92%	89%	88%	88%	88%	88%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	73%	73%	80%	81%	83%	86%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	74%	82%	86%	85%	86%	75%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	*	77%	82%	83%	86%	88%	90%	86%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	*	83%	79%	79%	80%	81%	84%	82%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	92%	86%	83%	84%	85%	85%	82%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	*	65%	67%	80%	77%	78%	72%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	*	76%	78%	82%	81%	84%	73%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	42%	63%	66%	76%	79%	78%	80%	84%	<b>79%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	69%	73%	80%	73%	76%	73%	73%	70%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	50%	61%	63%	66%	70%	69%	71%	70%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	77%	80%	80%	86%	87%	87%	85%	84%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	50%	58%	66%	57%	61%	59%	59%	56%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	50%	49%	48%	53%	54%	56%	54%	<b>53%</b>

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	77%	45%	56%	57%	57%	61%	63%	63%	<b>60%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	35%	46%	52%	52%	52%	55%	49%	<b>53%</b>

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	47%	46%	53%	49%	44%	49%	49%	<b>48%</b>
Q52. Patient has had a review of cancer care by GP practice	8%	26%	31%	26%	25%	23%	22%	21%	<b>24%</b>

## Age group tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	37%	27%	27%	31%	30%	36%	35%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	73%	61%	70%	76%	79%	82%	84%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	55%	60%	44%	54%	62%	64%	64%	69%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	64%	89%	82%	88%	88%	89%	92%	93%	<b>89%</b>
Q57. Administration of care was very good or good	79%	84%	82%	84%	85%	86%	89%	90%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	*	33%	37%	33%	40%	39%	39%	36%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.5	8.5	8.3	8.6	8.8	8.8	8.9	8.9	<b>8.8</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	80%	79%	*	*	*	74%	<b>79%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	66%	*	*	*	61%	<b>68%</b>

DIAGNOSTIC TESTS							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	91%	93%	*	*	91%	89%	<b>92%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	83%	*	*	73%	81%	<b>83%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	70%	78%	*	*	55%	77%	<b>74%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	78%	*	*	64%	77%	<b>78%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	95%	*	*	82%	94%	<b>94%</b>

FINDING OUT THAT YOU HAD CANCER							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	85%	83%	*	*	73%	85%	<b>84%</b>
Q13. Patient was definitely told sensitively that they had cancer	76%	74%	*	*	67%	75%	<b>75%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	77%	*	*	55%	79%	<b>77%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	86%	*	*	73%	85%	<b>86%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	83%	82%	*	*	50%	77%	<b>82%</b>

SUPPORT FROM A MAIN CONTACT PERSON							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	91%	91%	*	*	82%	91%	<b>91%</b>
Q18. Patient found it very or quite easy to contact their main contact person	85%	84%	*	*	*	82%	<b>84%</b>
Q19. Patient found advice from main contact person was very or quite helpful	95%	97%	*	*	*	94%	<b>96%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>DECIDING ON THE BEST TREATMENT</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	83%	*	*	27%	82%	<b>83%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	80%	*	*	42%	81%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	84%	*	*	60%	85%	<b>83%</b>
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	57%	58%	*	*	*	50%	<b>57%</b>

<b>CARE PLANNING</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	73%	*	*	*	71%	<b>71%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	91%	95%	*	*	*	95%	<b>93%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	100%	*	*	*	98%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	87%	92%	*	*	73%	86%	<b>89%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	71%	79%	*	*	36%	74%	<b>74%</b>
Q29. Patient was offered information about how to get financial help or benefits	67%	68%	*	*	*	67%	<b>68%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	73%	78%	*	*	*	76%	<b>75%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	65%	68%	*	*	*	71%	<b>67%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	66%	72%	*	*	*	70%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	67%	74%	*	*	*	70%	<b>70%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	58%	67%	*	*	*	55%	<b>62%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	81%	86%	*	*	*	86%	<b>83%</b>
Q37. Patient was always treated with respect and dignity while in hospital	84%	89%	*	*	*	89%	<b>87%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	90%	*	*	*	88%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	76%	82%	*	*	50%	79%	<b>79%</b>

	Male/Female/Non-binary/Other						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	89%	*	*	*	95%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	87%	*	*	*	85%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	89%	*	*	*	80%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	85%	*	*	*	72%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	80%	88%	*	*	*	90%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	88%	86%	*	*	*	93%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	84%	*	*	*	83%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	87%	*	*	*	77%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	74%	80%	*	*	*	75%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	81%	82%	*	*	*	83%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	76%	82%	*	*	58%	80%	<b>79%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	75%	*	*	50%	74%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	71%	*	*	40%	70%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	86%	*	*	*	82%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	62%	*	*	42%	57%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	57%	*	*	27%	54%	<b>53%</b>

<b>SUPPORT WHILE AT HOME</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	56%	65%	*	*	*	60%	<b>60%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	50%	57%	*	*	*	47%	<b>53%</b>

<b>CARE FROM YOUR GP PRACTICE</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	47%	49%	*	*	*	39%	<b>48%</b>
Q52. Patient has had a review of cancer care by GP practice	24%	24%	*	*	25%	20%	<b>24%</b>

<b>LIVING WITH AND BEYOND CANCER</b>							
	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	31%	35%	*	*	*	22%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	77%	80%	*	*	*	77%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	59%	66%	*	*	40%	64%	<b>62%</b>

## Male/Female/Non-binary/Other tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Male/Female/Non-binary/Other						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	89%	91%	*	*	70%	90%	<b>89%</b>
Q57. Administration of care was very good or good	86%	88%	*	*	67%	88%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	37%	41%	*	*	*	41%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.9	*	*	6.7	8.8	<b>8.8</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	80%	68%	72%	67%	*	74%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	68%	74%	69%	59%	70%	63%	68%

DIAGNOSTIC TESTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	82%	89%	93%	91%	90%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	75%	78%	74%	50%	80%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	74%	80%	65%	74%	42%	77%	74%
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	80%	69%	66%	58%	77%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	82%	91%	91%	82%	93%	94%

FINDING OUT THAT YOU HAD CANCER	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	84%	92%	88%	82%	92%	85%	84%
Q13. Patient was definitely told sensitively that they had cancer	75%	75%	77%	72%	69%	75%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	70%	73%	71%	50%	78%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	84%	88%	88%	92%	86%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	83%	73%	84%	86%	83%	77%	82%

SUPPORT FROM A MAIN CONTACT PERSON	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	91%	95%	91%	90%	85%	91%	91%
Q18. Patient found it very or quite easy to contact their main contact person	84%	84%	83%	81%	64%	83%	84%
Q19. Patient found advice from main contact person was very or quite helpful	96%	98%	96%	99%	100%	94%	96%

DECIDING ON THE BEST TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	83%	73%	76%	75%	82%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	72%	72%	76%	62%	80%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	83%	76%	73%	76%	*	86%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	57%	70%	51%	54%	*	56%	57%



## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	71%	70%	71%	69%	69%	72%	71%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	87%	94%	95%	100%	95%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	97%	98%	100%	*	98%	99%

SUPPORT FROM HOSPITAL STAFF	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	89%	89%	88%	86%	92%	87%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	75%	74%	74%	62%	75%	74%
Q29. Patient was offered information about how to get financial help or benefits	68%	81%	65%	69%	80%	65%	68%

HOSPITAL CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	76%	64%	72%	74%	*	79%	75%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	66%	64%	64%	78%	*	71%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	58%	70%	65%	50%	69%	69%
Q34. Patient was always able to get help from ward staff when needed	70%	59%	74%	61%	70%	72%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	52%	56%	50%	50%	58%	62%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	70%	79%	76%	*	89%	83%
Q37. Patient was always treated with respect and dignity while in hospital	87%	67%	86%	80%	80%	89%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	84%	81%	89%	90%	87%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	79%	73%	70%	58%	79%	79%

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	84%	82%	81%	80%	95%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	78%	87%	83%	*	86%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	88%	90%	93%	85%	*	85%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	80%	75%	89%	71%	*	78%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	84%	*	88%	82%	*	92%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	77%	81%	82%	*	93%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	82%	75%	82%	82%	*	82%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	89%	93%	89%	*	82%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	75%	82%	71%	*	77%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	81%	*	94%	*	*	86%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	70%	68%	73%	73%	79%	<b>79%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	74%	76%	73%	92%	74%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	69%	69%	70%	65%	75%	70%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	85%	83%	85%	73%	84%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	59%	57%	66%	64%	54%	60%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	53%	44%	57%	52%	38%	57%	<b>53%</b>

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	60%	65%	67%	57%	82%	60%	<b>60%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	53%	53%	53%	35%	58%	50%	<b>53%</b>

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	48%	49%	50%	43%	55%	43%	<b>48%</b>
Q52. Patient has had a review of cancer care by GP practice	23%	36%	30%	28%	54%	22%	<b>24%</b>

## Ethnicity tables

\* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	32%	28%	35%	42%	*	27%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	78%	81%	80%	71%	*	79%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	63%	57%	58%	55%	36%	62%	<b>62%</b>

YOUR OVERALL NHS CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	89%	84%	90%	90%	92%	91%	<b>89%</b>
Q57. Administration of care was very good or good	87%	83%	87%	89%	85%	86%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	38%	38%	45%	46%	*	43%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.4	8.5	8.7	8.8	8.8	<b>8.8</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	75%	75%	80%	81%	81%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	60%	67%	70%	68%	71%	68%

DIAGNOSTIC TESTS	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q5. Patient received all the information needed about the diagnostic test in advance	91%	90%	92%	92%	92%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	81%	81%	84%	83%	83%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	76%	71%	76%	73%	73%	74%
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	77%	79%	78%	76%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	93%	95%	95%	95%	94%

FINDING OUT THAT YOU HAD CANCER	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	87%	82%	85%	83%	82%	84%
Q13. Patient was definitely told sensitively that they had cancer	77%	73%	76%	75%	73%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	75%	77%	78%	77%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	85%	86%	86%	84%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	84%	83%	83%	81%	81%	82%

SUPPORT FROM A MAIN CONTACT PERSON	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q17. Patient had a main point of contact within the care team	92%	91%	91%	90%	91%	91%
Q18. Patient found it very or quite easy to contact their main contact person	85%	82%	84%	84%	85%	84%
Q19. Patient found advice from main contact person was very or quite helpful	95%	96%	96%	96%	95%	96%

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	83%	82%	83%	83%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	77%	80%	81%	78%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	81%	82%	82%	83%	83%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	61%	59%	56%	56%	53%	57%

CARE PLANNING	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	71%	71%	71%	72%	72%	71%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	94%	92%	93%	93%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	99%	99%	99%	99%

SUPPORT FROM HOSPITAL STAFF	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q27. Staff provided the patient with relevant information on available support	88%	88%	90%	90%	89%	89%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	74%	76%	74%	73%	74%
Q29. Patient was offered information about how to get financial help or benefits	71%	66%	66%	68%	67%	68%

HOSPITAL CARE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	74%	78%	72%	76%	75%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	65%	70%	62%	67%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	68%	65%	72%	68%	69%	69%
Q34. Patient was always able to get help from ward staff when needed	72%	69%	72%	68%	70%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	62%	64%	61%	60%	62%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	83%	86%	81%	83%	83%
Q37. Patient was always treated with respect and dignity while in hospital	87%	84%	89%	85%	88%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	88%	90%	88%	87%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	77%	79%	79%	79%	79%

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	91%	89%	91%	90%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	85%	86%	85%	85%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	92%	89%	87%	88%	85%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	84%	81%	81%	81%	77%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	83%	81%	86%	86%	84%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	87%	87%	88%	87%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	83%	82%	79%	81%	83%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	91%	85%	82%	83%	83%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	81%	73%	77%	74%	76%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	80%	80%	83%	81%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	78%	77%	81%	79%	78%	<b>79%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	74%	73%	74%	73%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	68%	70%	69%	69%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	86%	86%	86%	87%	85%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	66%	60%	59%	57%	57%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	58%	54%	53%	53%	51%	<b>53%</b>

SUPPORT WHILE AT HOME	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	64%	60%	58%	61%	59%	<b>60%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	51%	53%	50%	56%	53%	<b>53%</b>

CARE FROM YOUR GP PRACTICE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	44%	46%	50%	47%	50%	<b>48%</b>
Q52. Patient has had a review of cancer care by GP practice	26%	24%	24%	23%	23%	<b>24%</b>

## IMD quintile tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	32%	27%	31%	34%	34%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	77%	76%	80%	77%	80%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	63%	62%	62%	62%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q56. The whole care team worked well together	91%	89%	89%	89%	89%	<b>89%</b>
Q57. Administration of care was very good or good	87%	86%	86%	88%	86%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	43%	39%	37%	36%	41%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.8	8.9	8.8	8.8	<b>8.8</b>

## Long-term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

	Long-term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>				
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	78%	80%	78%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	65%	74%	63%	68%

	Long-term condition status			
	Yes	No	Not given	All
<b>DIAGNOSTIC TESTS</b>				
Q5. Patient received all the information needed about the diagnostic test in advance	91%	92%	90%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	85%	81%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	74%	73%	75%	74%
Q8. Diagnostic test results were explained in a way the patient could completely understand	77%	80%	74%	78%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	96%	94%	94%

	Long-term condition status			
	Yes	No	Not given	All
<b>FINDING OUT THAT YOU HAD CANCER</b>				
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	84%	84%	86%	84%
Q13. Patient was definitely told sensitively that they had cancer	74%	77%	76%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	79%	78%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	86%	85%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	86%	79%	82%

	Long-term condition status			
	Yes	No	Not given	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>				
Q17. Patient had a main point of contact within the care team	91%	91%	90%	91%
Q18. Patient found it very or quite easy to contact their main contact person	83%	86%	83%	84%
Q19. Patient found advice from main contact person was very or quite helpful	95%	96%	96%	96%

	Long-term condition status			
	Yes	No	Not given	All
<b>DECIDING ON THE BEST TREATMENT</b>				
Q20. Treatment options were explained in a way the patient could completely understand	82%	84%	81%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	80%	79%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	82%	84%	83%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	56%	58%	57%	57%



## Long-term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>CARE PLANNING</b>	Long-term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	75%	71%	<b>71%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	94%	94%	<b>93%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	98%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Long-term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	88%	91%	88%	<b>89%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	74%	77%	73%	<b>74%</b>
Q29. Patient was offered information about how to get financial help or benefits	66%	73%	65%	<b>68%</b>

<b>HOSPITAL CARE</b>	Long-term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	76%	75%	<b>75%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	65%	69%	68%	<b>67%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	68%	71%	66%	<b>69%</b>
Q34. Patient was always able to get help from ward staff when needed	70%	71%	70%	<b>70%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	61%	65%	58%	<b>62%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	83%	85%	83%	<b>83%</b>
Q37. Patient was always treated with respect and dignity while in hospital	86%	88%	87%	<b>87%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	91%	87%	<b>88%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	78%	82%	78%	<b>79%</b>

## Long-term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>YOUR TREATMENT</b>	Long-term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	90%	88%	<b>90%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	88%	85%	<b>86%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	88%	82%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	81%	82%	67%	<b>80%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	84%	85%	84%	<b>85%</b>
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	88%	85%	<b>87%</b>
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	84%	82%	<b>82%</b>
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	86%	84%	76%	<b>84%</b>
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	77%	70%	<b>76%</b>
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	80%	84%	81%	<b>82%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	78%	80%	81%	<b>79%</b>

<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>	Long-term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	72%	78%	73%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	72%	71%	<b>69%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	85%	89%	84%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	58%	62%	59%	<b>59%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	52%	57%	53%	<b>53%</b>

<b>SUPPORT WHILE AT HOME</b>	Long-term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	59%	64%	59%	<b>60%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	50%	62%	46%	<b>53%</b>

<b>CARE FROM YOUR GP PRACTICE</b>	Long-term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	54%	42%	<b>48%</b>
Q52. Patient has had a review of cancer care by GP practice	24%	25%	20%	<b>24%</b>

## Long-term condition status tables

\* Indicates where a score is not available due to suppression or a low base size.

<b>LIVING WITH AND BEYOND CANCER</b>	Long-term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	31%	35%	28%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	76%	82%	77%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	64%	62%	<b>62%</b>

<b>YOUR OVERALL NHS CARE</b>	Long-term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	89%	91%	90%	<b>89%</b>
Q57. Administration of care was very good or good	86%	89%	86%	<b>87%</b>
Q58. Cancer research opportunities were discussed with patient	38%	40%	38%	<b>39%</b>
Q59. Patient's average rating of care scored from very poor to very good	8.8	9.0	8.7	<b>8.8</b>

## Year on year charts


\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.


The scores are unadjusted and based on England scores only.

### SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




### DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.

Q8. Diagnostic test results were explained in a way the patient could completely understand




Q9. Enough privacy was always given to the patient when receiving diagnostic test results




## FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.

Q15. Patient was definitely told about their diagnosis in an appropriate place




Q16. Patient was told they could go back later for more information about their diagnosis




### SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



## Year on year charts


\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.


The scores are unadjusted and based on England scores only.

### DECIDING ON THE BEST TREATMENT


Q20. Treatment options were explained in a way the patient could completely understand



Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options



### CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns




Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




### SUPPORT FROM HOSPITAL STAFF


Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits





## Year on year charts


\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.


The scores are unadjusted and based on England scores only.

### HOSPITAL CARE


Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital




Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital




Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.


Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



## YOUR TREATMENT

Q41\_1. Beforehand patient completely had enough understandable information about surgery




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.


Q41\_2. Beforehand patient completely had enough understandable information about chemotherapy




Q41\_3. Beforehand patient completely had enough understandable information about radiotherapy



Q41\_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41\_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42\_1. Patient completely had enough understandable information about their response to surgery



## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.

The scores are unadjusted and based on England scores only.

Q42\_2. Patient completely had enough understandable information about their response to chemotherapy



Q42\_3. Patient completely had enough understandable information about their response to radiotherapy




Q42\_4. Patient completely had enough understandable information about their response to hormone therapy



Q42\_5. Patient completely had enough understandable information about their response to immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



## Year on year charts


\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.


The scores are unadjusted and based on England scores only.

### IMMEDIATE AND LONG TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment




Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



## Year on year charts


\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.


The scores are unadjusted and based on England scores only.

### SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home




Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




### CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the right amount of support from their GP practice during treatment




Q52. Patient has had a review of cancer care by GP practice



### LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.


\*\* No score available for these years.

The scores are unadjusted and based on England scores only.

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment




Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




### YOUR OVERALL NHS CARE


Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Q58. Cancer research opportunities were discussed with patient




## Year on year charts

\* Indicates where a score is not available due to suppression or a low base size.

\*\* No score available for these years.

The scores are unadjusted and based on England scores only.


Q59. Patient's average rating of care scored from very poor to very good





## Trust expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range



Trust		Expected range classification
RL1	The Robert Jones and Agnes Hunt Orthopaedic Hospital NHS Foundation Trust	
RLQ	Wye Valley NHS Trust	53 <span style="float: right; border: 1px solid black; padding: 2px;">8</span>
RKB	University Hospitals Coventry and Warwickshire NHS Trust	3 <span style="float: right; border: 1px solid black; padding: 2px;">50</span> <span style="float: right; border: 1px solid black; padding: 2px;">8</span>
RBK	Walsall Healthcare NHS Trust	3 <span style="float: right; border: 1px solid black; padding: 2px;">54</span> <span style="float: right; border: 1px solid black; padding: 2px;">4</span>
RRJ	The Royal Orthopaedic Hospital NHS Foundation Trust	55
RXK	Sandwell and West Birmingham Hospitals NHS Trust	61
RXW	The Shrewsbury and Telford Hospital NHS Trust	4 <span style="float: right; border: 1px solid black; padding: 2px;">54</span> <span style="float: right; border: 1px solid black; padding: 2px;">3</span>
RLT	George Eliot Hospital NHS Trust	3 <span style="float: right; border: 1px solid black; padding: 2px;">55</span> <span style="float: right; border: 1px solid black; padding: 2px;">1</span>
RJE	University Hospitals of North Midlands NHS Trust	5 <span style="float: right; border: 1px solid black; padding: 2px;">54</span> <span style="float: right; border: 1px solid black; padding: 2px;">2</span>
RWP	Worcestershire Acute Hospitals NHS Trust	12 <span style="float: right; border: 1px solid black; padding: 2px;">46</span> <span style="float: right; border: 1px solid black; padding: 2px;">3</span>
RNA	The Dudley Group NHS Foundation Trust	12 <span style="float: right; border: 1px solid black; padding: 2px;">48</span> <span style="float: right; border: 1px solid black; padding: 2px;">1</span>
RL4	The Royal Wolverhampton NHS Trust	15 <span style="float: right; border: 1px solid black; padding: 2px;">45</span> <span style="float: right; border: 1px solid black; padding: 2px;">1</span>
RRK	University Hospitals Birmingham NHS Foundation Trust	17 <span style="float: right; border: 1px solid black; padding: 2px;">44</span>