

# **Cancer Patient Experience Survey**

2023 Results

# NHS Mid and South Essex Integrated Care Board

Published November 2024

The Cancer Patient Experience Survey is undertaken by Picker on behalf of NHS England

# Contents

| Executive summary                   | 3  |
|-------------------------------------|----|
|                                     | 4  |
| Methodology                         | 4  |
| Understanding the results           | 5  |
| Further information                 | 6  |
| Response rate                       | 8  |
| Expected range charts               | 10 |
| Comparability tables                | 14 |
| Tumour group tables                 | 18 |
| Age group tables                    | 23 |
| Male/Female/Non-binary/Other tables | 27 |
| Ethnicity tables                    | 32 |
| IMD quintile tables                 | 36 |
| Long-term condition status tables   | 40 |
| Year on year charts                 | 44 |

# **Executive summary**

### **Questions above expected range**

|  | Case       | mix adjusted s             |                            |                  |
|--|------------|----------------------------|----------------------------|------------------|
|  | 2023 score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 88%        | 83%                        | 88%                        | 86%              |

### **Questions below expected range**

|  | Case       |                            |                            |                  |
|--|------------|----------------------------|----------------------------|------------------|
|  | 2023 score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand  | 60%        | 62%                        | 71%                        | 67%              |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right  | 73%        | 73%                        | 82%                        | 78%              |
| Q8. Diagnostic test results were explained in a way the patient could completely understand                                      | 74%        | 75%                        | 82%                        | 78%              |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                             | 76%        | 76%                        | 83%                        | 80%              |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 80%        | 81%                        | 86%                        | 83%              |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                  | 65%        | 66%                        | 75%                        | 70%              |
| Q34. Patient was always able to get help from ward staff when needed   | 65%        | 68%                        | 77%                        | 73%              |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 57%        | 60%                        | 70%                        | 65%              |
| Q37. Patient was always treated with respect and dignity while in hospital   | 83%        | 84%                        | 91%                        | 87%              |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital           | 85%        | 85%                        | 92%                        | 88%              |
| Q57. Administration of care was very good or good  | 83%        | 84%                        | 90%                        | 87%              |
| Q59. Patient's average rating of care scored from very poor to very good   | 8.7        | 8.7                        | 9.1                        | 8.9              |

# Introduction

The National Cancer Patient Experience Survey 2023 is the thirteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2023 survey involved 132 NHS trusts. Out of 121,121 people, 63,428 people responded to the survey, yielding a response rate of 52%.

# Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2023. The fieldwork for the survey was undertaken between November 2023 and February 2024.

As in the previous eight years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022 and 2023 are included in this report for most questions. A review of the questionnaire in 2023 saw four changes being made:

- The question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022.
- The long-term condition question (Q67) was amended to include "Autism or autism spectrum condition" as a response option. And the "Neurological condition" answer option was updated to include an example condition changing it to "Neurological condition, such as epilepsy". These changes see the answer option "Neurological condition, such as epilepsy" as no longer being deemed comparable to 2021 and 2022.
- The ethnic group question (Q71) was amended to include "Roma" as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022.

### How alliance and ICB results are generated

Alliance and ICB results are derived using the post code of each patient, rather than by mapping trust results to ICBs or alliances. This mapping is achieved using lookup files released by the Office for National Statistics.

Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint.

#### **Case-mix adjustment**

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how an ICB is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the ICB. Casemix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

### **Statistical significance**

In the reporting of 2023 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

### **Suppression**

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular ICB, the results are not shown for that question for that ICB.

For ICBs with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

### Additional suppression

Additional suppression happens if only **one** ICB has a score suppressed. If this happens, we will suppress another ICB's results (both the ICB level and sub-group results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual ICB.

The same rule applies to groups in each sub-group breakdown. For example, if only one ICB has the 85+ age group suppressed for Q25 we will need to suppress another ICB's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

# **Understanding the results**

This report shows how this ICB scored for each question in the survey compared with England results. It is aimed at helping individual ICBs to understand their performance and identify areas for local and regional improvement. Below is a description of the type of results presented within this report and how to understand them.

### **Expected range charts**

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this ICB.

ICBs whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the ICB performs better than what ICBs of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the ICB's size and demographics.

#### **Comparability tables**

The comparability tables show the 2022 and 2023 unadjusted scores for this ICB for each scored question. The Change 2022-2023 and Change overall columns show whether the scores show a statistically significant variation between years. This is shown between 2022-2023 and as an overall between 2021-2023. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant change.

The adjusted 2023 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

#### Sub-group breakdowns

Unadjusted scores are shown for tumour group, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different ICBs may not be comparable, as they do not account for the impact that differing patient populations might have on results.

#### **Tumour group tables**

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

#### Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

#### Male/Female/Non-binary/Other tables

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

#### **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

#### Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

#### **IMD** quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

#### Year on year charts

The year on year charts show three columns representing the unadjusted scores of the last three years (2021, 2022 and 2023) for each scored question.

### National level and England level data

In some cases (343 respondents in 2023), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS trusts for treatment. These patients are described as 'Non-England' in other reports.

Overall response rate at response rate sections shows national level counts and response rate. For ICBs and its comparison at comparability tables section, all data is presented at the England level.

## **Further information**

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number

GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2023 questionnaire and survey guidance on the website at <u>www.ncpes.co.uk</u>. For all other outputs at ICB level, please see the Excel tables and dashboards at <u>www.ncpes.co.uk</u>.

# **Response rate**

### **Overall response rate**

819 patients responded out of a total of 1,648 patients, resulting in a response rate of 50%.

|                       | Sample size | Adjusted sample | Completed | Response rate |
|-----------------------|-------------|-----------------|-----------|---------------|
| Overall response rate | 1,758       | 1,648           | 819       | 50%           |
| National              | 129,231     | 121,121         | 63,438    | 52%           |

### Respondents by survey type

|                     | Number of<br>respondents |
|---------------------|--------------------------|
| Paper               | 631                      |
| Online              | 188                      |
| Phone               | 0                        |
| Translation service | 0                        |
| Total               | 819                      |

### **Respondents by tumour group**

|                  | Number of<br>respondents |
|------------------|--------------------------|
| Brain / CNS      | 4                        |
| Breast           | 243                      |
| Colorectal / LGT | 55                       |
| Gynaecological   | 41                       |
| Haematological   | 102                      |
| Head and neck    | 21                       |
| Lung             | 58                       |
| Prostate         | 79                       |
| Sarcoma          | 9                        |
| Skin             | 30                       |
| Upper gastro     | 40                       |
| Urological       | 30                       |
| Other            | 107                      |
| Total            | 819                      |

### **Respondents by ethnicity**

|   | Number of respondents |
|---|-----------------------|
| White   |                       |
| English / Welsh / Scottish / Northern Irish / British | 708                   |
| Irish   | *                     |
| Gypsy or Irish Traveller                              | *                     |
| Roma  | *                     |
| Any other White background                            | 22                    |
| Mixed / Multiple Ethnic Groups                        |                       |
| White and Black Caribbean                             | *                     |
| White and Black African                               | *                     |
| White and Asian                                       | *                     |
| Any other Mixed / multiple ethnic background          | *                     |
| Asian or Asian British                                |                       |
| Indian  | 8                     |
| Pakistani   | *                     |
| Bangladeshi   | *                     |
| Chinese   | *                     |
| Any other Asian background                            | *                     |
| Black / African / Caribbean / Black British           |                       |
| African   | 8                     |
| Caribbean   | *                     |
| Any other Black / African / Caribbean background      | *                     |
| Other Ethnicity                                       |                       |
| Arab  | *                     |
| Any other ethnic group                                | *                     |
| Not given   |                       |
| Not given   | 51                    |
| Total   | 819                   |

\* indicates the count is not shown due to suppression

| Lower expected range  | Within expected range                |          |          | Upper   | expecte   | ed range  | e       | •        | Case n          | nix adju  | sted sc         | ore     |
|---|--------------------------------------|----------|----------|---------|-----------|-----------|---------|----------|-----------------|-----------|-----------------|---------|
| The left outer edge of the bars is the lo                             | owest score achieved of all ICBs.    | . The ri | ght oute | er edge | of the ba | ars is th | e highe | st score | achieve         | ed of all | ICBs.           |         |
| SUPPORT FROM YOUR GF  | PRACTICE                             | 0%       | 10%      | 20%     | 30%       | 40%       | 50%     | 60%      | 70%             | 80%       | 90%             | 100%    |
| Q2. Patient only spoke to primary before cancer diagnosis             | care professional once or twi        | ce       |          |         |           |           |         |          | 76              | 6%<br>♦   |                 |         |
| Q3. Referral for diagnosis was exp<br>could completely understand     | plained in a way the patient         |          |          |         |           |           |         | 60%<br>• |                 |           |                 |         |
| DIAGNOSTIC TESTS  |                                      | 0%       | 10%      | 20%     | 30%       | 40%       | 50%     | 60%      | 70%             | 80%       | 90%             | 100%    |
| Q5. Patient received all the inform diagnostic test in advance        | nation needed about the              |          |          |         |           |           |         |          |                 |           | 90%<br>◆        |         |
| Q6. Diagnostic test staff appeared information they needed about the  | t to completely have all the patient |          |          |         |           |           |         |          |                 | 82%<br>♦  |                 |         |
| Q7. Patient felt the length of time results was about right           | waiting for diagnostic test          |          |          |         |           |           |         |          | 73%<br>◆        | 6         |                 |         |
| Q8. Diagnostic test results were e could completely understand        | xplained in a way the patient        |          |          |         |           |           |         |          | 74 <sup>4</sup> | %         |                 |         |
| Q9. Enough privacy was always g receiving diagnostic test results     | iven to the patient when             |          |          |         |           |           |         |          |                 |           | 94 <sup>4</sup> | %<br>·  |
| FINDING OUT THAT YOU H  | IAD CANCER                           | 0%       | 10%      | 20%     | 30%       | 40%       | 50%     | 60%      | 70%             | 80%       | 90%             | 100%    |
| Q12. Patient was told they could h friend with them when told diagno  | nave a family member, carer c<br>sis | or       |          |         |           |           |         |          |                 | 80%<br>♦  |                 |         |
| Q13. Patient was definitely told se                                   | ensitively that they had cancer      |          |          |         |           |           |         |          | 71%<br>♦        | I.        |                 |         |
| Q14. Cancer diagnosis explained completely understand                 | in a way the patient could           |          |          |         |           |           |         |          | 76              | 5%<br>♦   |                 |         |
| Q15. Patient was definitely told at appropriate place                 | pout their diagnosis in an           |          |          |         |           |           |         |          |                 | 5         | 38%<br>•        |         |
| Q16. Patient was told they could of information about their diagnosis | go back later for more               |          |          |         |           |           |         |          |                 | 83%       | /6              |         |
| SUPPORT FROM A MAIN C   | CONTACT PERSON                       | 0%       | 10%      | 20%     | 30%       | 40%       | 50%     | 60%      | 70%             | 80%       |                 | 100%    |
| Q17. Patient had a main point of c                                    | contact within the care team         |          |          |         |           |           |         |          |                 |           | 93%<br>•        | 6       |
| Q18. Patient found it very or quite contact person                    | easy to contact their main           |          |          |         |           |           |         |          |                 | 82%       |                 |         |
| Q19. Patient found advice from m quite helpful                        | ain contact person was very c        | or       |          |         |           |           |         |          |                 |           |                 | 5%<br>▶ |

| Lower expected range         Within expected range           The left outer edge of the bars is the lowest score achieved of all ICBs  |                      | right oute | ••  | expecte<br>of the ba | •   |     |           |                 | nix adju<br>ed of all   |                 | ore                   |
|--|----------------------|------------|-----|----------------------|-----|-----|-----------|-----------------|---|-----------------|-----------------------|
| DECIDING ON THE BEST TREATMENT<br>Q20. Treatment options were explained in a way the patient<br>could completely understand  | 0%                   | 10%        | 20% | 30%                  | 40% | 50% | 60%       | 70%             | 80%<br>82%<br>♦   |                 | 100%                  |
| <ul> <li>Q21. Patient was definitely involved as much as they wanted the in decisions about their treatment</li> <li>Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options</li> <li>Q23. Patient could get further advice from a different healthcar professional before making decisions about their treatment options</li> </ul>  |                      |            |     |                      |     | 539 | 6         |                 | 6%<br>♦<br>80%<br>♦   | I               |                       |
| CARE PLANNING<br>Q24. Patient was definitely able to have a discussion about the<br>needs or concerns prior to treatment<br>Q25. A member of their care team helped the patient create a<br>care plan to address any needs or concerns<br>Q26. Care team reviewed the patient's care plan with them to<br>ensure it was up to date   | 0%<br>eir            | 10%        | 20% | 30%                  | 40% | 50% | 60%       | 70%<br>68%<br>♦ | 80%   | 90%<br>92%      | 100%<br>6<br>99%<br>♦ |
| SUPPORT FROM HOSPITAL STAFF<br>Q27. Staff provided the patient with relevant information on<br>available support<br>Q28. Patient definitely got the right level of support for their<br>overall health and well being from hospital staff<br>Q29. Patient was offered information about how to get financia<br>help or benefits  | 0%                   | 10%        | 20% | 30%                  | 40% | 50% | 60%<br>65 | 70%<br>72%<br>♦ | 80%   | 90%<br>91%<br>• | 100%                  |
| <ul> <li>HOSPITAL CARE</li> <li>Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital</li> <li>Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospit</li> <li>Q33. Patient was always involved in decisions about their care and treatment whilst in hospital</li> <li>Q34. Patient was always able to get help from ward staff when needed</li> <li>Q35. Patient was always able to discuss worries and fears with hospital staff</li> <li>Q36. Hospital staff always did everything they could to help the patient control pain</li> <li>Q37. Patient was always treated with respect and dignity while hospital</li> <li>Q38. Patient received easily understandable information about what they should or should not do after leaving hospital</li> <li>Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case</li> </ul> | al<br>e<br>n<br>e in | 10%        | 20% | 30%                  | 40% | 50% | 65        | 5%              | 80%<br>%<br>83%<br>€<br>83%<br>€<br>83%<br>€<br>83%<br>€<br>83% | 6               | 100%                  |

| Lower expected range Within expected range<br>The left outer edge of the bars is the lowest score achieved of all ICBs.                  | The r | ight o |     | • • | •   | ed rang<br>oars is th |          |          |          | mix adju<br>ed of all |          | core |
|--|-------|--------|-----|-----|-----|-----------------------|----------|----------|----------|-----------------------|----------|------|
| YOUR TREATMENT   | 0%    | 10     | % 2 | 20% | 30% | 40%                   | 50%      | 60%      | 70%      | 80%                   | 90%      | 100% |
| Q41_1. Beforehand patient completely had enough<br>understandable information about surgery  |       |        |     |     |     |                       |          |          |          |                       | 90%<br>♦ |      |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy  |       |        |     |     |     |                       |          |          |          | 8                     | 6%<br>◆  |      |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy  |       |        |     |     |     |                       |          |          |          |                       | 89%<br>♦ |      |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy   |       |        |     |     |     |                       |          |          | 7        | 6%<br>◆               | ı.       |      |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy   |       |        |     |     |     |                       |          |          |          | 82%                   | ,<br>D   |      |
| Q42_1. Patient completely had enough understandable nformation about their response to surgery   |       |        |     |     |     |                       |          |          |          | 84                    | °%<br>►  |      |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy                                     |       |        |     |     |     |                       |          |          |          | 78%<br>◆              |          |      |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy                                     |       |        |     |     |     |                       |          |          |          | 82%<br>♦              |          |      |
| Q42_4. Patient completely had enough understandable nformation about their response to hormone therapy                                   |       |        |     |     |     |                       |          |          | 71%<br>♦ | )                     |          |      |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy                                    |       |        |     |     |     |                       |          |          |          | 81%<br>♦              |          |      |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right                                 |       |        |     |     |     |                       |          |          | 7        | 6%<br>◆               |          |      |
| MMEDIATE AND LONG TERM SIDE EFFECTS  | 0%    | 10     | % 2 | 20% | 30% | 40%                   | 50%      | 60%      | 70%      | 80%                   | 90%      | 100% |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                |       |        |     |     |     |                       |          |          | 73%<br>♦ | 6                     |          |      |
| Q45. Patient was always offered practical advice on dealing with<br>any immediate side effects from treatment                            | ו     |        |     |     |     |                       |          |          | 69%<br>♦ |                       |          |      |
| Q46. Patient was given information that they could access abou<br>support in dealing with immediate side effects from treatment          | t     |        |     |     |     |                       |          |          |          | 8                     | 6%<br>♦  |      |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment |       |        |     |     |     |                       | ł        | 57%<br>◆ |          |                       |          |      |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | J     |        |     |     |     |                       | 52%<br>♦ | 6        |          |                       |          |      |
| SUPPORT WHILE AT HOME  | 0%    | 10     | % 2 | 20% | 30% | 40%                   | 50%      | 60%      | 70%      | 80%                   | 90%      | 100% |
| Q49. Care team gave family, or someone close, all the nformation needed to help care for the patient at home                             |       |        |     |     |     |                       |          | 58%<br>♦ |          |                       |          |      |
| Q50. During treatment, the patient definitely got enough care an<br>support at home from community or voluntary services                 | d     |        |     |     |     |                       | 50%<br>• |          |          |                       |          |      |

| Lower expected range  | Within expected range            |       |           | Upper   | expecte  | ed range  | e       | •        | Case r  | nix adju  | isted so | ore  |
|---|----------------------------------|-------|-----------|---------|----------|-----------|---------|----------|---------|-----------|----------|------|
| The left outer edge of the bars is the lo   | west score achieved of all ICBs. | The r | ight oute | er edge | of the b | ars is th | e highe | st score | achieve | ed of all | ICBs.    |      |
| CARE FROM YOUR GP PRA   | ACTICE                           | 0%    | 10%       | 20%     | 30%      | 40%       | 50%     | 60%      | 70%     | 80%       | 90%      | 100% |
| Q51. Patient definitely received the their GP practice during treatment             | e right amount of support fron   | ו     |           |         |          | 44°       | %       |          |         |           |          |      |
| Q52. Patient has had a review of c  | ancer care by GP practice        |       |           | 20%     |          |           |         |          |         |           |          |      |
| LIVING WITH AND BEYOND  | CANCER                           | 0%    | 10%       | 20%     | 30%      | 40%       | 50%     | 60%      | 70%     | 80%       | 90%      | 100% |
| Q53. After treatment, the patient do emotional support at home from co              |                                  | s     |           |         | 30%<br>♦ |           |         |          |         |           |          |      |
| Q54. The right amount of informati to the patient between final treatme appointment |                                  |       |           |         |          |           |         |          | 7       | 6%<br>◆   |          |      |
| Q55. Patient was given enough inf<br>and signs of cancer coming back of             |                                  | ′     |           |         |          |           |         | 60%<br>◆ |         |           |          |      |
| YOUR OVERALL NHS CAR  | E                                | 0%    | 10%       | 20%     | 30%      | 40%       | 50%     | 60%      | 70%     | 80%       | 90%      | 100% |
| Q56. The whole care team worked   | well together                    |       |           |         |          |           |         |          |         | 3         | 37%<br>♦ |      |
| Q57. Administration of care was ve  | ery good or good                 |       |           |         |          |           |         |          |         | 83%<br>•  | 6        |      |
| Q58. Cancer research opportunitie   | s were discussed with patien     | t     |           |         |          | 37%<br>◆  |         |          |         |           |          |      |
|   |                                  | 0     | 1         | 2       | 3        | 4         | 5       | 6        | 7       | 8         | 9        | 10   |
| Q59. Patient's average rating of ca<br>very good                                    | re scored from very poor to      |       |           |         |          |           |         |          |         |           | 8.7<br>◆ |      |

# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

a ▲ <sub>or</sub> ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).

Adjusted score below lower expected range Adjusted score between upper and lower expected ranges Adjusted score above upper expected range

\*\* No score available for 2022.

| -   | Unadjusted scores Case mix adjusted scores |               |           |               |                         |                   |               |                            |                            |                  |  |
|---|--|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|--|
| SUPPORT FROM YOUR GP PRACTICE   | 2022<br>n                                  | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 644  | 80%           | 390       | 77%           |                         |                   | 76%           | 74%                        | 82%                        | 78%              |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 869  | 56%           | 530       | 62%           |                         |                   | 60%           | 62%                        | 71%                        | 67%              |  |

|   |           |               | Unadjus   | ted score     | es                      |                   | Case n        | nix adjuste                | ed scores                  |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| DIAGNOSTIC TESTS  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 1093      | 90%           | 656       | 91%           |                         |                   | 90%           | 90%                        | 94%                        | 92%              |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 1141      | 82%           | 690       | 82%           |                         |                   | 82%           | 80%                        | 87%                        | 83%              |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 1140      | 76%           | 689       | 72%           |                         | ▼                 | 73%           | 73%                        | 82%                        | 78%              |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 1140      | 77%           | 691       | 75%           |                         |                   | 74%           | 75%                        | 82%                        | 78%              |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 1153      | 93%           | 692       | 94%           |                         |                   | 94%           | 93%                        | 96%                        | 95%              |

|  |           |               | Unadjus   | ted score     | es                      |                   | Case n        | nix adjuste                | ed scores                  |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| FINDING OUT THAT YOU HAD CANCER  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 1271      | 78%           | 768       | 81%           |                         | •                 | 80%           | 78%                        | 84%                        | 81%              |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 1315      | 68%           | 811       | 72%           |                         |                   | 71%           | 71%                        | 78%                        | 74%              |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 1325      | 75%           | 811       | 76%           |                         |                   | 76%           | 74%                        | 80%                        | 77%              |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 1320      | 83%           | 801       | 88%           |                         | <b>A</b>          | 88%           | 83%                        | 88%                        | 86%              |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 1175      | 79%           | 728       | 84%           |                         |                   | 83%           | 81%                        | 87%                        | 84%              |

|   |           |               | Unadjust  | ted score     | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT FROM A MAIN CONTACT PERSON  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q17. Patient had a main point of contact within the care team                 | 1294      | 91%           | 784       | 93%           |                         |                   | 93%           | 88%                        | 94%                        | 91%              |
| Q18. Patient found it very or quite easy to contact their main contact person | 1097      | 81%           | 663       | 82%           |                         |                   | 82%           | 80%                        | 88%                        | 84%              |
| Q19. Patient found advice from main contact person was very or quite helpful  | 1144      | 94%           | 705       | 95%           |                         |                   | 95%           | 94%                        | 97%                        | 96%              |

# **Comparability tables**

\* Indicates where a score is not available due to suppression or a low base size.

<sup>a</sup> ▲ <sub>or</sub> ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).

Adjusted score below lower expected range Adjusted score between upper and lower expected ranges Adjusted score above upper expected range

\*\* No score available for 2022.

|  |           |               | Unadjus   | ted score     | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| DECIDING ON THE BEST TREATMENT   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q20. Treatment options were explained in a way the patient could completely understand   | 1230      | 81%           | 756       | 82%           |                         |                   | 82%           | 80%                        | 85%                        | 82%              |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 1310      | 77%           | 799       | 76%           |                         |                   | 76%           | 76%                        | 83%                        | 80%              |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | 1134      | 80%           | 699       | 81%           |                         | <b></b>           | 80%           | 81%                        | 86%                        | 83%              |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | **        | **            | 471       | 52%           |                         |                   | 53%           | 52%                        | 62%                        | 57%              |

|   |           |               | Unadjust  | ed score      | S                       |                   | Case m        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| CARE PLANNING   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 1170      | 70%           | 741       | 69%           |                         |                   | 68%           | 68%                        | 76%                        | 72%              |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 661       | 92%           | 434       | 92%           |                         |                   | 92%           | 91%                        | 96%                        | 94%              |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 530       | 99%           | 334       | 99%           |                         |                   | 99%           | 98%                        | 100%                       | 99%              |

|  |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT FROM HOSPITAL STAFF  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q27. Staff provided the patient with relevant information on available support                                     | 1093      | 89%           | 693       | 91%           |                         |                   | 91%           | 88%                        | 94%                        | 91%              |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 1314      | 73%           | 798       | 72%           |                         |                   | 72%           | 71%                        | 80%                        | 76%              |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 691       | 58%           | 417       | 65%           |                         |                   | 65%           | 64%                        | 76%                        | 70%              |

# **Comparability tables**

\* Indicates where a score is not available due to suppression or a low base size.

`a ▲ <sub>or</sub> ▼ Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023). Adjusted score below lower expected range Adjusted score between upper and lower expected ranges Adjusted score above upper expected range

low base size. \*\* No score available for 2022.

|  |           |               | Unadjus   | ted score     | es                      |                   | Case n        | nix adjuste                | ed scores                  |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| HOSPITAL CARE  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 620       | 73%           | 374       | 74%           |                         |                   | 74%           | 73%                        | 82%                        | 77%              |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 501       | 61%           | 304       | 67%           |                         |                   | 67%           | 65%                        | 75%                        | 70%              |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 612       | 63%           | 368       | 65%           |                         |                   | 65%           | 66%                        | 75%                        | 70%              |
| Q34. Patient was always able to get help from ward staff when needed   | 608       | 62%           | 359       | 65%           |                         | ▼                 | 65%           | 68%                        | 77%                        | 73%              |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 591       | 56%           | 355       | 57%           |                         | ▼                 | 57%           | 60%                        | 70%                        | 65%              |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 532       | 76%           | 319       | 83%           |                         |                   | 83%           | 80%                        | 88%                        | 84%              |
| Q37. Patient was always treated with respect and dignity while in hospital   | 617       | 82%           | 374       | 83%           |                         | ▼                 | 83%           | 84%                        | 91%                        | 87%              |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 602       | 84%           | 369       | 85%           |                         |                   | 85%           | 85%                        | 92%                        | 88%              |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 1133      | 77%           | 684       | 76%           |                         |                   | 77%           | 76%                        | 83%                        | 79%              |

|  |           |               | Unadjus   | ted score     | s                       |                   | Case n        | nix adjuste                | ed scores                  |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| YOUR TREATMENT   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 757       | 90%           | 448       | 90%           |                         |                   | 90%           | 87%                        | 93%                        | 90%              |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 725       | 84%           | 420       | 86%           |                         |                   | 86%           | 82%                        | 89%                        | 86%              |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 378       | 86%           | 253       | 89%           |                         |                   | 89%           | 85%                        | 93%                        | 89%              |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 195       | 77%           | 141       | 75%           |                         |                   | 76%           | 73%                        | 86%                        | 79%              |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 177       | 85%           | 133       | 82%           |                         |                   | 82%           | 77%                        | 90%                        | 84%              |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | **        | **            | 441       | 85%           |                         |                   | 84%           | 83%                        | 90%                        | 86%              |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | **        | **            | 417       | 78%           |                         |                   | 78%           | 77%                        | 85%                        | 81%              |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | **        | **            | 250       | 82%           |                         |                   | 82%           | 81%                        | 89%                        | 85%              |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | **        | **            | 139       | 71%           |                         |                   | 71%           | 69%                        | 83%                        | 76%              |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | **        | **            | 133       | 80%           |                         |                   | 81%           | 74%                        | 87%                        | 81%              |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 1286      | 74%           | 763       | 76%           |                         | •                 | 76%           | 71%                        | 86%                        | 78%              |

# **Comparability tables**

\* Indicates where a score is not available due to suppression or a low base size.

a ▲ <sub>or</sub> ▼ Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023). Adjusted score below lower expected range Adjusted score between upper and lower expected ranges Adjusted score above upper expected range

\*\* No score available for 2022.

|  |           |               | Unadjus   | ted score     | es                      |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| IMMEDIATE AND LONG TERM SIDE EFFECTS   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | 1252      | 73%           | 760       | 73%           |                         |                   | 73%           | 71%                        | 78%                        | 74%              |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 1181      | 69%           | 733       | 69%           |                         |                   | 69%           | 66%                        | 74%                        | 70%              |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 984       | 84%           | 592       | 86%           |                         |                   | 86%           | 83%                        | 91%                        | 87%              |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 1201      | 58%           | 732       | 57%           |                         |                   | 57%           | 56%                        | 64%                        | 60%              |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 1021      | 51%           | 620       | 52%           |                         |                   | 52%           | 50%                        | 60%                        | 55%              |

|  |           |               | Unadjust  | ted score     | S                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT WHILE AT HOME  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home          | 897       | 53%           | 548       | 58%           |                         |                   | 58%           | 56%                        | 67%                        | 62%              |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 508       | 48%           | 303       | 50%           |                         |                   | 50%           | 45%                        | 60%                        | 52%              |

|  |           | -             | Unadjus   | ted score     | es                      |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| CARE FROM YOUR GP PRACTICE   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 667       | 38%           | 428       | 44%           |                         |                   | 44%           | 40%                        | 53%                        | 46%              |
| Q52. Patient has had a review of cancer care by GP practice  | 1274      | 14%           | 765       | 19%           |                         |                   | 20%           | 19%                        | 26%                        | 23%              |

|   |           |               | Unadjus   | ted score     | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| LIVING WITH AND BEYOND CANCER   | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 302       | 29%           | 162       | 30%           |                         |                   | 30%           | 25%                        | 39%                        | 32%              |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 618       | 74%           | 348       | 77%           |                         |                   | 76%           | 74%                        | 84%                        | 79%              |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 1040      | 59%           | 613       | 59%           |                         |                   | 60%           | 59%                        | 69%                        | 64%              |

|  |           |               | Unadjust  | ted score     | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| YOUR OVERALL NHS CARE  | 2022<br>n | 2022<br>score | 2023<br>n | 2023<br>score | Change<br>2022-<br>2023 | Change<br>overall | 2023<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q56. The whole care team worked well together                            | 1256      | 88%           | 754       | 87%           |                         |                   | 87%           | 87%                        | 93%                        | 90%              |
| Q57. Administration of care was very good or good                        | 1304      | 83%           | 790       | 83%           |                         |                   | 83%           | 84%                        | 90%                        | 87%              |
| Q58. Cancer research opportunities were discussed with patient           | 740       | 31%           | 478       | 36%           |                         |                   | 37%           | 35%                        | 54%                        | 45%              |
| Q59. Patient's average rating of care scored from very poor to very good | 1275      | 8.7           | 783       | 8.7           |                         |                   | 8.7           | 8.7                        | 9.1                        | 8.9              |

| SUPPORT FROM YOUR GP PRACTICE   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | *              | 93%    | 85%                 | 74%            | 68%            | 69%              | 56%  | 72%      | *       | 81%  | 70%             | 76%        | 69%   | 77%            |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | *              | 73%    | 75%                 | 59%            | 48%            | 60%              | 52%  | 67%      | *       | 52%  | 54%             | 62%        | 54%   | 62%            |

| DIAGNOSTIC TESTS  |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | *              | 91%    | 96%                 | 88%            | 84%            | 94%              | 88%  | 94%      | *       | 96%  | 87%             | 89%        | 90%   | 91%            |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | *              | 84%    | 80%                 | 72%            | 79%            | 76%              | 82%  | 86%      | *       | 79%  | 83%             | 93%        | 84%   | 82%            |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | *              | 78%    | 78%                 | 69%            | 63%            | 59%              | 84%  | 78%      | *       | 54%  | 66%             | 70%        | 67%   | 72%            |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | *              | 77%    | 84%                 | 78%            | 67%            | 53%              | 76%  | 71%      | *       | 79%  | 69%             | 74%        | 76%   | 75%            |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | *              | 95%    | 92%                 | 100%           | 87%            | 88%              | 98%  | 99%      | *       | 96%  | 83%             | 96%        | 94%   | 94%            |

| FINDING OUT THAT YOU HAD CANCER  |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | *              | 87%    | 91%                 | 76%            | 68%            | 85%              | 85%  | 77%      | *       | 57%  | 79%             | 75%        | 83%   | 81%            |
| Q13. Patient was definitely told sensitively that they had cancer                                    | *              | 80%    | 82%                 | 66%            | 60%            | 70%              | 72%  | 59%      | *       | 83%  | 70%             | 70%        | 71%   | 72%            |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | *              | 80%    | 85%                 | 73%            | 59%            | 70%              | 77%  | 77%      | *       | 86%  | 79%             | 87%        | 75%   | 76%            |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | *              | 94%    | 87%                 | 88%            | 79%            | 100%             | 88%  | 85%      | *       | 97%  | 83%             | 93%        | 86%   | 88%            |
| Q16. Patient was told they could go back later for more information about their diagnosis            | *              | 91%    | 92%                 | 77%            | 62%            | 94%              | 89%  | 86%      | *       | 89%  | 83%             | 88%        | 79%   | 84%            |

| SUPPORT FROM A MAIN CONTACT PERSO   | N              |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q17. Patient had a main point of contact within the care team                 | *              | 94%    | 98%                 | 93%            | 89%            | 86%              | 96%  | 92%      | *       | 85%  | 98%             | 97%        | 93%   | 93%            |
| Q18. Patient found it very or quite easy to contact their main contact person | *              | 88%    | 91%                 | 94%            | 75%            | 83%              | 81%  | 65%      | *       | 58%  | 88%             | 78%        | 85%   | 82%            |
| Q19. Patient found advice from main contact person was very or quite helpful  | *              | 95%    | 96%                 | 100%           | 95%            | 100%             | 92%  | 96%      | *       | 86%  | 97%             | 92%        | 97%   | 95%            |

| DECIDING ON THE BEST TREATMENT   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q20. Treatment options were explained in a way the patient could completely understand   | *              | 82%    | 91%                 | 86%            | 83%            | 75%              | 82%  | 78%      | *       | 83%  | 83%             | 88%        | 77%   | 82%            |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | *              | 74%    | 85%                 | 72%            | 79%            | 71%              | 75%  | 77%      | *       | 72%  | 72%             | 87%        | 73%   | 76%            |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | *              | 80%    | 90%                 | 81%            | 80%            | 58%              | 92%  | 82%      | *       | 95%  | 88%             | 80%        | 71%   | 81%            |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | *              | 54%    | 53%                 | 64%            | 37%            | 77%              | 56%  | 60%      | *       | 36%  | 50%             | 47%        | 52%   | 52%            |

| CARE PLANNING   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | *              | 74%    | 83%                 | 69%            | 56%            | 61%              | 73%  | 65%      | *       | 58%  | 70%             | 62%        | 69%   | 69%            |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | *              | 94%    | 92%                 | 100%           | 86%            | 85%              | 93%  | 90%      | *       | 92%  | 87%             | 89%        | 100%  | 92%            |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | *              | 99%    | 100%                | 100%           | 95%            | 91%              | 100% | 100%     | *       | 100% | 100%            | 100%       | 100%  | 99%            |

| SUPPORT FROM HOSPITAL STAFF  |                |        |                     |                |                |                  | Tumo | our gro  | oup     |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q27. Staff provided the patient with relevant information on available support                                     | *              | 95%    | 91%                 | 91%            | 87%            | 82%              | 90%  | 93%      | *       | 83%  | 92%             | 84%        | 89%   | 91%            |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | *              | 70%    | 81%                 | 75%            | 75%            | 71%              | 72%  | 67%      | *       | 65%  | 79%             | 80%        | 68%   | 72%            |
| Q29. Patient was offered information about how to get financial help or benefits                                   | *              | 66%    | 70%                 | 86%            | 55%            | 62%              | 58%  | 62%      | *       | 40%  | 81%             | 77%        | 67%   | 65%            |

\*

| HOSPITAL CARE  |                |        |                     |                |                |                  | Tumo | our gro  | oup     |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | *              | 72%    | 73%                 | 75%            | 64%            | 62%              | 74%  | 86%      | *       | 85%  | 64%             | 91%        | 66%   | 74%            |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | *              | 62%    | 72%                 | 64%            | 74%            | *                | 76%  | 81%      | *       | *    | 57%             | 67%        | 55%   | 67%            |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | *              | 60%    | 68%                 | 68%            | 64%            | 69%              | 62%  | 72%      | *       | 77%  | 68%             | 76%        | 48%   | 65%            |
| Q34. Patient was always able to get help from ward staff when needed   | *              | 65%    | 66%                 | 67%            | 71%            | 54%              | 69%  | 70%      | *       | 73%  | 67%             | 75%        | 44%   | 65%            |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | *              | 51%    | 60%                 | 56%            | 57%            | 54%              | 62%  | 59%      | *       | 50%  | 54%             | 77%        | 50%   | 57%            |
| Q36. Hospital staff always did everything they could to help the patient control pain  | *              | 80%    | 86%                 | 86%            | 91%            | 62%              | 77%  | 82%      | *       | 90%  | 79%             | 90%        | 81%   | 83%            |
| Q37. Patient was always treated with respect and dignity while in hospital   | *              | 83%    | 83%                 | 89%            | 87%            | 77%              | 74%  | 90%      | *       | 85%  | 80%             | 100%       | 71%   | 83%            |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | *              | 81%    | 83%                 | 89%            | 91%            | 75%              | 89%  | 92%      | *       | 100% | 88%             | 91%        | 73%   | 85%            |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | *              | 75%    | 84%                 | 87%            | 83%            | 75%              | 80%  | 72%      | *       | 71%  | 70%             | 86%        | 70%   | 76%            |

| YOUR TREATMENT   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q41_1. Beforehand patient completely had enough<br>understandable information about surgery              | *              | 94%    | 98%                 | 88%            | 69%            | 75%              | 94%  | 87%      | *       | 88%  | 91%             | 91%        | 83%   | 90%            |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | *              | 88%    | 85%                 | 86%            | 85%            | *                | 86%  | 77%      | *       | *    | 92%             | 100%       | 84%   | 86%            |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | *              | 90%    | *                   | 76%            | 92%            | 80%              | 89%  | 88%      | *       | *    | *               | *          | 95%   | 89%            |
| Q41_4. Beforehand patient completely had enough<br>understandable information about hormone therapy      | *              | 76%    | *                   | *              | *              | *                | *    | 80%      | *       | *    | *               | *          | 65%   | 75%            |
| Q41_5. Beforehand patient completely had enough<br>understandable information about immunotherapy        | *              | 73%    | *                   | *              | 85%            | *                | 83%  | *        | *       | *    | *               | *          | 70%   | 82%            |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | *              | 86%    | 95%                 | 84%            | 69%            | 67%              | 82%  | 79%      | *       | 84%  | 90%             | 86%        | 86%   | 85%            |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | *              | 78%    | 82%                 | 86%            | 82%            | *                | 66%  | 65%      | *       | *    | 84%             | 80%        | 76%   | 78%            |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | *              | 84%    | *                   | 88%            | 73%            | 67%              | 71%  | 71%      | *       | *    | *               | *          | 90%   | 82%            |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | *              | 69%    | *                   | *              | *              | *                | *    | 72%      | *       | *    | *               | *          | 71%   | 71%            |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | *              | 71%    | *                   | *              | 81%            | *                | 80%  | *        | *       | 100% | *               | *          | 70%   | 80%            |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | *              | 78%    | 83%                 | 79%            | 73%            | 86%              | 66%  | 75%      | *       | 69%  | 68%             | 79%        | 73%   | 76%            |

| IMMEDIATE AND LONG TERM SIDE EFFEC   | TS             |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | *              | 71%    | 79%                 | 77%            | 70%            | 62%              | 67%  | 68%      | *       | 67%  | 79%             | 81%        | 77%   | 73%            |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | *              | 70%    | 76%                 | 68%            | 71%            | 62%              | 68%  | 55%      | *       | 70%  | 72%             | 77%        | 74%   | 69%            |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | *              | 89%    | 85%                 | 93%            | 72%            | 80%              | 89%  | 86%      | *       | 84%  | 97%             | 91%        | 85%   | 86%            |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | *              | 55%    | 66%                 | 56%            | 54%            | 48%              | 45%  | 63%      | *       | 68%  | 63%             | 59%        | 58%   | 57%            |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | *              | 52%    | 54%                 | 58%            | 57%            | 47%              | 49%  | 52%      | *       | 58%  | 42%             | 43%        | 49%   | 52%            |

| SUPPORT WHILE AT HOME  |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | *              | 56%    | 71%                 | 59%            | 53%            | 54%              | 47%  | 54%      | *       | 56%  | 59%             | 81%        | 61%   | 58%            |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | *              | 53%    | 39%                 | *              | 45%            | 46%              | 58%  | 60%      | *       | *    | 59%             | 45%        | 52%   | 50%            |

| CARE FROM YOUR GP PRACTICE   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | *              | 51%    | 55%                 | 35%            | 29%            | 40%              | 35%  | 46%      | *       | 46%  | 38%             | 59%        | 33%   | 44%            |
| Q52. Patient has had a review of cancer care by GP practice  | *              | 20%    | 29%                 | 20%            | 11%            | 25%              | 17%  | 21%      | *       | 18%  | 14%             | 19%        | 19%   | 19%            |

| LIVING WITH AND BEYOND CANCER   |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | *              | 27%    | 42%                 | *              | 25%            | *                | *    | 29%      | *       | *    | *               | *          | 32%   | 30%            |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | *              | 69%    | 79%                 | 80%            | 84%            | 79%              | 71%  | 80%      | *       | 87%  | 86%             | 86%        | 74%   | 77%            |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | *              | 55%    | 70%                 | 60%            | 65%            | 42%              | 52%  | 63%      | *       | 91%  | 65%             | 52%        | 54%   | 59%            |

| YOUR OVERALL NHS CARE  |                |        |                     |                |                |                  | Tumo | our gro  | up      |      |                 |            |       |                |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | All<br>cancers |
| Q56. The whole care team worked well together                            | *              | 91%    | 88%                 | 95%            | 84%            | 95%              | 82%  | 90%      | *       | 86%  | 81%             | 93%        | 79%   | 87%            |
| Q57. Administration of care was very good or good                        | *              | 87%    | 87%                 | 92%            | 81%            | 76%              | 78%  | 79%      | *       | 86%  | 72%             | 76%        | 79%   | 83%            |
| Q58. Cancer research opportunities were discussed with patient           | *              | 35%    | 53%                 | 50%            | 43%            | 18%              | 29%  | 27%      | *       | 47%  | 27%             | 28%        | 38%   | 36%            |
| Q59. Patient's average rating of care scored from very poor to very good | *              | 8.9    | 8.9                 | 9.1            | 8.5            | 8.3              | 8.7  | 8.8      | *       | 8.3  | 8.4             | 9.1        | 8.6   | 8.7            |

| SUPPORT FROM YOUR GP PRACTICE   |         |         |         |         | Age     |         |         |     |     |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | *       | 64%     | 100%    | 76%     | 65%     | 79%     | 84%     | 81% | 77% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | *       | 62%     | 69%     | 70%     | 64%     | 62%     | 56%     | 63% | 62% |

| DIAGNOSTIC TESTS  |         |         |         |         | Age     |         |         |     |     |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | *       | 86%     | 80%     | 92%     | 92%     | 92%     | 89%     | 96% | 91% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | *       | 79%     | 73%     | 88%     | 81%     | 83%     | 83%     | 76% | 82% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | *       | 57%     | 75%     | 57%     | 66%     | 77%     | 76%     | 88% | 72% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | *       | 71%     | 63%     | 56%     | 66%     | 77%     | 82%     | 84% | 75% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | *       | 93%     | 88%     | 92%     | 93%     | 94%     | 96%     | 96% | 94% |

| FINDING OUT THAT YOU HAD CANCER  |         |         |         |         | Age     |         |         |      |     |
|--|---------|---------|---------|---------|---------|---------|---------|------|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+  | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | *       | 88%     | 89%     | 73%     | 77%     | 83%     | 82%     | 79%  | 81% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | *       | 69%     | 74%     | 66%     | 69%     | 70%     | 77%     | 81%  | 72% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | *       | 63%     | 63%     | 69%     | 71%     | 77%     | 83%     | 81%  | 76% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | *       | 81%     | 95%     | 85%     | 88%     | 86%     | 91%     | 100% | 88% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | *       | 81%     | 94%     | 89%     | 90%     | 81%     | 83%     | 68%  | 84% |

| SUPPORT FROM A MAIN CONTACT PERSO   | N       |         |         |         | Age     |         |         |      |     |
|---|---------|---------|---------|---------|---------|---------|---------|------|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+  | All |
| Q17. Patient had a main point of contact within the care team                 | *       | 100%    | 100%    | 95%     | 93%     | 92%     | 94%     | 93%  | 93% |
| Q18. Patient found it very or quite easy to contact their main contact person | *       | 73%     | 72%     | 81%     | 83%     | 85%     | 81%     | 82%  | 82% |
| Q19. Patient found advice from main contact person was very or quite helpful  | *       | 87%     | 94%     | 95%     | 93%     | 96%     | 96%     | 100% | 95% |

| DECIDING ON THE BEST TREATMENT   |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | *       | 87%     | 58%     | 75%     | 78%     | 83%     | 87%     | 76% | 82% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | *       | 69%     | 63%     | 71%     | 68%     | 78%     | 80%     | 87% | 76% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | *       | 86%     | 63%     | 71%     | 76%     | 85%     | 83%     | 90% | 81% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | *       | 64%     | 50%     | 50%     | 42%     | 60%     | 53%     | 38% | 52% |

| CARE PLANNING   |         |         |         |         | Age     |         |         |      |     |
|---|---------|---------|---------|---------|---------|---------|---------|------|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+  | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | *       | 64%     | 59%     | 61%     | 70%     | 69%     | 71%     | 65%  | 69% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | *       | 100%    | 80%     | 83%     | 89%     | 94%     | 97%     | 93%  | 92% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | *       | 100%    | *       | 100%    | 98%     | 100%    | 99%     | 100% | 99% |

| SUPPORT FROM HOSPITAL STAFF  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q27. Staff provided the patient with relevant information on available support                                     | *       | 94%     | 89%     | 89%     | 92%     | 91%     | 91%     | 83% | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | *       | 69%     | 58%     | 56%     | 67%     | 75%     | 75%     | 86% | 72% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | *       | 71%     | 73%     | 67%     | 68%     | 62%     | 63%     | 53% | 65% |

| HOSPITAL CARE  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | *       | 67%     | *       | 61%     | 69%     | 74%     | 78%     | 87% | 74% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | *       | *       | *       | 50%     | 62%     | 71%     | 68%     | 57% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | *       | 64%     | *       | 50%     | 62%     | 64%     | 72%     | 60% | 65% |
| Q34. Patient was always able to get help from ward staff when needed   | *       | 75%     | *       | 61%     | 63%     | 68%     | 66%     | 67% | 65% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | *       | 36%     | *       | 52%     | 55%     | 63%     | 58%     | 50% | 57% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | *       | 82%     | *       | 76%     | 84%     | 84%     | 84%     | 79% | 83% |
| Q37. Patient was always treated with respect and dignity while in hospital   | *       | 92%     | *       | 83%     | 86%     | 83%     | 82%     | 80% | 83% |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital       | *       | 83%     | *       | 75%     | 87%     | 90%     | 82%     | 80% | 85% |
| 239. Patient was always able to discuss worries and ears with hospital staff while being treated as an<br>butpatient or day case   | *       | 73%     | 72%     | 68%     | 78%     | 79%     | 76%     | 77% | 76% |

| YOUR TREATMENT   |         |         |         |         | Age     |         |         |      |     |
|--|---------|---------|---------|---------|---------|---------|---------|------|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+  | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | *       | *       | 92%     | 83%     | 86%     | 92%     | 95%     | 100% | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | *       | 85%     | 75%     | 91%     | 82%     | 88%     | 87%     | *    | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | *       | *       | *       | 84%     | 91%     | 90%     | 91%     | 92%  | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | *       | *       | *       | 41%     | 77%     | 84%     | 80%     | *    | 75% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | *       | *       | *       | 88%     | 74%     | 85%     | 88%     | *    | 82% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | *       | *       | 73%     | 78%     | 83%     | 83%     | 90%     | 93%  | 85% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | *       | 69%     | 75%     | 82%     | 72%     | 81%     | 81%     | *    | 78% |
| Q42_3. Patient completely had enough understandable nformation about their response to radiotherapy      | *       | *       | *       | 72%     | 84%     | 80%     | 86%     | 92%  | 82% |
| Q42_4. Patient completely had enough understandable nformation about their response to hormone therapy   | *       | *       | *       | 41%     | 74%     | 80%     | 73%     | *    | 71% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy     | *       | *       | *       | 88%     | 74%     | 83%     | 84%     | *    | 80% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | *       | 73%     | 67%     | 71%     | 75%     | 77%     | 76%     | 88%  | 76% |

| IMMEDIATE AND LONG TERM SIDE EFFEC   | TS      |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | *       | 93%     | 72%     | 68%     | 72%     | 74%     | 71%     | 77% | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | *       | 87%     | 50%     | 71%     | 69%     | 67%     | 70%     | 85% | 69% |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | *       | 86%     | 93%     | 87%     | 88%     | 85%     | 86%     | 89% | 86% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | *       | 71%     | 50%     | 44%     | 59%     | 56%     | 57%     | 65% | 57% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | *       | *       | 36%     | 35%     | 54%     | 51%     | 55%     | 64% | 52% |

| SUPPORT WHILE AT HOME  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | *       | 70%     | 40%     | 54%     | 55%     | 57%     | 61%     | 70% | 58% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | *       | *       | *       | 51%     | 48%     | 48%     | 58%     | 50% | 50% |

| CARE FROM YOUR GP PRACTICE   |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | *       | *       | 33%     | 50%     | 47%     | 44%     | 43%     | 28% | 44% |
| Q52. Patient has had a review of cancer care by GP practice  | *       | 0%      | 32%     | 25%     | 24%     | 19%     | 16%     | 19% | 19% |

| LIVING WITH AND BEYOND CANCER  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | *       | *       | *       | 33%     | 16%     | 33%     | 31%     | *   | 30% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | *       | *       | *       | 42%     | 73%     | 82%     | 84%     | 74% | 77% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                       | *       | 54%     | 43%     | 48%     | 57%     | 60%     | 63%     | 74% | 59% |

| YOUR OVERALL NHS CARE  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q56. The whole care team worked well together                            | *       | 87%     | 89%     | 79%     | 86%     | 89%     | 88%     | 96% | 87% |
| Q57. Administration of care was very good or good                        | *       | 88%     | 89%     | 75%     | 83%     | 81%     | 84%     | 90% | 83% |
| Q58. Cancer research opportunities were discussed with patient           | *       | 15%     | 55%     | 45%     | 36%     | 34%     | 36%     | *   | 36% |
| Q59. Patient's average rating of care scored from very poor to very good | *       | 8.4     | 8.5     | 8.3     | 8.8     | 8.8     | 8.8     | 8.6 | 8.7 |

# Male/Female/Non-binary/Other tables

| SUPPORT FROM YOUR GP PRACTICE   |        | Male/Female/Non-binary/Other |                |                                |                      |           |     |  |
|---|--------|------------------------------|----------------|--------------------------------|----------------------|-----------|-----|--|
|   | Female | Male                         | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 82%    | 72%                          | *              | *                              | *                    | 68%       | 77% |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 67%    | 56%                          | *              | *                              | *                    | 63%       | 62% |  |

| DIAGNOSTIC TESTS  |        |      | Male/Female/Non-binary/Other |                                |                      |           |     |  |  |
|---|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
|   | Female | Male | Non-<br>binary               | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 90%    | 90%  | *                            | *                              | *                    | 97%       | 91% |  |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 82%    | 82%  | *                            | *                              | *                    | 82%       | 82% |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 73%    | 72%  | *                            | *                              | *                    | 70%       | 72% |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 75%    | 74%  | *                            | *                              | *                    | 72%       | 75% |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 95%    | 93%  | *                            | *                              | *                    | 95%       | 94% |  |  |

| FINDING OUT THAT YOU HAD CANCER  |        |      | Male/Fema      | ale/Non-bina                   | ry/Other             |           |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 83%    | 76%  | *              | *                              | *                    | 83%       | 81% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 75%    | 68%  | *              | *                              | *                    | 71%       | 72% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 78%    | 75%  | *              | *                              | *                    | 64%       | 76% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 90%    | 87%  | *              | *                              | *                    | 88%       | 88% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 84%    | 84%  | *              | *                              | *                    | 84%       | 84% |

| SUPPORT FROM A MAIN CONTACT PERSO   | N      |      | Male/Fema      | le/Non-bina                    | ry/Other             |           |     |
|---|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|   | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 94%    | 92%  | *              | *                              | *                    | 100%      | 93% |
| Q18. Patient found it very or quite easy to contact their main contact person | 85%    | 78%  | *              | *                              | *                    | 83%       | 82% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 96%    | 95%  | *              | *                              | *                    | 92%       | 95% |

# Male/Female/Non-binary/Other tables

| DECIDING ON THE BEST TREATMENT   |        |      | Male/Female/Non-binary/Other |                                |                      |           |     |  |  |
|--|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
|  | Female | Male | Non-<br>binary               | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q20. Treatment options were explained in a way the<br>patient could completely understand  | 83%    | 81%  | *                            | *                              | *                    | 78%       | 82% |  |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                       | 75%    | 77%  | *                            | *                              | *                    | 73%       | 76% |  |  |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options           | 80%    | 81%  | *                            | *                              | *                    | 81%       | 81% |  |  |
| Q23. Patient could get further advice from a different<br>nealthcare professional before making decisions about<br>their treatment options | 51%    | 55%  | *                            | *                              | *                    | 44%       | 52% |  |  |

| CARE PLANNING   |        |      | Male/Female/Non-binary/Other |                                |                      |           |     |  |
|---|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|
|   | Female | Male | Non-<br>binary               | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 70%    | 66%  | *                            | *                              | *                    | 71%       | 69% |  |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 92%    | 93%  | *                            | *                              | *                    | 100%      | 92% |  |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 98%    | 99%  | *                            | *                              | *                    | 100%      | 99% |  |

| SUPPORT FROM HOSPITAL STAFF  |        |      | Male/Female/Non-binary/Other |                                |                      |           |     |  |  |
|--|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
|  | Female | Male | Non-<br>binary               | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q27. Staff provided the patient with relevant information on available support                                     | 90%    | 93%  | *                            | *                              | *                    | 94%       | 91% |  |  |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 71%    | 74%  | *                            | *                              | *                    | 65%       | 72% |  |  |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 67%    | 63%  | *                            | *                              | *                    | 67%       | 65% |  |  |

# Male/Female/Non-binary/Other tables

| HOSPITAL CARE  |        |      | Male/Fema      | ale/Non-bina                   | ry/Other             |           |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                            | 69%    | 79%  | *              | *                              | *                    | 60%       | 74% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital   | 62%    | 71%  | *              | *                              | *                    | 71%       | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                      | 63%    | 68%  | *              | *                              | *                    | 47%       | 65% |
| Q34. Patient was always able to get help from ward staff when needed   | 63%    | 69%  | *              | *                              | *                    | 31%       | 65% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 52%    | 63%  | *              | *                              | *                    | 33%       | 57% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 83%    | 84%  | *              | *                              | *                    | 62%       | 83% |
| Q37. Patient was always treated with respect and dignity while in hospital   | 84%    | 84%  | *              | *                              | *                    | 75%       | 83% |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital         | 85%    | 86%  | *              | *                              | *                    | 73%       | 85% |
| Q39. Patient was always able to discuss worries and<br>fears with hospital staff while being treated as an<br>outpatient or day case | 75%    | 79%  | *              | *                              | *                    | 74%       | 76% |

| YOUR TREATMENT   |        |      | Male/Fema      | ale/Non-bina                   | ry/Other             |           |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 92%    | 89%  | *              | *                              | *                    | 82%       | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 89%    | 84%  | *              | *                              | *                    | 68%       | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 91%    | 88%  | *              | *                              | *                    | 60%       | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 74%    | 82%  | *              | *                              | *                    | *         | 75% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 82%    | 83%  | *              | *                              | *                    | *         | 82% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 86%    | 83%  | *              | *                              | *                    | 76%       | 85% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 80%    | 76%  | *              | *                              | *                    | 67%       | 78% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 83%    | 79%  | *              | *                              | *                    | *         | 82% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 68%    | 76%  | *              | *                              | *                    | *         | 71% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy     | 79%    | 81%  | *              | *                              | *                    | *         | 80% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 75%    | 76%  | *              | *                              | *                    | 74%       | 76% |

# Male/Female/Non-binary/Other tables

| IMMEDIATE AND LONG TERM SIDE EFFEC   | ГS     |      | Male/Fema      | ale/Non-bina                   | ry/Other             |           |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 72%    | 75%  | *              | *                              | *                    | 56%       | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 70%    | 69%  | *              | *                              | *                    | 69%       | 69% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 86%    | 87%  | *              | *                              | *                    | 76%       | 86% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 55%    | 62%  | *              | *                              | *                    | 35%       | 57% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 49%    | 57%  | *              | *                              | *                    | 42%       | 52% |

| SUPPORT WHILE AT HOME  |        |      | Male/Fema      | le/Non-bina                    | ry/Other             |           |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 55%    | 63%  | *              | *                              | *                    | 50%       | 58% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 49%    | 54%  | *              | *                              | *                    | 44%       | 50% |

| CARE FROM YOUR GP PRACTICE   | GP PRACTICE |      |                |                                | Male/Female/Non-binary/Other |           |     |  |  |  |
|--|-------------|------|----------------|--------------------------------|------------------------------|-----------|-----|--|--|--|
|  | Female      | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say         | Not given | All |  |  |  |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 47%         | 43%  | *              | *                              | *                            | 17%       | 44% |  |  |  |
| Q52. Patient has had a review of cancer care by GP practice  | 20%         | 18%  | *              | *                              | *                            | 21%       | 19% |  |  |  |

| LIVING WITH AND BEYOND CANCER   |        |      | Male/Fema      | ale/Non-bina                   | ry/Other             |           |     |
|---|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|   | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 34%    | 25%  | *              | *                              | *                    | *         | 30% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 74%    | 83%  | *              | *                              | *                    | 67%       | 77% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 57%    | 64%  | *              | *                              | *                    | 41%       | 59% |

# Male/Female/Non-binary/Other tables

| YOUR OVERALL NHS CARE  |        |      | Male/Female/Non-binary/Other |                                |                      |           |     |  |
|--|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|
|  | Female | Male | Non-<br>binary               | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |
| Q56. The whole care team worked well together                            | 89%    | 86%  | *                            | *                              | *                    | 77%       | 87% |  |
| Q57. Administration of care was very good or good                        | 85%    | 79%  | *                            | *                              | *                    | 89%       | 83% |  |
| Q58. Cancer research opportunities were discussed with patient           | 37%    | 36%  | *                            | *                              | *                    | 32%       | 36% |  |
| Q59. Patient's average rating of care scored from very poor to very good | 8.8    | 8.7  | *                            | *                              | *                    | 8.2       | 8.7 |  |

\*

| SUPPORT FROM YOUR GP PRACTICE   |       |       |       | Ethnicity |       |           |     |
|---|-------|-------|-------|-----------|-------|-----------|-----|
|   | White | Mixed | Asian | Black     | Other | Not given | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 77%   | *     | *     | *         | *     | 73%       | 77% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 62%   | *     | *     | 40%       | *     | 58%       | 62% |

| DIAGNOSTIC TESTS  | Ethnicity |       |       |       |       |           |     |  |  |
|---|-----------|-------|-------|-------|-------|-----------|-----|--|--|
|   | White     | Mixed | Asian | Black | Other | Not given | All |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 91%       | *     | 82%   | 100%  | *     | 92%       | 91% |  |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 83%       | *     | 91%   | 70%   | *     | 76%       | 82% |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 73%       | *     | 75%   | 70%   | *     | 67%       | 72% |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 76%       | *     | 58%   | 40%   | *     | 71%       | 75% |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 95%       | *     | 92%   | 80%   | *     | 91%       | 94% |  |  |

| FINDING OUT THAT YOU HAD CANCER  |       |       |       |       |       |           |     |
|--|-------|-------|-------|-------|-------|-----------|-----|
|  | White | Mixed | Asian | Black | Other | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 80%   | *     | 100%  | 82%   | *     | 83%       | 81% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 72%   | *     | 77%   | 64%   | *     | 71%       | 72% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 77%   | *     | 71%   | 45%   | *     | 69%       | 76% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 88%   | *     | 93%   | 82%   | *     | 89%       | 88% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 84%   | *     | 92%   | 100%  | *     | 80%       | 84% |

| SUPPORT FROM A MAIN CONTACT PERSO   | N     |       |       |       |       |           |     |
|---|-------|-------|-------|-------|-------|-----------|-----|
|   | White | Mixed | Asian | Black | Other | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 93%   | *     | 100%  | 100%  | *     | 92%       | 93% |
| Q18. Patient found it very or quite easy to contact their main contact person | 82%   | *     | 64%   | 80%   | *     | 82%       | 82% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 95%   | *     | 91%   | 100%  | *     | 90%       | 95% |

| DECIDING ON THE BEST TREATMENT   |       |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | 83%   | *     | 71%   | 50%       | *     | 77%       | 82% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 76%   | *     | 93%   | 64%       | *     | 67%       | 76% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | 81%   | *     | 90%   | 70%       | *     | 85%       | 81% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 51%   | *     | *     | 70%       | *     | 47%       | 52% |

\*

| CARE PLANNING   |       | Ethnicity |       |       |       |           |     |
|---|-------|-----------|-------|-------|-------|-----------|-----|
|   | White | Mixed     | Asian | Black | Other | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 70%   | *         | 42%   | *     | *     | 68%       | 69% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 92%   | *         | 91%   | *     | *     | 96%       | 92% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 99%   | *         | *     | *     | *     | 100%      | 99% |

| SUPPORT FROM HOSPITAL STAFF  |       | Ethnicity |       |       |       |           |     |
|--|-------|-----------|-------|-------|-------|-----------|-----|
|  | White | Mixed     | Asian | Black | Other | Not given | All |
| Q27. Staff provided the patient with relevant information on available support                                     | 91%   | *         | 85%   | 91%   | *     | 84%       | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 73%   | *         | 50%   | 64%   | *     | 61%       | 72% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 65%   | *         | *     | *     | *     | 68%       | 65% |

| HOSPITAL CARE  |       |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 74%   | *     | *     | *         | *     | 67%       | 74% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 67%   | *     | *     | *         | *     | 73%       | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 66%   | *     | *     | *         | *     | 57%       | 65% |
| Q34. Patient was always able to get help from ward staff when needed   | 67%   | *     | *     | *         | *     | 42%       | 65% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 58%   | *     | *     | *         | *     | 40%       | 57% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 84%   | *     | *     | *         | *     | 67%       | 83% |
| Q37. Patient was always treated with respect and dignity while in hospital   | 84%   | *     | *     | *         | *     | 76%       | 83% |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital       | 85%   | *     | *     | *         | *     | 76%       | 85% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 77%   | *     | 69%   | 70%       | *     | 68%       | 76% |

| YOUR TREATMENT   |       |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 91%   | *     | *     | *         | *     | 84%       | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 87%   | *     | *     | *         | *     | 68%       | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 90%   | *     | *     | *         | *     | 69%       | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 75%   | *     | *     | *         | *     | *         | 75% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 84%   | *     | *     | *         | *     | *         | 82% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 85%   | *     | *     | *         | *     | 75%       | 85% |
| Q42_2. Patient completely had enough understandable nformation about their response to chemotherapy      | 80%   | *     | *     | *         | *     | 61%       | 78% |
| Q42_3. Patient completely had enough understandable nformation about their response to radiotherapy      | 82%   | *     | *     | *         | *     | 82%       | 82% |
| Q42_4. Patient completely had enough understandable nformation about their response to hormone therapy   | 71%   | *     | *     | *         | *     | *         | 71% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy     | 82%   | *     | *     | *         | *     | *         | 80% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 76%   | *     | 67%   | *         | *     | 76%       | 76% |

| <b>IMMEDIATE AND LONG TERM SIDE EFFECT</b>   | S     |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | 73%   | *     | 77%   | 70%       | *     | 55%       | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 69%   | *     | 69%   | *         | *     | 62%       | 69% |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | 87%   | *     | 73%   | *         | *     | 72%       | 86% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 57%   | *     | 62%   | 80%       | *     | 44%       | 57% |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | 53%   | *     | 36%   | 40%       | *     | 43%       | 52% |

| SUPPORT WHILE AT HOME  | SUPPORT WHILE AT HOME |       |       | Ethnicity |       |           |     |
|--|-----------------------|-------|-------|-----------|-------|-----------|-----|
|  | White                 | Mixed | Asian | Black     | Other | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 58%                   | *     | 64%   | *         | *     | 54%       | 58% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 52%                   | *     | *     | 50%       | *     | 44%       | 50% |

| CARE FROM YOUR GP PRACTICE   |       |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 44%   | *     | *     | 60%       | *     | 23%       | 44% |
| Q52. Patient has had a review of cancer care by GP practice  | 19%   | *     | 29%   | 36%       | *     | 22%       | 19% |

\*

| LIVING WITH AND BEYOND CANCER  |       | Ethnicity |       |       |       |           |     |
|--|-------|-----------|-------|-------|-------|-----------|-----|
|  | White | Mixed     | Asian | Black | Other | Not given | All |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | 31%   | *         | *     | *     | *     | *         | 30% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | 77%   | *         | *     | *     | *     | 68%       | 77% |
| Q55. Patient was given enough information about<br>the possibility and signs of cancer coming back or<br>spreading                 | 61%   | *         | 67%   | *     | *     | 42%       | 59% |

| YOUR OVERALL NHS CARE  |       | Ethnicity |       |       |       |           |     |  |
|--|-------|-----------|-------|-------|-------|-----------|-----|--|
|  | White | Mixed     | Asian | Black | Other | Not given | All |  |
| Q56. The whole care team worked well together                            | 87%   | *         | 91%   | 91%   | *     | 82%       | 87% |  |
| Q57. Administration of care was very good or good                        | 83%   | *         | 64%   | 73%   | *     | 88%       | 83% |  |
| Q58. Cancer research opportunities were discussed with patient           | 37%   | *         | 20%   | *     | *     | 27%       | 36% |  |
| Q59. Patient's average rating of care scored from very poor to very good | 8.8   | *         | 8.1   | 8.6   | *     | 8.5       | 8.7 |  |

# IMD quintile tables

\*

| SUPPORT FROM YOUR GP PRACTICE   |                   |     | IMD quintile |     |                    |     |  |  |
|---|-------------------|-----|--------------|-----|--------------------|-----|--|--|
|   | 1 (most deprived) | 2   | 3            | 4   | 5 (least deprived) | All |  |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 79%               | 82% | 72%          | 79% | 77%                | 77% |  |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 52%               | 62% | 64%          | 62% | 61%                | 62% |  |  |

| DIAGNOSTIC TESTS  |                      |     | IMD q | uintile |                    |     |
|---|----------------------|-----|-------|---------|--------------------|-----|
|   | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 100%                 | 88% | 91%   | 94%     | 86%                | 91% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 91%                  | 83% | 81%   | 80%     | 83%                | 82% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 85%                  | 77% | 73%   | 68%     | 71%                | 72% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 78%                  | 78% | 70%   | 74%     | 76%                | 75% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 94%                  | 92% | 94%   | 96%     | 94%                | 94% |

| FINDING OUT THAT YOU HAD CANCER  |                      |     | IMD q | uintile |                    |     |
|--|----------------------|-----|-------|---------|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 90%                  | 84% | 74%   | 84%     | 78%                | 81% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 78%                  | 81% | 66%   | 73%     | 69%                | 72% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 75%                  | 82% | 74%   | 78%     | 74%                | 76% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 95%                  | 92% | 85%   | 88%     | 88%                | 88% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 89%                  | 90% | 79%   | 86%     | 81%                | 84% |

| SUPPORT FROM A MAIN CONTACT PERSON  |                      | IMD quintile |     |     |                    |     |
|---|----------------------|--------------|-----|-----|--------------------|-----|
|   | 1 (most<br>deprived) | 2            | 3   | 4   | 5 (least deprived) | All |
| Q17. Patient had a main point of contact within the care team                 | 100%                 | 95%          | 92% | 94% | 92%                | 93% |
| Q18. Patient found it very or quite easy to contact their main contact person | 81%                  | 81%          | 81% | 83% | 82%                | 82% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 100%                 | 92%          | 97% | 95% | 95%                | 95% |

# IMD quintile tables

| DECIDING ON THE BEST TREATMENT   |                      | IMD quintile |     |     |                    |     |
|--|----------------------|--------------|-----|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2            | 3   | 4   | 5 (least deprived) | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | 78%                  | 84%          | 84% | 82% | 79%                | 82% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 80%                  | 83%          | 75% | 76% | 71%                | 76% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | 80%                  | 89%          | 80% | 79% | 79%                | 81% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 70%                  | 64%          | 46% | 51% | 48%                | 52% |

| CARE PLANNING   | IMD quintile      |      |     |     |                    |     |  |
|---|-------------------|------|-----|-----|--------------------|-----|--|
|   | 1 (most deprived) | 2    | 3   | 4   | 5 (least deprived) | All |  |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 78%               | 69%  | 67% | 70% | 66%                | 69% |  |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 100%              | 93%  | 97% | 86% | 94%                | 92% |  |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 96%               | 100% | 99% | 99% | 99%                | 99% |  |

| SUPPORT FROM HOSPITAL STAFF  |                      |     | IMD q | uintile |                    |     |
|--|----------------------|-----|-------|---------|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q27. Staff provided the patient with relevant<br>information on available support                                  | 97%                  | 88% | 95%   | 91%     | 88%                | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 82%                  | 76% | 74%   | 69%     | 68%                | 72% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 72%                  | 65% | 60%   | 71%     | 61%                | 65% |

| HOSPITAL CARE  |                      |     | IMD q | uintile | 4 5 (least deprived) All |     |  |  |  |  |  |
|--|----------------------|-----|-------|---------|--------------------------|-----|--|--|--|--|--|
|  | 1 (most<br>deprived) | 2   | 3     | 4       |                          | All |  |  |  |  |  |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 92%                  | 77% | 72%   | 75%     | 67%                      | 74% |  |  |  |  |  |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 78%                  | 77% | 59%   | 68%     | 63%                      | 67% |  |  |  |  |  |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 83%                  | 69% | 58%   | 69%     | 59%                      | 65% |  |  |  |  |  |
| Q34. Patient was always able to get help from ward staff when needed   | 72%                  | 73% | 52%   | 68%     | 65%                      | 65% |  |  |  |  |  |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 61%                  | 73% | 49%   | 56%     | 53%                      | 57% |  |  |  |  |  |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 96%                  | 88% | 82%   | 85%     | 75%                      | 83% |  |  |  |  |  |
| Q37. Patient was always treated with respect and dignity while in hospital   | 92%                  | 89% | 81%   | 83%     | 81%                      | 83% |  |  |  |  |  |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital       | 88%                  | 87% | 86%   | 83%     | 84%                      | 85% |  |  |  |  |  |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 91%                  | 78% | 73%   | 79%     | 74%                      | 76% |  |  |  |  |  |

# **IMD** quintile tables

| YOUR TREATMENT   |                      |     | IMD q | uintile |                    |     |
|--|----------------------|-----|-------|---------|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 91%                  | 84% | 93%   | 89%     | 93%                | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 95%                  | 92% | 83%   | 87%     | 83%                | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | *                    | 84% | 94%   | 94%     | 85%                | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | *                    | 78% | 83%   | 76%     | 67%                | 75% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 82%                  | 83% | 86%   | 79%     | 80%                | 82% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 87%                  | 81% | 88%   | 85%     | 84%                | 85% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 90%                  | 77% | 74%   | 85%     | 71%                | 78% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | *                    | 80% | 85%   | 92%     | 73%                | 82% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | *                    | 68% | 78%   | 78%     | 60%                | 71% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy     | 90%                  | 80% | 86%   | 90%     | 66%                | 80% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 77%                  | 76% | 74%   | 75%     | 77%                | 76% |

| IMMEDIATE AND LONG TERM SIDE EFFECT  | ſS                   |     | IMD q | uintile |                    |     |
|--|----------------------|-----|-------|---------|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 68%                  | 74% | 73%   | 75%     | 71%                | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 75%                  | 73% | 70%   | 72%     | 64%                | 69% |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | 91%                  | 83% | 90%   | 87%     | 83%                | 86% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 57%                  | 52% | 55%   | 61%     | 57%                | 57% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 51%                  | 51% | 49%   | 58%     | 49%                | 52% |

| SUPPORT WHILE AT HOME  |                      | IMD quintile |     |     |                    |     |
|--|----------------------|--------------|-----|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2            | 3   | 4   | 5 (least deprived) | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 67%                  | 54%          | 59% | 62% | 54%                | 58% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 60%                  | 53%          | 56% | 45% | 49%                | 50% |

| CARE FROM YOUR GP PRACTICE   |                      |     | IMD q | uintile |                    |     |
|--|----------------------|-----|-------|---------|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3     | 4       | 5 (least deprived) | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 61%                  | 40% | 38%   | 54%     | 36%                | 44% |
| Q52. Patient has had a review of cancer care by GP practice  | 20%                  | 22% | 16%   | 23%     | 17%                | 19% |

# **IMD** quintile tables

\*

| LIVING WITH AND BEYOND CANCER   | IMD quintile         |     |     |     |                    |     |  |
|---|----------------------|-----|-----|-----|--------------------|-----|--|
|   | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | *                    | 23% | 33% | 35% | 25%                | 30% |  |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 84%                  | 80% | 76% | 80% | 71%                | 77% |  |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 68%                  | 54% | 62% | 65% | 53%                | 59% |  |

| YOUR OVERALL NHS CARE  |                      | IMD quintile |     |     |                    |     |
|--|----------------------|--------------|-----|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2            | 3   | 4   | 5 (least deprived) | All |
| Q56. The whole care team worked well together                            | 95%                  | 89%          | 85% | 85% | 89%                | 87% |
| Q57. Administration of care was very good or good                        | 85%                  | 81%          | 81% | 81% | 86%                | 83% |
| Q58. Cancer research opportunities were discussed with patient           | 43%                  | 34%          | 38% | 35% | 36%                | 36% |
| Q59. Patient's average rating of care scored from very poor to very good | 9.1                  | 8.8          | 8.7 | 8.7 | 8.7                | 8.7 |

## Long-term condition status tables

| SUPPORT FROM YOUR GP PRACTICE   | Long-term condition status |     |           |     |  |
|---|----------------------------|-----|-----------|-----|--|
|   | Yes                        | No  | Not given | All |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 76%                        | 80% | 72%       | 77% |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 58%                        | 70% | 56%       | 62% |  |

| DIAGNOSTIC TESTS  | Long-term condition status |     |           |     |  |  |
|---|----------------------------|-----|-----------|-----|--|--|
|   | Yes                        | No  | Not given | All |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 90%                        | 91% | 92%       | 91% |  |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 82%                        | 83% | 76%       | 82% |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 74%                        | 70% | 71%       | 72% |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 76%                        | 75% | 63%       | 75% |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 95%                        | 93% | 93%       | 94% |  |  |

| FINDING OUT THAT YOU HAD CANCER  | Long-term condition status |     |           |     |
|--|----------------------------|-----|-----------|-----|
|  | Yes                        | No  | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 81%                        | 80% | 83%       | 81% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 74%                        | 69% | 65%       | 72% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 78%                        | 76% | 63%       | 76% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 87%                        | 90% | 92%       | 88% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 85%                        | 84% | 79%       | 84% |

| SUPPORT FROM A MAIN CONTACT PERSON  |     | Long-term condition status |           |     |
|---|-----|----------------------------|-----------|-----|
|   | Yes | No                         | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 93% | 94%                        | 97%       | 93% |
| Q18. Patient found it very or quite easy to contact their main contact person | 83% | 81%                        | 83%       | 82% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 95% | 95%                        | 95%       | 95% |

| DECIDING ON THE BEST TREATMENT   | Long-term condition status |     |           |     |
|--|----------------------------|-----|-----------|-----|
|  | Yes                        | No  | Not given | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | 85%                        | 78% | 72%       | 82% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 77%                        | 74% | 71%       | 76% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | 82%                        | 78% | 83%       | 81% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 56%                        | 48% | 46%       | 52% |

## Long-term condition status tables

| CARE PLANNING   | Long-term condition status |     |           |     |
|---|----------------------------|-----|-----------|-----|
|   | Yes                        | No  | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 68%                        | 68% | 74%       | 69% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 93%                        | 91% | 95%       | 92% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 99%                        | 99% | 97%       | 99% |

| SUPPORT FROM HOSPITAL STAFF  | Long-term condition status |     |     |     |
|--|----------------------------|-----|-----|-----|
|  | Yes                        | All |     |     |
| Q27. Staff provided the patient with relevant information on available support                                     | 91%                        | 90% | 94% | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 75%                        | 68% | 62% | 72% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 64%                        | 64% | 76% | 65% |

| HOSPITAL CARE  |     | Long-term cor | ndition status |     |
|--|-----|---------------|----------------|-----|
|  | Yes | No            | Not given      | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 79% | 68%           | 58%            | 74% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 70% | 61%           | 71%            | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 69% | 59%           | 60%            | 65% |
| Q34. Patient was always able to get help from ward staff when needed   | 69% | 63%           | 44%            | 65% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 60% | 56%           | 39%            | 57% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 86% | 80%           | 69%            | 83% |
| Q37. Patient was always treated with respect and dignity while in hospital   | 86% | 81%           | 73%            | 83% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 84% | 87%           | 80%            | 85% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 75% | 80%           | 74%            | 76% |

## Long-term condition status tables

| YOUR TREATMENT   |     | Long-term cor | ndition status |     |
|--|-----|---------------|----------------|-----|
|  | Yes | No            | Not given      | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 91% | 91%           | 81%            | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 87% | 87%           | 72%            | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 91% | 88%           | 80%            | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 79% | 71%           | 70%            | 75% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 88% | 74%           | *              | 82% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 85% | 85%           | 81%            | 85% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 77% | 81%           | 68%            | 78% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 82% | 81%           | 88%            | 82% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 68% | 72%           | 82%            | 71% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 85% | 73%           | *              | 80% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 75% | 78%           | 75%            | 76% |
| ,  |     |               |                |     |

| <b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>  | 5   | Long-term condition status |           |     |
|--|-----|----------------------------|-----------|-----|
|  | Yes | No                         | Not given | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | 70% | 78%                        | 66%       | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 69% | 70%                        | 68%       | 69% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 87% | 87%                        | 80%       | 86% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 57% | 58%                        | 51%       | 57% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 52% | 53%                        | 47%       | 52% |

| SUPPORT WHILE AT HOME  | Long-term condition status |     |     |     |
|--|----------------------------|-----|-----|-----|
|  | Yes                        | All |     |     |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 60%                        | 54% | 53% | 58% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 50%                        | 51% | 50% | 50% |


| CARE FROM YOUR GP PRACTICE   | Long-term condition status |     |     |     |  |
|--|----------------------------|-----|-----|-----|--|
|  | Yes No Not given           |     |     |     |  |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 44%                        | 49% | 26% | 44% |  |
| Q52. Patient has had a review of cancer care by GP practice  | 21%                        | 17% | 20% | 19% |  |


## Long-term condition status tables

| LIVING WITH AND BEYOND CANCER   | Long-term condition status |     |           |     |
|---|----------------------------|-----|-----------|-----|
|   | Yes                        | No  | Not given | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 32%                        | 24% | 23%       | 30% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 76%                        | 83% | 68%       | 77% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 59%                        | 60% | 55%       | 59% |


| YOUR OVERALL NHS CARE  |     | Long-term condition status |           |     |  |
|--|-----|----------------------------|-----------|-----|--|
|  | Yes | No                         | Not given | All |  |
| Q56. The whole care team worked well together                            | 87% | 89%                        | 84%       | 87% |  |
| Q57. Administration of care was very good or good                        | 81% | 85%                        | 88%       | 83% |  |
| Q58. Cancer research opportunities were discussed with patient           | 38% | 37%                        | 24%       | 36% |  |
| Q59. Patient's average rating of care scored from very poor to very good | 8.7 | 8.9                        | 8.5       | 8.7 |  |


### Year on year charts







#### **DIAGNOSTIC TESTS**










| * I<br>1 | ndicates where a<br>o suppression or  | score is not avai<br>a low base size. | lable due ** No score av | vailable for these y | ears. The score<br>England s | s are unadjusted and based o cores only. | on |
|----------|---|---------------------------------------|--------------------------|----------------------|------------------------------|--|----|
|          | Q8. Diagnostic test results were explained in a way the patient could completely understand |                                       |                          |                      |                              |  |    |
| 100%     | 0   |                                       |                          |                      |                              |  |    |
| 80%      | )   | 700/                                  |                          | 770/                 |                              |  |    |
| 60%      |   | 76%                                   |                          | 77%                  |                              | 75%                                      |    |
| 40%      | ,   |                                       |                          |                      |                              |  |    |
| 20%      | ,   |                                       |                          |                      |                              |  |    |
| 0%       |   | 2021                                  |                          | 2022                 |                              | 2023                                     |    |













| <ul> <li>Indicates where<br/>to suppression</li> </ul>                         | e a score is not available<br>or a low base size. | due ** No score available for these years. | The scores are unadjusted and based on<br>England scores only. |  |  |
|--|---|--|--|--|--|
| Q15. Patient was definitely told about their diagnosis in an appropriate place |   |  |  |  |  |
| 100%   |   |  |  |  |  |
| 80%  | 82%   | 83%  | 88%  |  |  |
| 60%  |   |  |  |  |  |
| 40%  |   |  |  |  |  |
| 20%  |   |  |  |  |  |
| 0%   |   |  |  |  |  |
| 0,0  | 2021  | 2022                                       | 2023   |  |  |














### Year on year charts







 Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options

 100%

 80%

 60%

 40%

 20%

 0%

 2021 \*\*

 2022 \*\*

#### **CARE PLANNING**


| Q24. Pa | atient was definitely able to ha | we a discussion about their needs or cond | cerns prior to treatment |  |
|---------|----------------------------------|---|--------------------------|--|
| 100%    |                                  |   |                          |  |
| 80%     |                                  |   |                          |  |
| 60%     | 69%                              | 70%                                       | 69%                      |  |
| 40%     |                                  |   |                          |  |
| 20%     |                                  |   |                          |  |
| 0%      | 2021                             | 2022                                      | 2023                     |  |


## Year on year charts


| <ul> <li>Indicates where<br/>to suppression</li> </ul> | e a score is not available d<br>or a low base size. | ue ** No score available for these years.  | The scores are unadjusted and based on<br>England scores only. |
|--|---|--|--|
|  | their care team helped th                           | ne patient create a care plan to address a | any needs or concerns  |
| 80%  | 90%   | 92%  | 92%  |
| 60%  |   |  |  |
| 40%<br>20%   |   |  |  |
| 0%   | 2021  | 2022                                       | 2023   |


| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date |      |      |  |      |  |
|---|------|------|--|------|--|
| 100%  | 99%  | 99%  |  | 99%  |  |
| 80% -   |      |      |  |      |  |
| 60%   |      |      |  |      |  |
| 40% -   |      |      |  |      |  |
| 20%   |      |      |  |      |  |
| 0% -  |      |      |  |      |  |
|   | 2021 | 2022 |  | 2023 |  |


#### SUPPORT FROM HOSPITAL STAFF























































| * In<br>to | dicates where a score is not available due <b>**</b> N<br>suppression or a low base size. | o score available for these years.     | The scores are unadjusted and based on<br>England scores only. |  |
|------------|---|--|--|--|
| Q42_2      | . Patient completely had enough understanda   | ble information about their response t | o chemotherapy   |  |
| 100%       |   |  |  |  |
| 80%        |   |  | 700/   |  |
| 60%        |   |  | 78%  |  |
| 40%        |   |  |  |  |
| 20%        |   |  |  |  |
| 0%         | 2021 **   | 2022 **                                | 2023   |  |



























### Year on year charts

Indicates where a score is not available due \*\* No score available for these years. The scores are unadjusted and based on England scores only.
 SUPPORT WHILE AT HOME
 Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home











#### LIVING WITH AND BEYOND CANCER


| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services |      |      |      |  |
|--|------|------|------|--|
| 100%   |      |      |      |  |
| 80%  |      |      |      |  |
| 60%  |      |      |      |  |
| 40%  |      |      |      |  |
| 20%  | 33%  | 29%  | 30%  |  |
| 0%   | 2021 | 2022 | 2023 |  |














|                | vhere a score is not availab<br>sion or a low base size. | e due ** No score available for these years. | The scores are unadjusted and based on<br>England scores only. |
|----------------|--|--|--|
| Q59. Patient's | average rating of care sc                                | ored from very poor to very good             |  |
| 10             |  |  |  |
| 8              | 8.8  | 8.7  | 8.7  |
| 6              |  |  |  |
| 4              |  |  |  |
| 2              |  |  |  |
| 0              | 2021   | 2022   | 2023   |